

Seznam celných suspenzí s koncem platnosti k 31. 12. 2023

Number of Measure where the envisaged date for review was set to 31.12.2023	Reference mail	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
2	292/1/1989, PROLONG 2019	0710210010	#Peas in pods, of the species <i>Pisum sativum</i> of the variety <i>Hortense axiphium</i> , frozen, of a thickness of not more than 6 mm, to be used, in their pods, in the manufacture of prepared meals#	0%		31.12.2023
3	1285/1/2003, PROLONG 2019	0710809550	#Bamboo shoots, frozen, not put up for retail sale#	0%		31.12.2023
5	1617/5/1989, PROLONG 2019	0712320010	#Mushrooms, excluding mushrooms of the genus <i>Agaricus</i> , dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale#	0%		31.12.2023
	1617/5/1989, PROLONG 2019	0712330010	#Mushrooms, excluding mushrooms of the genus <i>Agaricus</i> , dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale#	0%		31.12.2023
	1617/5/1989, PROLONG 2019	0712340031	#Mushrooms, excluding mushrooms of the genus <i>Agaricus</i> , dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale#	0%		31.12.2023
	1617/5/1989, PROLONG 2019	0712390031	#Mushrooms, excluding mushrooms of the genus <i>Agaricus</i> , dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale#	0%		31.12.2023
6	1619/4/1989, PROLONG 2019	0804100030	#Dates, fresh or dried, for use in the manufacture (excluding packing) of products of drink or food industries#	0%		31.12.2023
7	1617/8/1989, PROLONG 2019	0811905000	#Fruit of the genus <i>Vaccinium</i> , uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter#	0%		31.12.2023
	1617/8/1989, PROLONG 2019	0811907000	#Fruit of the genus <i>Vaccinium</i> , uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter#	0%		31.12.2023
	1617/8/1989, PROLONG 2019	0811909570	#Fruit of the genus <i>Vaccinium</i> , uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter#	0%		31.12.2023
8	1984/1/2001, PROLONG 2019	0811909520	#Boysenberries, frozen, not containing added sugar, not put up for retail sale#	0%		31.12.2023
9	1998/1/2001, PROLONG 2019	0811909530	#Pineapple (<i>Ananas comosus</i>), in pieces, frozen#	0%		31.12.2023
10	1617/7/1989, PROLONG 2019	0811909540	#Rose-hips, uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter#	0%		31.12.2023
13	1959/1/2002, PROLONG 2019	1515909992	#Vegetable oil, refined or semi-refined, containing by weight 35 % or more but not more than 57 % of arachidonic acid or 35 % or more but not more than 50 % of docosahexaenoic acid#	0%		31.12.2023
14	4960995/2018	1516201000	#Hydrogenated castor oil, so called 'opal-wax'#	0%		31.12.2023
18	3090446/2013, PROLONG 2019	1901909939	#Preparation in powder form containing by weight:### # 15 % or more but not more than 35 % of wheat derived Maltodextrin, # 15 % or more but not more than 35 % of whey (milk serum), # 10 % or more but not more than 30 % of refined, bleached, deodorised and non-hydrogenated sunflower oil, # 10 % or more but not more than 30 % of blended, aged spray dried cheese, # 5 % or more but not more than 15 % of buttermilk and # 0,1 % or more but not more than 10 % of sodium caseinate, disodium phosphate, lactic acid #	0%		31.12.2023

	3090446/2013, PROLONG 2019	2106909845	#Preparation in powder form containing by weight:### # 15 % or more but not more than 35 % of wheat derived Maltodextrin, # 15 % or more but not more than 35 % of whey (milk serum), # 10 % or more but not more than 30 % of refined, bleached, deodorised and non-hydrogenated sunflower oil, # 10 % or more but not more than 30 % of blended, aged spray dried cheese, # 5 % or more but not more than 15 % of buttermilk and # 0,1 % or more but not more than 10 % of sodium caseinate, disodium phosphate, lactic acid #	0%		31.12.2023
19	1998/3/2001, PROLONG 2019	1902301010	#Transparent noodles, cut in pieces, obtained from beans (Vigna radiata (L.) Wilczek), not put up for retail sale#	0%		31.12.2023
	1998/3/2001, PROLONG 2019	1903000020	#Transparent noodles, cut in pieces, obtained from beans (Vigna radiata (L.) Wilczek), not put up for retail sale#	0%		31.12.2023
20	1276/2/2000, PROLONG 2019	2005910010	#Bamboo shoots, prepared or preserved, in immediate packings of a net content of more than 5 kg#	0%		31.12.2023
21	1113066/2012	2007995083	#Mango puree concentrate, obtained by cooking:### # of the Genus Mangifera spp . , # with a sugar content by weight of not more than 30 % # ###for use in the manufacture of products of food and drink industry#	6%		31.12.2023
	1113066/2012	2007995093	#Mango puree concentrate, obtained by cooking:### # of the Genus Mangifera spp . , # with a sugar content by weight of not more than 30 % # ###for use in the manufacture of products of food and drink industry#	6%		31.12.2023
	1113066/2012	2007999310	#Mango puree concentrate, obtained by cooking:### # of the Genus Mangifera spp . , # with a sugar content by weight of not more than 30 % # ###for use in the manufacture of products of food and drink industry#	6%		31.12.2023
22	1112993/2012	2007995084	#Papaya puree concentrate, obtained by cooking:### # of the Genus Carica spp . , # with a sugar content by weight of more than 13 % but not more than 30 % # ###for use in the manufacture of products of food and drink industry#	7.8%		31.12.2023
	1112993/2012	2007995094	#Papaya puree concentrate, obtained by cooking:### # of the Genus Carica spp . , # with a sugar content by weight of more than 13 % but not more than 30 % # ###for use in the manufacture of products of food and drink industry#	7.8%		31.12.2023
23	1112921/2012	2007995085	#Guava puree concentrate, obtained by cooking:### # of the Genus Psidium spp . , # with a sugar content by weight of more than 13 % but not more than 30 % # ###for use in the manufacture of products of food and drink industry#	6%		31.12.2023
	1112921/2012	2007995095	#Guava puree concentrate, obtained by cooking:### # of the Genus Psidium spp . , # with a sugar content by weight of more than 13 % but not more than 30 % # ###for use in the manufacture of products of food and drink industry#	6%		31.12.2023
25	635208/2010, PROLONG 2016	2008994894	#Mango puree:### # not from concentrate, # of the genus Mangifera, # of a Brix value of 14 or more, but not more than 20, # ###used in the manufacture of products of drink industry#	6%		31.12.2023
34	974/06, PROLONG 2022	2009897920	#Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 67, in immediate packings of a content of 50 litres or more#	0%	I	31.12.2023
35	448996/2013, PROLONG 2019	2009897930	#Frozen acerola juice concentrate :### # with a Brix value of more than 48 but not more than 67, # in immediate packings of a content of 50 litres or more #	0%	I	31.12.2023
39	3070339/2013, 3081100/2013, 3087123/2013, PROLONG 2019	2106102020	#Soya protein concentrate having a protein content by weight, calculated on a dry weight basis, of 65 % or more but not more than 90 % in powder or textured form#	0%		31.12.2023
40	1959/3/2002, PROLONG 2019	2106102030	#Preparation on the base of soya protein isolate, containing by weight 6,6 % or more but not more than 8,6 % of calcium phosphate#	0%		31.12.2023
44	3082494/2013, PROLONG 2019	2707999910	#Heavy and medium oils, whose aromatic content exceeds their non-aromatic content, for use as refinery feedstock to undergo one of the specific processes described in Additional note 5 to Chapter 27#	0%		31.12.2023
46	1254190/2015, 3016685/2013	2710198130	#Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing:### # 90 % or more by weight of saturates, and # not more than 0,03 % by weight of sulphur, # ###and with### # a viscosity index of 80 or more, but less than 120, and a # a kinematic viscosity less than 5,0 cSt at 100°C or more than 13,0 cSt at 100°C #	0%		31.12.2023

	1254190/2015, 3016685/2013	2710199950	#Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing:### # 90 % or more by weight of saturates, and # not more than 0,03 % by weight of sulphur, # ###and with### # a viscosity index of 80 or more, but less than 120, and a # a kinematic viscosity less than 5,0 cSt at 100°C or more than 13,0 cSt at 100°C #	0%		31.12.2023
50	1287/2008, PROLONG 2019	2804509040	#Tellurium (CAS RN 13494-80-9) of a purity by weight of 99,99 % or more, but not more than 99,999 %, based on metallic impurities measured by ICP analysis#	0%		31.12.2023
52	313390/2013, 343255/2013, 371450/2013, 383834/2013, 499762/2013, PROLONG 2019	2804709000	#Phosphorus, other than red phosphorus#	0%		31.12.2023
55	495/1/1985, PROLONG 2019	2805301010	Alloy of cerium and other rare-earth metals, containing by weight 47 % or more of cerium	0%		31.12.2023
58	579/1/1999, PROLONG 2019	2811220010	#Silicon dioxide (CAS RN 7631-86-9) in the form of powder, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges#	0%		31.12.2023
61	1710/1/1997, PROLONG 2019	2812900010	Nitrogen trifluoride (CAS RN 7783-54-2)	0%		31.12.2023
63	4705865/2018	2818101110	#Sol-Gel corundum (CAS RN 1302-74-5) with an aluminium oxide content of 99,6 % or more by weight, having a micro crystalline structure in the form of rods with an aspect ratio of 1,3 or more, but not more than 6,0#	0%		31.12.2023
68	1242588/2016, 1283/1/1983, PROLONG 2019	2818300030	#Aluminium hydroxide oxide in the form of boehmite or pseudoboehmite (CAS RN 1318-23-6)#	0%		31.12.2023
72	6011549/2019	2825200010	#Lithium hydroxide monohydrate (CAS RN 1310-66-3)#	2.6%		31.12.2023
74	1134/2/1995, PROLONG 2019	2825500020	#Copper (I or II) oxide containing by weight 78 % or more of copper and not more than 0,03 % of chloride#	0%		31.12.2023
79	5899336/2021	2826908030	#Lithium hexafluorophosphate (CAS RN 21324-40-3) with a purity by weight of 99 % or more#	2.7%		31.12.2023
80	1255/2/1992, PROLONG 2019	2827398510	#Copper monochloride (CAS RN 7758-89-6) of a purity by weight of 96 % or more but not more than 99 %#	0%		31.12.2023
82	3058689/2013, PROLONG 2019	2827398540	#Barium chloride dihydrate (CAS RN 10326-27-9)#	0%		31.12.2023
83	1220/2008, PROLONG 2019	2827499010	#Hydrated zirconium dichloride oxide (CAS RN 7699-43-6)#	0%		31.12.2023
85	4727358/2018	2828100010	#Calcium hypochlorite (CAS RN 7778-54-3) having an active chlorine content of 65 % or more#	0%		31.12.2023
86	1729/1/2001, PROLONG 2019	2830100010	#Disodium tetrasulphide (CAS RN 12034-39-8), containing by weight 38 % or less of sodium calculated on the dry weight#	0%		31.12.2023
87	760/05, PROLONG 2019	2833298020	#Manganese sulphate monohydrate (CAS RN 10034-96-5)#	0%		31.12.2023
89	3058712/2013, PROLONG 2019	2835100020	#Sodium hypophosphite (CAS RN 7681-53-0)#	0%		31.12.2023
90	1181595/2018	2835100030	#Aluminium Phosphinate (CAS RN 7784-22-7)#	0%		31.12.2023

91	449/1/1977, PROLONG 2019	2836910020	#Lithium carbonate, containing one or more of the following impurities at the concentrations indicated:### # 2 mg/kg or more of arsenic, # 200 mg/kg or more of calcium, # 200 mg/kg or more of chlorides, # 20 mg/kg or more of iron, # 150 mg/kg or more of magnesium, # 20 mg/kg or more of heavy metals, # 300 mg/kg or more of potassium, # 300 mg/kg or more of sodium, # 200 mg/kg or more of sulphates, # ###determined according to the methods specified in the European Pharmacopœia#	0%		31.12.2023
92	1887/1/2002, PROLONG 2019	2836991730	#Zirconium (IV) basic carbonate (CAS RN 57219-64-4 or 37356-18-6) with a purity by weight of 96 % or more#	0%		31.12.2023
93	1628/1/1999, PROLONG 2019	2837190020	Copper cyanide (CAS RN 544-92-3)	0%		31.12.2023
95	1704/2/2002, PROLONG 2019	2839900020	#Calcium silicate (CAS RN 1344-95-2)#	0%		31.12.2023
98	3058664/2013, PROLONG 2019	2841700010	#Diammonium tetraoxomolybdate(2-) (CAS RN 13106-76-8)#	0%		31.12.2023
103	341709/2013, PROLONG 2019	2841908520	#Potassium titanium oxide (CAS RN 12056-51-8) in powder form with a purity of 99 % or more#	0%		31.12.2023
104	1211/2008, PROLONG 2019	2842100010	#Synthetic beta zeolite powder#	0%		31.12.2023
109	422/1/1972, PROLONG 2019	2845100000	#Heavy water (deuterium oxide) (Euratom) (CAS RN 7789-20-0)#	0%		31.12.2023
111	422/1/1972, PROLONG 2019	2845901000	#Deuterium and compounds thereof; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products (Euratom)#	0%		31.12.2023
113	3425/06, PROLONG 2019	2845909020	#Water enriched at a level of 95 % or more by weight with oxygen-18 (CAS RN 14314-42-2)#	0%		31.12.2023
116	1680/1/1996, PROLONG 2019	2846100010	#Rare-earth concentrate containing by weight 60 % or more but not more than 95 % of rare-earth oxides and not more than 1 % each of zirconium oxide, aluminium oxide or iron oxide, and having a loss on ignition of 5 % or more by weight#	0%		31.12.2023
	1680/1/1996, PROLONG 2019	3824999653	#Rare-earth concentrate containing by weight 60 % or more but not more than 95 % of rare-earth oxides and not more than 1 % each of zirconium oxide, aluminium oxide or iron oxide, and having a loss on ignition of 5 % or more by weight#	0%		31.12.2023
117	1744/1/2002, PROLONG 2019	2846100020	#Dicerium tricarbonat (CAS RN 537-01-9), whether or not hydrated#	0%		31.12.2023
118	1744/2/2002, PROLONG 2019	2846100030	Cerium lanthanum carbonate, whether or not hydrated	0%		31.12.2023
119	1887/3/2002, PROLONG 2019	2846903000	#Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals, other than those of subheading 2846 10 00#	0%		31.12.2023
	1887/3/2002, PROLONG 2019	2846904000	#Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals, other than those of subheading 2846 10 00#	0%		31.12.2023
	1887/3/2002, PROLONG 2019	2846905000	#Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals, other than those of subheading 2846 10 00#	0%		31.12.2023
	1887/3/2002, PROLONG 2019	2846906000	#Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals, other than those of subheading 2846 10 00#	0%		31.12.2023
	1887/3/2002, PROLONG 2019	2846909000	#Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals, other than those of subheading 2846 10 00#	0%		31.12.2023

120	1710/2/1997, PROLONG 2019	2850002010	Silane (CAS RN 7803-62-5)	0%		31.12.2023
123	1449139/2018	2850002070	#Cubic Boron nitride (CAS RN 10043-11-5)#	0%		31.12.2023
125	1175/2008, PROLONG 2019	2850006010	#Sodium azide (CAS RN 26628-22-8)#	0%		31.12.2023
126	1241/2/2000, PROLONG 2019	2853909020	Phosphine (CAS RN 7803-51-2)	0%		31.12.2023
131	1913/1/2003, PROLONG 2019	2903470020	#1,1,1,3,3-Pentafluoropropane (HFC-245fa) (CAS RN 460-73-1)#	0%		31.12.2023
132	698/4/1979, PROLONG 2019	2903493010	#Carbon tetrafluoride (tetrafluoromethane) (CAS RN 75-73-0)#	0%		31.12.2023
133	1710/3/1997, PROLONG 2019	2903493020	Perfluoroethane (CAS RN 76-16-4)	0%		31.12.2023
134	3007585/2013, PROLONG 2019	2903493030	#1H - Perfluorohexane (CAS RN 355-37-3)#	0%		31.12.2023
136	1314/2008, PROLONG 2019	2903510020	# Trans -1,3,3,3-tetrafluoroprop-1-ene (Trans -1,3,3,3-tetrafluoropropene) (CAS RN 29118-24-9)#	0%		31.12.2023
137	3007572/2013, PROLONG 2019	2903590020	#{Perfluorobutyl) ethylene (CAS RN 19430-93-4)#	0%		31.12.2023
144	3119/1/04, PROLONG 2019	2903776010	#1,1,1-Trichlorotrifluoroethane (CAS RN 354-58-5) #	0%		31.12.2023
146	1498079/2018	2903780010	#Octafluoro-1,4-diodobutane (CAS RN 375-50-8)#	0%		31.12.2023
153	1704/1/1999, PROLONG 2019	2903998020	1,2-Bis(pentabromophenyl)ethane (CAS RN 84852-53-9)	0%		31.12.2023
156	279/2/1996, PROLONG 2019	2903998040	#2,6-Dichlorotoluene (CAS RN 118-69-4), of a purity by weight of 99 % or more and containing:### # 0,001 mg/kg or less of tetrachlorodibenzodioxines, # 0,001 mg/kg or less of tetrachlorodibenzofurans, # 0,2 mg/kg or less of tetrachlorobiphenyls #	0%		31.12.2023
158	1289/2008, PROLONG 2019	2903998050	#Fluorobenzene (CAS RN 462-06-6)#	0%		31.12.2023
163	311432/2013, PROLONG 2019	2903998080	#1-Bromo-3,4,5-trifluorobenzene (CAS RN 138526-69-9)#	0%		31.12.2023
175	1503502/2018	2904990045	#2-Nitrobenzenesulfonyl Chloride (CAS RN 1694-92-4)#	0%		31.12.2023
176	449137/2013, PROLONG 2019	2904990050	#Ethan Sulphonyl chloride (CAS RN 594-44-5)#	0%		31.12.2023
182	3090865/2013	2905110010	#Methanol (CAS RN 67-56-1) with a purity of 99,85 % by weight or more #	0%		31.12.2023
183	443/12/1977, PROLONG 2019	2905190011	#Potassium tert-butanolate (CAS RN 865-47-4), whether or not in the form of a solution in tetrahydrofuran according to note 1e) to Chapter 29 of the CN #	0%		31.12.2023
184	3044132/2013, PROLONG 2019	2905190020	#Butyl titanate monohydrate, homopolymer (CAS RN162303-51-7)#####	0%		31.12.2023
185	3044140/2013, PROLONG 2019	2905190025	#Tetra-(2-ethylhexyl) titanate (CAS RN 1070-10-6)#	0%		31.12.2023
186	1913/2/2003, PROLONG 2019	2905190030	#2,6-Dimethylheptan-4-ol (CAS RN 108-82-7)#	0%		31.12.2023

190	449520/2013, PROLONG 2019	2905190085	#Titanium tetraethanolate (CAS RN 3087-36-3)#	0%		31.12.2023
194	4755930/2018	2905320020	#(2S)-Propane-1,2-diol (CAS RN 4254-15-3) with a purity by weight of 98 % or more#	0%		31.12.2023
197	288738/2013, PROLONG 2019	2905399550	#2-Methyl-2-propylpropane-1,3-diol (CAS RN 78-26-2)#	0%		31.12.2023
202	1716/1/1997, PROLONG 2019	2906190010	Cyclohex-1,4-ylenedimethanol (CAS RN 105-08-8)	0%		31.12.2023
203	1714/1/1997, PROLONG 2019	2906190020	#4,4'-Isopropylidenedicyclohexanol (CAS RN 80-04-6)#	0%		31.12.2023
206	3119/3/04, PROLONG 2019	2906290020	#1-Hydroxymethyl-4-methyl-2,3,5,6-tetrafluorobenzene (CAS RN 79538-03-7)#	0%		31.12.2023
216	1233/2008, PROLONG 2019	2907199020	#Biphenyl-4-ol (CAS RN 92-69-3)#	0%		31.12.2023
218	256/1/1992, PROLONG 2019	2907210010	Resorcinol (CAS RN 108-46-3)	0%		31.12.2023
219	498695/2013, PROLONG 2019	2907290015	#6,6'-Di-tert-butyl-4,4'-butylidenedi-m-cresol (CAS RN 85-60-9)#	0%		31.12.2023
220	423/1/1994, PROLONG 2019	2907290020	#4,4'-(3,3,5-Trimethylcyclohexylidene)diphenol (CAS RN 129188-99-4)#	0%		31.12.2023
222	1301/2/1994, PROLONG 2019	2907290030	#4,4',4''-Ethylidynetriphenol (CAS RN 27955-94-8)#	0%		31.12.2023
224	1507/1/1998, PROLONG 2019	2907290050	#6,6',6''-Tricyclohexyl-4,4',4''-butane-1,1,3-triyltri(m -cresol) (CAS RN 111850-25-0)#	0%		31.12.2023
226	1747/1/2002, PROLONG 2019	2907290070	#2,2',2'',6,6',6''-Hexa- tert -butyl- α,α',α'' -(mesitylene-2,4,6-triyl)tri- p -cresol (CAS RN 1709-70-2)#	0%		31.12.2023
227	4509689/2017, PROLONG 2019	2907290075	#Biphenyl-4,4'-diol (CAS RN 92-88-6)#	0%		31.12.2023
228	2514/1/04, 3112/1/04, PROLONG 2019	2907290085	#Phloroglucinol whether or not hydrated#	0%		31.12.2023
229	287903/2013, 449316/2013, PROLONG 2019	2908190010	#Pentafluorophenol (CAS RN 771-61-9)#	0%		31.12.2023
230	288821/2013, PROLONG 2019	2908190020	#4,4'-(Perfluoroisopropylidene)diphenol (CAS RN 1478-61-1)#	0%		31.12.2023
236	1887/7/2002, PROLONG 2019	2909199020	#Bis(2-chloroethyl) ether (CAS RN 111-44-4)#	0%		31.12.2023
237	1914/2/2003, PROLONG 2019	2909199030	Mixture of isomers of nonafluorobutyl methyl ether or nonafluorobutyl ethyl ether, of a purity by weight of 99 % or more	0%		31.12.2023
242	1205555/2018	2909303840	#4-Benzyloxybromobenzene (CAS RN 6793-92-6)#	0%		31.12.2023
249	4592646/2018	2909309035	#1-Chloro-2-(4-ethoxybenzyl)-4-iodobenzene (CAS RN 1103738-29-9)#	0%		31.12.2023
258	534/1/1995, PROLONG 2019	2909500010	#4-(2-Methoxyethyl)phenol (CAS RN 56718-71-9)#	0%		31.12.2023

260	2452/2/04, PROLONG 2019	2909609010	#Bis(α,α -dimethylbenzyl) peroxide (CAS RN 80-43-3)#	0%		31.12.2023
264	343088/2013, PROLONG 2019	2910900015	#1,2-Epoxy cyclohexane (CAS RN 286-20-4)#	0%		31.12.2023
265	4960627/2018	2910900025	#Phenylloxirane (CAS RN 96-09-3)#	0%		31.12.2023
266	415/1/1986, PROLONG 2019	2910900030	#2,3-Epoxypropan-1-ol (glycidol) (CAS RN 556-52-5)#	0%		31.12.2023
274	1042253/2012, PROLONG 2019	2912290050	#4-Isobutylbenzaldehyde (CAS RN 40150-98-9)#	0%		31.12.2023
275	4854259/2018	2912290055	#Cyclohex-3-ene-1-carbaldehyde (CAS RN 100-50-5)#	0%		31.12.2023
276	3007356/2013, PROLONG 2019	2912290070	#4-tert-Butylbenzaldehyde (CAS RN 939-97-9)#	0%		31.12.2023
277	3007438/2013, PROLONG 2019	2912290080	#4-Isopropylbenzaldehyde (CAS RN 122-03-2)#	0%		31.12.2023
279	1368/2/1991, PROLONG 2019	2912490010	#3-Phenoxybenzaldehyde (CAS RN 39515-51-0) #	0%		31.12.2023
288	1449168/2018	2914199060	#Zinc acetylacetonate (CAS RN 14024-63-6)#	0%		31.12.2023
289	1427748/2018	2914290015	#Oestr-5(10)-ene-3,17-dione (CAS RN 3962-66-1)#	0%		31.12.2023
290	1944/1/2001, PROLONG 2019	2914290020	Cyclohexadec-8-enone (CAS RN 3100-36-5)	0%		31.12.2023
291	1181517/2018	2914290025	#Cyclohex-2-enone (CAS RN 930-68-7)#	0%		31.12.2023
294	1687/3/1996, PROLONG 2019	2914290040	Camphor	0%		31.12.2023
300	1226/2008, PROLONG 2019	2914390050	#4-Phenylbenzophenone (CAS RN 2128-93-0)#	0%		31.12.2023
301	1225/2008, PROLONG 2019	2914390060	#4-Methylbenzophenone (CAS RN 134-84-9)#	0%		31.12.2023
309	343152/2013, PROLONG 2019	2914500025	#4'-Methoxyacetophenone (CAS RN 100-06-1)#	0%		31.12.2023
313	288041/2013, PROLONG 2019	2914500036	#2,7-Dihydroxy-9-fluorenone (CAS RN 42523-29-5)#	0%		31.12.2023
317	1138/2008, PROLONG 2019	2914500080	#2',6'-Dihydroxyacetophenone (CAS RN 699-83-2) #	0%		31.12.2023
318	1692/1/2001, PROLONG 2019	2914698010	#2-Ethylanthraquinone (CAS RN 84-51-5)#	0%		31.12.2023
319	1749/2/2001, PROLONG 2019	2914698030	#1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)#	0%		31.12.2023
320	1003573/2011, PROLONG 2022	2914698040	# p -Benzoquinone (CAS RN 106-51-4)#	0%		31.12.2023
326	1376861/2018	2914790030	#5-Methoxy-1-[4-(trifluoromethyl)phenyl]pentan-1-one (CAS RN 61718-80-7)#	0%		31.12.2023
328	1171241/2018	2914790035	#1-[4-(Benzyloxy)phenyl]-2-bromopropan-1-one (CAS RN 35081-45-9)#	0%		31.12.2023
329	1914/5/2003, PROLONG 2019	2914790040	#Perfluoro(2-methylpentan-3-one) (CAS RN 756-13-8)#	0%		31.12.2023

330	937/1/2004, PROLONG 2019	2914790050	#3'-Chloropropiophenone (CAS RN 34841-35-5)#	0%		31.12.2023
333	3044264/2013, PROLONG 2019	2914790080	#Tetrachloro-p-benzoquinone (CAS RN 118-75-2)#	0%		31.12.2023
335	3070420/2013, PROLONG 2019	2915390025	#2-Methylcyclohexyl acetate (CAS RN 5726-19-2)#	0%		31.12.2023
337	1704/3/2002, PROLONG 2019	2915390040	# tert -Butyl acetate (CAS RN 540-88-5)#	0%		31.12.2023
344	288754/2013, PROLONG 2019	2915390085	#2- tert -Butylcyclohexyl acetate (CAS RN 88-41-5)#	0%		31.12.2023
348	1613375/2018	2915704010	#Methyl palmitate (CAS RN 112-39-0)#	0%		31.12.2023
352	1612989/2018	2915907025	#Methyl octanoate (CAS RN 111-11-5), methyl decanoate (CAS RN 110-42-9) or methyl myristate (CAS RN 124-10-7)#	0%		31.12.2023
353	450490/2013, PROLONG 2019	2915907027	#Triethyl orthoformate (CAS RN 122-51-0) with a purity by weight of 99 % or more#	0%		31.12.2023
356	1428182/2018, 287208/2012	2915907035	#2,2-Dimethylbutanoyl chloride (CAS RN 5856-77-9)#	0%		31.12.2023
362	1216/2/1991, PROLONG 2019	2916120010	#2- tert -Butyl-6-(3- tert -butyl-2-hydroxy-5-methylbenzyl)-4-methylphenyl acrylate (CAS RN 61167-58-6)#	0%		31.12.2023
363	900/05, PROLONG 2019	2916120040	#2,4-Di- tert -pentyl-6-[1-(3,5-di- tert -pentyl-2-hydroxyphenyl)ethyl]phenylacrylate (CAS RN 123968-25-2)#	0%		31.12.2023
365	3155/3/2000, PROLONG 2019	2916130040	#Zinc Dimethacrylate (CAS RN 13189-00-9) in the form of powder with a purity by weight of 99 % or more, with not more than 1 % of a stabiliser#	0%		31.12.2023
366	1085/3/1984, PROLONG 2019	2916140010	#2,3-Epoxypropyl methacrylate (CAS RN 106-91-2)#	0%		31.12.2023
367	3092998/2013, PROLONG 2019	2916140020	#Ethyl methacrylate (CAS RN 97-63-2)#	0%		31.12.2023
368	459/2/1999, PROLONG 2019	2916199520	#Methyl 3,3-dimethylpent-4-enoate (CAS RN 63721-05-1)#	0%		31.12.2023
369	384731/2013, PROLONG 2019	2916199540	#Sorbic acid (CAS RN 110-44-1) for use in the manufacture of animal feeds#	0%		31.12.2023
377	1747/3/2002, PROLONG 2019	2916200050	#Ethyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate (CAS RN 97-41-6)#	0%		31.12.2023
381	1457960/2018	2916200070	#Cyclopropanecarbonyl chloride (CAS RN 4023-34-1)#	0%		31.12.2023
387	3815607/2015, 401/1/1991, PROLONG 2019	2916399020	#3,5-Dichlorobenzoyl chloride (CAS RN 2905-62-6)#	0%		31.12.2023
393	343167/2013, PROLONG 2019	2916399035	#Methyl 4- tert -butylbenzoate (CAS RN 26537-19-9)#	0%		31.12.2023
396	3044280/2013, PROLONG 2019	2916399048	#3-Fluorobenzoyl chloride (CAS RN 1711-07-5)#	0%		31.12.2023
397	458/2/1998, PROLONG 2019	2916399050	#3,5-Dimethylbenzoyl chloride (CAS RN 6613-44-1)#	0%		31.12.2023
400	4958109/2018	2916399057	#2-Phenylprop-2-enoic acid (CAS RN 492-38-6)#	0%		31.12.2023

403	1728/1/2002, PROLONG 2019	2916399070	Ibuprofen (INN) (CAS RN 15687-27-1)	0%		31.12.2023
408	1688/1/1996, PROLONG 2019	2917110020	Bis(p -methylbenzyl) oxalate (CAS RN 18241-31-1)	0%		31.12.2023
410	1431922/2018	2917120020	#Bis(3,4-epoxycyclohexylmethyl) adipate (CAS RN 3130-19-6)#	0%		31.12.2023
413	3014005/2013, PROLONG 2019	2917198015	#Dimethyl but-2-ynedioate (CAS RN 762-42-5)#	0%		31.12.2023
415	1181574/2018	2917198035	#Diethyl methylmalonate (CAS RN 609-08-5)#	0%		31.12.2023
418	5953671/2021	2917198055	#Maleic acid (CAS RN 110-16-7) with a purity by weight of 99 % or more#	3.2%		31.12.2023
419	1887/10/2002, PROLONG 2019	2917198070	Itaconic acid (CAS RN 97-65-4)	0%		31.12.2023
420	534/2/1995, PROLONG 2019	2917200030	#1,4,5,6,7,7-Hexachloro-8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride (CAS RN 115-27-5)#	0%		31.12.2023
421	1749/4/2001, PROLONG 2019	2917200040	#3-Methyl-1,2,3,6-tetrahydrophthalic anhydride (CAS RN 5333-84-6)#	0%		31.12.2023
422	3145/2/2000, PROLONG 2019	2917340010	Diallyl phthalate (CAS RN 131-17-9)	0%		31.12.2023
427	3044407/2013, PROLONG 2019	2917398540	#Dimethyl 2-nitrotterephthalate (CAS RN 5292-45-5)#	0%		31.12.2023
433	301/1/1991, PROLONG 2019	2918199820	#L-Malic acid (CAS RN 97-67-6)#	0%		31.12.2023
439	424/3/1994, PROLONG 2019	2918290010	#Monohydroxynaphthoic acids#	0%		31.12.2023
442	1301/3/1994, PROLONG 2019	2918290050	#Hexamethylene bis[3-(3,5-di- tert -butyl-4-hydroxyphenyl)propionate] (CAS RN 35074-77-2)#	0%		31.12.2023
445	4760470/2018	2918300025	#(E)-1-ethoxy-3-oxobut-1-en-1-olate; 2-methylpropan-1-olate; titanium(4+) (CAS RN 83877-91-2)#	0%		31.12.2023
446	1224/2008, PROLONG 2019	2918300030	#Methyl-2-benzoylbenzoate (CAS RN 606-28-0)#	0%		31.12.2023
457	459/3/1999, PROLONG 2019	2918999010	#3,4-Epoxycyclohexylmethyl 3,4-epoxycyclohexanecarboxylate (CAS RN 2386-87-0)#	0%		31.12.2023
462	3061716/2013, PROLONG 2019	2918999025	#Methyl (E)-3-methoxy-2-(2-chloromethylphenyl)-2-propenoate (CAS RN 117428-51-0)#	0%		31.12.2023
464	1703/2/2002, PROLONG 2019	2918999030	#Methyl 2-(4-hydroxyphenoxy)propionate (CAS RN 96562-58-2)#	0%		31.12.2023
465	4727405/2018	2918999033	#Vanillic Acid (CAS RN 121-34-6) containing## not more than 10 ppm of Palladium (CAS RN 7440-05-3), not more than 10 ppm of bismuth (CAS RN 7440-69-9), not more than 14 ppm of formaldehyde (CAS RN 50-00-0), not more than 1,3 % by weight of 3,4-dihydroxybenzoic acid (CAS RN 99-50-3), not more than 0,5 % by weight of vanillin (CAS RN 121-33-5)	0%		31.12.2023
468	1744/5/2002, PROLONG 2019	2918999040	# trans -4-Hydroxy-3-methoxycinnamic acid (CAS RN 1135-24-6)#	0%		31.12.2023
472	1887/9/2002, PROLONG 2019	2918999050	#Methyl 3,4,5-trimethoxybenzoate (CAS RN 1916-07-0)#	0%		31.12.2023
474	1316/2/2003, PROLONG 2019	2918999060	#3,4,5-Trimethoxybenzoic acid (CAS RN 118-41-2)#	0%		31.12.2023

478	1286811/2018	2919900015	#Benzene-1,3-diyl tetraphenyl bis(phosphate) (CAS RN 57583-54-7)#	0%		31.12.2023
480	893/3/2004, PROLONG 2019	2919900030	#Aluminium hydroxybis[2,2'-methylenebis(4,6-di-tert-butylphenyl)phosphate] (CAS RN 151841-65-5) #	0%		31.12.2023
481	1313/2/1994, PROLONG 2019	2919900035	#2,2'-Methylenebis(4,6-di-tert-butylphenyl) phosphate, monosodium salt (CAS RN 85209-91-2) with a purity by weight of 95 % or more, with particles greater than 100µm used in the manufacture of nucleating agents with a particle size (D90) no greater than 35 µm as measured by a light scattering technique#	0%		31.12.2023
482	721/1/05, PROLONG 2019	2919900040	#Tri-n-hexylphosphate (CAS RN 2528-39-4)#	0%		31.12.2023
484	3090900/2013, PROLONG 2019	2919900060	#Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5)#	0%		31.12.2023
487	1489/2/1994, PROLONG 2019	2920190040	#Tolclofos-methyl (ISO) (CAS RN 57018-04-9) with a purity by weight of 96 % or more#	0%		31.12.2023
488	445/2/1995, PROLONG 2019	2920230000	#Trimethyl phosphite (CAS RN 121-45-9)#	0%		31.12.2023
490	583/2/1980, PROLONG 2019	2920290010	# O,O' -Dioctadecyl pentaerythritol bis(phosphite) (CAS RN 3806-34-6)#	0%		31.12.2023
493	450636/2013, PROLONG 2019	2920290050	#Fosetyl-aluminium (CAS RN 39148-24-8)#	0%		31.12.2023
495	1189/1/1985, PROLONG 2019	2920901010	#Diethyl sulphate (CAS RN 64-67-5)#	0%		31.12.2023
496	1432061/2018	2920901015	#Ethyl methyl carbonate (CAS RN 623-53-0)#	3.2%		31.12.2023
497	1804/56/2003, PROLONG 2019	2920901020	Diallyl 2,2'-oxydiethyl dicarbonate (CAS RN 142-22-3)	0%		31.12.2023
498	3119/5/04, PROLONG 2019	2920901040	#Dimethyl carbonate (CAS RN 616-38-6)#	0%		31.12.2023
499	5899366/2021	2920901045	#Ethylene carbonate (CAS RN 96-49-1) with a purity by weight of 99 % or more#	3.2%		31.12.2023
500	706/05, PROLONG 2019	2920901050	#Di-tert-butyl dicarbonate (CAS RN 24424-99-5)#	0%		31.12.2023
501	5899407/2021	2920901055	#Vinylene carbonate (CAS RN 872-36-6) with a purity by weight of 99,9 % or more#	3.2%		31.12.2023
502	5899447/2021	2920901065	#Vinyl ethylene carbonate (CAS RN 4427-96-7) with a purity by weight of 99 % or more#	3.2%		31.12.2023
503	4650141/2018	2920907020	#Diethyl phosphorochloridate (CAS RN 814-49-3)#	0%		31.12.2023
504	1287007/2018	2920907030	#2-Isopropoxy-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (CAS RN 61676-62-8)#	0%		31.12.2023
505	343205/2013, PROLONG 2019	2920907060	#Bis(neopentylglycolato)diboron (CAS RN 201733-56-4)#	0%		31.12.2023
508	277/2/1996, PROLONG 2019	2921199920	#Ethyl(2-methylallyl)amine (CAS RN 18328-90-0)#	0%		31.12.2023
509	1635/1/1999, PROLONG 2019	2921199930	Allylamine (CAS RN 107-11-9)	0%		31.12.2023
513	1927/5/1993, PROLONG 2019	2921290020	#Tris[3-(dimethylamino)propyl]amine (CAS RN 33329-35-0)#	0%		31.12.2023
515	1927/6/1993, PROLONG 2019	2921290030	#Bis[3-(dimethylamino)propyl]methylamine (CAS RN 3855-32-1)#	0%		31.12.2023
520	1581495/2018	2921301010	#2-(4-(Cyclopropanecarbonyl)phenyl)-2-methylpropanoic acid cyclohexylamine salt (CAS RN 1690344-90-1)#	0%		31.12.2023

523	818/05, PROLONG 2019	2921420025	#Sodium hydrogen 2-aminobenzene-1,4-disulphonate (CAS RN 24605-36-5)#	0%		31.12.2023
524	847/05, PROLONG 2019	2921420035	#2-Nitroaniline (CAS RN 88-74-4)#	0%		31.12.2023
525	861/05, PROLONG 2019	2921420045	#2,4,5-Trichloroaniline (CAS RN 636-30-6)#	0%		31.12.2023
526	572/1/1999, PROLONG 2019	2921420050	3-Aminobenzenesulfonic acid (CAS RN 121-47-1)	0%		31.12.2023
529	1220/1/2003, PROLONG 2019	2921420080	4-Chloro-2-nitroaniline (CAS RN 89-63-4)	0%		31.12.2023
530	3112/2/04, PROLONG 2019	2921420085	#3,5-Dichloroaniline (CAS RN 626-43-7)#	0%		31.12.2023
534	283/3/1996, PROLONG 2019	2921430020	#4-Amino-6-chlorotoluene-3-sulphonic acid (CAS RN 88-51-7)#	0%		31.12.2023
536	3154/1/2000, PROLONG 2019	2921430030	3-Nitro- p -toluidine (CAS RN 119-32-4)	0%		31.12.2023
539	4648842/2018	2921430070	#5-Bromo-4-fluoro-2-methylaniline (CAS RN 627871-16-3)#	0%		31.12.2023
540	1884/1/2002, PROLONG 2019	2921440020	Diphenylamine (CAS RN 122-39-4)	0%		31.12.2023
542	4886525/2018	2921450030	#(5 or 8)-Aminonaphthalene-2-sulphonic acid (CAS RN 51548-48-2)#	0%		31.12.2023
545	4897351/2018	2921450080	#2-Aminonaphthalene-1-sulphonic acid (CAS RN 81-16-3)#	0%		31.12.2023
546	424/2/1992, PROLONG 2019	2921490020	Pendimethalin (ISO) (CAS RN 40487-42-1)	3.5%		31.12.2023
548	4650229/2018	2921490035	#2-Ethylaniline (CAS RN 578-54-1)#	0%		31.12.2023
549	1996/1/2001, PROLONG 2019	2921490040	N -1-Naphthylaniline (CAS RN 90-30-2)	0%		31.12.2023
554	901/05, PROLONG 2019	2921511930	#2-Methyl- p -phenylenediamine sulphate (CAS RN 615-50-9)#	0%		31.12.2023
559	499/2/1995, PROLONG 2019	2921599010	#Mixture of isomers of 3,5-diethyltoluenediamine (CAS RN 68479-98-1, CAS RN 75389-89-8)#	0%		31.12.2023
561	705/05, PROLONG 2019	2921599040	#4,4'-Diaminostilbene-2,2'-disulphonic acid (CAS RN 81-11-8)#	0%		31.12.2023
565	1495/1/1994, PROLONG 2019	2922190030	N,N,N',N' -Tetramethyl-2,2'-oxybis(ethylamine) (CAS RN 3033-62-3)	0%		31.12.2023
569	1384285/2018	2922190045	#2-Methoxymethyl-p-phenylenediamine (CAS RN 337906-36-2)#	0%		31.12.2023
571	4592749/2018	2922190055	#3-Aminoadamantan-1-ol (CAS RN 702-82-9)#	0%		31.12.2023
572	763/05, PROLONG 2019	2922190060	# N,N,N' -Trimethyl- N' -(2-hydroxy-ethyl) 2,2'-oxybis(ethylamine), (CAS RN 83016-70-0)#	0%		31.12.2023
573	288576/2013, PROLONG 2019	2922190065	# trans -4-Aminocyclohexanol (CAS RN 27489-62-9)#	0%		31.12.2023
575	383863/2013, PROLONG 2019	2922190075	#2-Ethoxyethylamine (CAS RN 110-76-9)#	0%		31.12.2023

577	288784/2013, PROLONG 2019	2922190085	#(1S,4R)-cis-4-Amino-2-cyclopentene-1-methanol-D-tartrate (CAS RN 229177-52-0)#	0%		31.12.2023
580	1680/2/1998, PROLONG 2019	2922210040	7-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 87-02-5)	0%		31.12.2023
582	438170/2013, PROLONG 2019	2922210060	#4-Amino-5-hydroxynaphthalene-2,7-disulphonic acid with a purity by weight of 80 % or more (CAS RN 90-20-0)#	0%		31.12.2023
583	1301/4/1994, PROLONG 2019	2922290020	#3-Aminophenol (CAS RN 591-27-5)#	0%		31.12.2023
584	902/05, PROLONG 2019	2922290025	#5-Amino- o -cresol (CAS RN 2835-95-2)#	0%		31.12.2023
586	4650280/2018	2922290033	#o-Phenetidine (CAS RN 94-70-2)#	0%		31.12.2023
587	1688/2/1996, PROLONG 2019	2922290045	Anisidines	0%		31.12.2023
590	1384331/2018	2922290067	#4-Chloro-2,5-dimethoxyaniline (CAS RN 6358-64-1)#	0%		31.12.2023
591	613/1/1998, PROLONG 2019	2922290070	4-Nitro- o -anisidine (CAS RN 97-52-9)	0%		31.12.2023
594	3140/1/2000, PROLONG 2019	2922290080	3-Diethylaminophenol (CAS RN 91-68-9)	0%		31.12.2023
595	287684/2013, PROLONG 2019	2922290085	#4-Benzyloxyaniline hydrochloride (CAS RN 51388-20-6)#	0%		31.12.2023
596	445/8/1995, PROLONG 2019	2922390010	#1-Amino-4-bromo-9,10-dioxoanthracene-2-sulphonic acid and its salts#	0%		31.12.2023
602	1884/2/2002, PROLONG 2019	2922430010	Anthranilic acid (CAS RN 118-92-3)	0%		31.12.2023
603	577/1/1999, PROLONG 2019	2922498510	#Ornithine aspartate (INN) (CAS RN 3230-94-2)#	0%		31.12.2023
610	1887/12/2002, PROLONG 2019	2922498540	Norvaline	0%		31.12.2023
616	1223/2008, PROLONG 2019	2922498570	#2-Ethylhexyl-4-dimethylaminobenzoate (CAS RN 21245-02-3)#	0%		31.12.2023
618	3016717/2013, PROLONG 2019	2922498580	# 12-Aminododecanoic acid (CAS RN 693-57-2)#	0%		31.12.2023
623	1485875/2018	2922500035	#(2S)-2-Amino-3-(3,4-dimethoxyphenyl)-2-methylpropanoic acid hydrochloride (CAS RN 5486-79-3)#	0%		31.12.2023
626	1887/13/2002, PROLONG 2019	2922500070	2-(1-Hydroxycyclohexyl)-2-(4-methoxyphenyl)ethylammonium acetate	0%		31.12.2023
628	1495/2/1994, 612165/2010, PROLONG 2019	2923900010	#Tetramethylammonium hydroxide, in the form of an aqueous solution containing 25 % (± 0,5 %) by weight of tetramethylammonium hydroxide#	0%		31.12.2023
629	1145/2008, 1163/2008, PROLONG 2019	2923900025	#Tetrakis(dimethylditetradecylammonium) molybdate (CAS RN 117342-25-3)#	0%		31.12.2023
633	4854327/2018	2923900065	#N,N,N-Trimethyl-tricyclo[3.3.1.1 ^{3,7}]decan-1-aminium hydroxide (CAS RN 53075-09-5) in form of an aqueous solution with a content of N,N,N-trimethyl-tricyclo[3.3.1.1 ^{3,7}]decan-1-aminium hydroxide by weight of 17,5 % or more but not more than 27,5 %#	0%		31.12.2023

634	1222/6/2003, PROLONG 2019	2923900070	#Tetrapropylammonium hydroxide, in the form of an aqueous solution containing:## # 40 % (± 2 %) by weight of tetrapropylammonium hydroxide, # 0,3 % by weight or less of carbonate, # 0,1 % by weight or less of tripropylamine, # 500 mg/kg or less of bromide and # 25 mg/kg or less of potassium and sodium taken together #	0%		31.12.2023
636	1894/4/2003, PROLONG 2019	2923900080	#Diallyldimethylammonium chloride (CAS RN 7398-69-8) , in the form of an aqueous solution containing by weight 63 % or more but not more than 67 % of diallyldimethylammonium chloride#	0%		31.12.2023
638	455015/2013, 699/2/1979, PROLONG 2019	2924190010	#2-Acrylamido-2-methylpropanesulphonic acid (CAS RN 15214-89-8) or its sodium salt (CAS RN 5165-97-9), or its ammonium salt (CAS RN 58374-69-9)#	0%		31.12.2023
642	1702/7/2002, PROLONG 2019	2924190030	#Methyl 2-acetamido-3-chloropropionate (CAS RN 87333-22-0)#	0%		31.12.2023
651	1384647/2018	2924190065	#2,2,2-Trifluoroacetamide (CAS RN 354-38-1)#	0%		31.12.2023
652	1133/2008, PROLONG 2019	2924190070	#Methylcarbamate (CAS RN 598-55-0)#	0%		31.12.2023
653	4623600/2018	2924190075	#(S)-4-((tert-Butoxycarbonyl)amino)-2-hydroxybutanoic acid (CAS RN 207305-60-0)#	0%		31.12.2023
655	1680/3/1998, PROLONG 2019	2924210010	4,4'-Dihydroxy-7,7'-ureylenedi(naphthalene-2-sulfonic acid) and its sodium salts	0%		31.12.2023
657	286/5/1996, PROLONG 2019	2924250000	#Alachlor (ISO), (CAS RN 15972-60-8)#	0%		31.12.2023
659	730/4/1997, PROLONG 2019	2924297015	Acetochlor (ISO), (CAS RN 34256-82-1)	0%		31.12.2023
669	3041213/2013, PROLONG 2019	2924297037	#Beflubutamid (ISO) (CAS RN 113614-08-7)#	0%		31.12.2023
684	4886639/2018	2924297067	#N,N'-(2,5-Dichloro-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 42487-09-2)#	0%		31.12.2023
685	4648603/2018	2924297070	#N-[(benzyloxy)carbonyl]glycyl-N-[(2S)-1-{4-[(tert-butoxycarbonyl)oxy]phenyl}-3-hydroxypropan-2-yl]-L-alaninamide#	0%		31.12.2023
687	841/2/2004, PROLONG 2019	2924297075	3-Amino- p -anisilide (CAS RN 120-35-4)	0%		31.12.2023
689	1884/3/2002, PROLONG 2019	2924297085	p -Aminobenzamide (CAS RN 2835-68-9)	0%		31.12.2023
690	1218/2008, PROLONG 2019	2924297088	#5'-Chloro-3-hydroxy-2'-methyl-2-naphthanilide (CAS RN 135-63-7)#	0%		31.12.2023
691	1183/2008, PROLONG 2019	2924297089	#Flutolanil (ISO) (CAS RN 66332-96-5)#	0%		31.12.2023
692	2452/3/04, PROLONG 2019	2924297091	#3-Hydroxy-2'-methoxy-2-naphthanilide (CAS RN 135-62-6)#	0%		31.12.2023
694	2452/5/04, PROLONG 2019	2924297093	#3-Hydroxy-2'-methyl-2-naphthanilide (CAS RN 135-61-5)#	0%		31.12.2023
695	2452/6/04, PROLONG 2019	2924297094	#2'-Ethoxy-3-hydroxy-2-naphthanilide (CAS RN 92-74-0)#	0%		31.12.2023
696	814/05, PROLONG 2019	2924297097	#1,1-Cyclohexanediactic acid monoamide (CAS RN 99189-60-3)#	0%		31.12.2023
697	462/2/1985, PROLONG 2019	2925110020	Saccharin and its sodium salt	0%		31.12.2023

698	1339/2/1988, PROLONG 2019	2925199510	N -Phenylmaleimide (CAS RN 941-69-5)	0%		31.12.2023
702	1931/2/1993, PROLONG 2019	2925290010	Dicyclohexylcarbodiimide (CAS RN 538-75-0)	0%		31.12.2023
703	236287/2013, PROLONG 2019	2925290020	#N-[3-(Dimethylamino)propyl]-N'-ethylcarbodiimide hydrochloride (CAS RN 25952-53-8)#	0%		31.12.2023
712	1376661/2018	2926907019	#2-(4-Amino-2-chloro-5-methylphenyl)-2-(4-chlorophenyl) acetonitrile (CAS RN 61437-85-2)#	0%		31.12.2023
714	1226325/2018	2926907021	#4-Bromo-2-chlorobenzonitrile (CAS RN 154607-01-9)#	0%		31.12.2023
715	1497873/2018	2926907022	#Acetonitrile (CAS RN 75-05-8)#	0%		31.12.2023
716	3041200/2013, PROLONG 2019	2926907023	#Acrinathrin (ISO) (CAS RN 101007-06-1)#	0%		31.12.2023
720	3062499/2013, PROLONG 2019	2926907027	#Cyhalofop-butyl (ISO) (CAS RN 122008-85-9)#	0%		31.12.2023
726	1174566/2016, PROLONG 2022	2926907040	#2-(4-Cyanophenylamino)acetic acid (CAS RN 42288-26-6)#	0%		31.12.2023
727	466/1/1991, PROLONG 2019	2926907050	#Alkyl or alkoxyalkyl esters of cyanoacetic acid#	0%		31.12.2023
734	1702/9/2002, PROLONG 2019	2926907080	Ethyl 2-cyano-2-phenylbutyrate (CAS RN 718-71-8)	0%		31.12.2023
735	1704/5/2002, PROLONG 2019	2926907086	Ethylenediaminetetraacetonitrile (CAS RN 5766-67-6)	0%		31.12.2023
736	1283/3/2003, PROLONG 2019	2926907089	#Butyronitrile (CAS RN 109-74-0)#	0%		31.12.2023
737	300/3/1991, PROLONG 2019	2927000010	2,2'-Dimethyl-2,2'-azodipropionamide dihydrochloride	0%		31.12.2023
738	1592/3/1993, PROLONG 2019	2927000020	#4-Anilino-2-methoxybenzenediazonium hydrogen sulphate (CAS RN 36305-05-2)#	0%		31.12.2023
740	572/6/1999, PROLONG 2019	2927000030	4'-Aminoazobenzene-4-sulphonic acid (CAS RN 104-23-4)	0%		31.12.2023
742	859/05, PROLONG 2019	2927000060	#4,4'-Dicyano-4,4'-azodivaleric acid (CAS RN 2638-94-0)#	0%		31.12.2023
743	446/1/1981, PROLONG 2019	2928009010	#3,3'-Bis(3,5-di-tert-butyl-4-hydroxyphenyl)-N,N'-bipropionamide (CAS RN 32687-78-8)#	0%		31.12.2023
750	1181494/2018	2928009033	#4-Chlorophenylhydrazine Hydrochloride (CAS RN 1073-70-7)#	0%		31.12.2023
752	459/6/1999, PROLONG 2019	2928009040	#O-Ethylhydroxylamine, in the form of an aqueous solution (CAS RN 624-86-2)#	0%		31.12.2023
754	311706/2013, PROLONG 2019	2928009045	#Tebufenozide (ISO) (CAS RN 112410-23-8)#	0%		31.12.2023
757	311617/2013, PROLONG 2019	2928009055	#Aminoguanidinium hydrogen carbonate (CAS RN 2582-30-1)#	0%		31.12.2023
759	1254/2008, PROLONG 2019	2928009070	#Butanone oxime (CAS RN 96-29-7)#	0%		31.12.2023
761	1880/1/2003, PROLONG 2019	2928009080	#Cyflufenamid (ISO) (CAS RN 180409-60-3)#	0%		31.12.2023

765	1325/3/1989, PROLONG 2019	2929100040	# m -Isopropenyl- α,α -dimethylbenzyl isocyanate (CAS RN 2094-99-7)#	0%		31.12.2023
767	1325/4/1989, PROLONG 2019	2929100050	# m -Phenylenediisopropylidene diisocyanate (CAS RN 2778-42-9)#	0%		31.12.2023
768	1517/3/1997, PROLONG 2019	2929100060	Trimethylhexamethylene diisocyanate, mixed isomers	0%		31.12.2023
774	1384682/2018	2930909812	#4,4'-Sulfonyldiphenol (CAS RN 80-09-1) used in the manufacture of polyarylsulfones or polyarylethersulfones#	0%		31.12.2023
776	381/3/1982, PROLONG 2019	2930909815	Ethoprophos (ISO) (CAS RN 13194-48-4)	0%		31.12.2023
784	287774/2013, PROLONG 2019	2930909823	#Dimethyl [(methylsulphonyl)methylidene]biscarbamate (CAS RN 34840-23-8)#	0%		31.12.2023
786	1337/1/1988, PROLONG 2019	2930909825	#Thiophanate-methyl (ISO), (CAS RN 23564-05-8) #	0%		31.12.2023
791	259/3/1992, PROLONG 2019	2930909830	#4-(4-Isopropoxyphenylsulphonyl)phenol (CAS RN 95235-30-6)#	0%		31.12.2023
797	4658457/2018	2930909838	#Allyl isothiocyanate (CAS RN 57-06-7)#	0%		31.12.2023
798	1118/3/1992, PROLONG 2019	2930909840	3,3'-Thiodi(propionic acid) (CAS RN 111-17-1)	0%		31.12.2023
799	3082450/2013, PROLONG 2019	2930909843	#Trimethylsulfoxonium iodide (CAS RN 1774-47-6)#	0%		31.12.2023
801	4990687/2018	2930909850	#3-Mercaptopropionic acid (CAS RN 107-96-0)#	0%		31.12.2023
804	1685/1/1998, PROLONG 2019	2930909860	#Methyl phenyl sulphide (CAS RN 100-68-5)#	0%		31.12.2023
807	878/05, PROLONG 2019	2930909877	#4-[4-(2-Propenyloxy)phenylsulphonyl]phenol (CAS RN 97042-18-7)#	0%		31.12.2023
809	1628/3/1999, PROLONG 2019	2930909880	Captan (ISO) (CAS RN 133-06-2)	0%		31.12.2023
818	3013980/2013, PROLONG 2019	2931499023	#Di-tert-butylphosphane (CAS RN 819-19-2)#	0%		31.12.2023
820	1704/2/1996, PROLONG 2019	2931499030	Bis(2,4,4-trimethylpentyl)phosphinic acid (CAS RN 83411-71-6)	0%		31.12.2023
821	1457877/2018	2931499035	#Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate (CAS RN 84434-11-7)#	0%		31.12.2023
824	1120/2009, 1230/2008, 1457701/2018	2931499045	#Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (CAS RN 75980-60-8)#	0%		31.12.2023
826	848/05, PROLONG 2019	2931499055	#3-(Hydroxyphenylphosphinoyl)propionic acid (CAS RN 14657-64-8)#	0%		31.12.2023
828	1726/1/2001, PROLONG 2019	2931900003	#Butylethylmagnesium (CAS RN 62202-86-2), in the form of a solution in heptane#	0%		31.12.2023
839	600/2/1987, PROLONG 2019	2932130010	Tetrahydrofurfuryl alcohol (CAS RN 97-99-4)	0%		31.12.2023
844	4854367/2018	2932190065	#Tefuryltrione (ISO) (CAS RN 473278-76-1)#	0%		31.12.2023

846	1913/4/2003, PROLONG 2019	2932190075	Tetrahydro-2-methylfuran (CAS RN 96-47-9)	0%		31.12.2023
848	523/2/1989, PROLONG 2019	2932209010	#2'-Anilino-6'-[ethyl(isopentyl)amino]-3'-methylspiro[isobenzofuran-1(3 H),9'-xanthen]-3-one (CAS RN 70516-41-5)#	0%		31.12.2023
853	3015353/2013, PROLONG 2019	2932209045	#2,2-Dimethyl-1,3-dioxane-4,6-dione (CAS RN 2033-24-1)#	0%		31.12.2023
856	426/1/1994, PROLONG 2019	2932209055	#6-Dimethylamino-3,3-bis(4-dimethylaminophenyl)phthalide (CAS RN 1552-42-7)#	0%		31.12.2023
861	4753670/2018	2932209075	#3-Acetyl-6-methyl-2 H -pyran-2, 4(3 H)-dione (CAS RN 520-45-6)#	0%		31.12.2023
862	889/05, PROLONG 2019	2932209080	#Gibberellic acid with a minimum purity by weight of 88 % (CAS RN 77-06-5)#	0%		31.12.2023
863	1185/2008, PROLONG 2019	2932209084	#Decahydro-3a,6,6,9a-tetramethylnaphth [2,1-b] furan-2 (1H)-one (CAS RN 564-20-5)#	0%		31.12.2023
864	540/2/1979, PROLONG 2019	2932990010	Bendiocarb (ISO) (CAS RN 22781-23-3)	0%		31.12.2023
870	4922553/2018	2932990027	#{2-Butyl-3-benzofuranyl}(4-hydroxy-3,5-diiodophenyl)methanone (CAS RN 1951-26-4) with a purity by weight of 99 % or more#	0%		31.12.2023
872	1453681/2018	2932990033	#3-Hydroxy-2-methyl-4-pyrone (CAS RN 118-71-8)#	0%		31.12.2023
878	168692/2010, PROLONG 2016, PROLONG 2022	2932990050	#7-Methyl-3,4-dihydro-2 H -1,5-benzodioxepin-3-one (CAS RN 28940-11-6)#	0%		31.12.2023
880	3041900/2013, PROLONG 2019	2932990053	#1,3-Dihydro-1,3-dimethoxyisobenzofurane (CAS RN 24388-70-3)#	0%		31.12.2023
885	905/06, PROLONG 2019	2932990080	#1,3:2,4- bis-O -(4-Methylbenzylidene)- D -glucitol (CAS RN 81541-12-0)#	0%		31.12.2023
887	3114/1/04, PROLONG 2019	2932990085	#1,3:2,4-bis-O-(3,4-Dimethylbenzylidene)-D-glucitol (CAS RN 135861-56-2)#	0%		31.12.2023
894	3119/8/04, PROLONG 2019	2933199030	#3-Methyl-1- p -tolyl-5-pyrazolone (CAS RN 86-92-0)#	0%		31.12.2023
897	716/05, PROLONG 2019	2933199040	#Edaravone (INN) (CAS RN 89-25-8)#	0%		31.12.2023
904	4623459/2018	2933199065	#4-Bromo-1-(1-ethoxyethyl)-1H-pyrazole (CAS RN 1024120-52-2)#	0%		31.12.2023
905	1186/2008, PROLONG 2019	2933199070	#4,5-Diamino-1-(2-hydroxyethyl)-pyrazolsulphate (CAS RN 155601-30-2)#	0%		31.12.2023
911	371561/2013, PROLONG 2019	2933299015	#Ethyl 4-(1-hydroxy-1-methylethyl)-2-propylimidazole-5-carboxylate (CAS RN 144689-93-0)#	0%		31.12.2023
912	1460666/2018	2933299018	#2-(2-Chlorophenyl)-1-[2-(2-chlorophenyl)-4,5-diphenyl-2H-imidazol-2-yl]-4,5-diphenyl-1H-imidazole (CAS RN 7189-82-4)#	0%		31.12.2023
915	311805/2013, PROLONG 2019	2933299028	#Prochloraz (ISO) (CAS RN 67747-09-5) with purity by weight of 97 % or more#	0%		31.12.2023
916	313181/2013, PROLONG 2019	2933299045	#Prochloraz copper chloride (ISO) (CAS RN 156065-03-1)#	0%		31.12.2023
917	1996/2/2001, PROLONG 2019	2933299050	1,3-Dimethylimidazolidin-2-one (CAS RN 80-73-9)	0%		31.12.2023

931	425/1/1994, PROLONG 2019	2933399925	#Imazethapyr (ISO) (CAS RN 81335-77-5)#	0%		31.12.2023
939	736/05, PROLONG 2019	2933399935	Aminopyralid (ISO) (CAS RN 150114-71-9)	0%		31.12.2023
950	1428219/2018, 287387/2012	2933399952	#6-Chloro-3-nitropyridin-2-ylamine (CAS RN 27048-04-0)#	0%		31.12.2023
953	4760424/2018	2933399959	#Chlorpyrifos-Methyl (ISO) (CAS RN 5598-13-0)#	0%		31.12.2023
954	3140/2/2000, PROLONG 2019	2933399960	2-Fluoro-6-(trifluoromethyl)pyridine (CAS RN 94239-04-0)	0%		31.12.2023
955	4648901/2018	2933399961	#6-Bromopyridin-2-amine (CAS RN 19798-81-3)#	0%		31.12.2023
956	4620204/2018	2933399962	#Ethyl 2,6-Dichloronicotinate (CAS RN 58584-86-4)#	0%		31.12.2023
957	4854440/2018	2933399964	#Methyl 1-(3-chloropyridin-2-yl)-3-hydroxymethyl-1H-pyrazole-5-carboxylate (CAS RN 960316-73-8)#	0%		31.12.2023
958	1702/11/2002, PROLONG 2019	2933399965	#Acetamiprid (ISO) (CAS RN 135410-20-7)#	0%		31.12.2023
959	343193/2013, PROLONG 2019	2933399967	#(1R,3S,4S)-tert-Butyl 3-(6-bromo-1H-benzo[d]imidazol-2-yl)-2-azabicyclo[2.2.1]heptane-2-carboxylate (CAS RN 1256387-74-2)#	0%		31.12.2023
960	4854494/2018	2933399968	#1-(3-Chloropyridin-2-yl)-3-[[5-(trifluoromethyl)-2H-tetrazol-2-yl]methyl]-1H-pyrazole-5-carboxylic acid (CAS RN 1352319-02-8) with a purity by weight of 85 % or more#	0%		31.12.2023
967	313206/2013, PROLONG 2019	2933399977	#Imazamox (ISO) (CAS RN 114311-32-9)#	0%		31.12.2023
979	457/5/1998, PROLONG 2019	2933491010	Quinmerac (ISO) (CAS RN 90717-03-6)	0%		31.12.2023
980	1294/2008, PROLONG 2019	2933491020	#3-Hydroxy-2-methylquinoline-4-carboxylic acid (CAS RN 117-57-7)#	0%		31.12.2023
985	1462805/2018	2933499045	#6,7-Dimethoxy-3,4-dihydroisoquinoline hydrochloride (CAS RN 20232-39-7)#	0%		31.12.2023
987	765/05, PROLONG 2019	2933499070	#Quinolin-8-ol (CAS RN 148-24-3)#	0%		31.12.2023
990	4886604/2018	2933540010	#5,5'-(1,2-Diazenediyl)bis [2,4,6 (1H, 3H, 5H)-pyrimidinetrione] (CAS RN 25157-64-6)#	0%		31.12.2023
992	3070316/2013, PROLONG 2019	2933599513	#2-Diethylamino-6-hydroxy-4-methylpyrimidine (CAS RN 42487-72-9)#	0%		31.12.2023
993	877/1/2004, PROLONG 2015, PROLONG 2019	2933599515	#Sitagliptin phosphate monohydrate (CAS RN 654671-77-9) #	0%		31.12.2023
994	1508/2/1998, PROLONG 2019	2933599520	#2,4-Diamino-6-chloropyrimidine (CAS RN 156-83-2)#	0%		31.12.2023
996	288805/2013, PROLONG 2019	2933599527	#2-[(2-Amino-6-oxo-1,6-dihydro-9H-purin-9-yl)methoxy]-3-hydroxypropylacetate (CAS RN 88110-89-8)#	0%		31.12.2023
999	461/3/1999, PROLONG 2019	2933599530	Mepanipyrim (ISO) (CAS RN 110235-47-7)	0%		31.12.2023
1012	1999/5/2001, PROLONG 2019	2933599560	2,6-Dichloro-4,8-dipiperidinopyrimido[5,4-d]pyrimidine (CAS RN 7139-02-8)	0%		31.12.2023
1013	4593077/2018	2933599563	#1-(3-Chlorophenyl) piperazine (CAS RN 6640-24-0)#	0%		31.12.2023

1016	1999/6/2001, PROLONG 2019	2933599570	N -(4-Ethyl-2,3-dioxopiperazin-1-ylcarbonyl)-D-2-phenylglycine (CAS RN 63422-71-9)	0%		31.12.2023
1023	4753738/2018	2933698027	#Trosclosene sodium dihydrate (INN) (CAS RN 51580-86-0)#	0%		31.12.2023
1026	1286961/2018	2933698045	#2-(4,6-Bis-(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(octyloxy)-phenol (CAS RN 2725-22-6)#	0%		31.12.2023
1029	3044553/2013, PROLONG 2019	2933698065	#1,3,5-Triazine-2,4,6(1H,3H,5H)-trithione, trisodium salt (CAS RN 17766-26-6)#	0%		31.12.2023
1031	819/05, PROLONG 2019	2933698080	Tris(2-hydroxyethyl)-1,3,5-triazinetrione (CAS RN 839-90-7)	0%		31.12.2023
1035	1205508/2018	2933790035	#1-tert-Butyl 2-methyl(2S)-5-oxopyrrolidine-1,2-dicarboxylate (CAS RN 108963-96-8) #####	0%		31.12.2023
1037	1295/2008, PROLONG 2019	2933790050	#6-Bromo-3-methyl-3H-dibenz(f,ij)isoquinoline-2,7-dione (CAS RN 81-85-6)#	0%		31.12.2023
1043	280/2/1996, PROLONG 2019	2933998006	#Metconazole (ISO) (CAS RN 125116-23-6) with a purity by weight of 98 % or more#	0%		31.12.2023
1051	3058760/2013, PROLONG 2019	2933998014	#2-(2H-benzotriazol-2-yl)-4-methyl-6-(2-methylprop-2-en-1-yl)phenol(CAS RN 98809-58-6)#####	0%		31.12.2023
1052	1321/5/1990, PROLONG 2019	2933998015	2-(2 H -Benzotriazol-2-yl)-4,6-di tert -pentylphenol (CAS RN 25973-55-1)	0%		31.12.2023
1057	1412/2/1990, PROLONG 2019	2933998020	#2-(2 H -Benzotriazol-2-yl)-4,6-bis(1-methyl-1-phenylethyl)phenol (CAS RN 70321-86-7)#	0%		31.12.2023
1066	782/9/1994, PROLONG 2019	2933998030	Quizalofop-P-ethyl (ISO) (CAS RN 100646-51-3)	0%		31.12.2023
1070	1092596/2016, PROLONG 2022	2933998036	#3-Chloro-2-(1,1-difluoro-3-buten-1-yl)-6-methoxyquinoxaline (CAS RN 1799733-46-2)#	0%		31.12.2023
1073	937/13/2004, PROLONG 2019	2933998040	trans -4-Hydroxy-L-proline (CAS RN 51-35-4)	0%		31.12.2023
1076	277/3/1996, PROLONG 2019	2933998045	#Maleic hydrazide (ISO) (CAS RN 123-33-1)#	0%		31.12.2023
1080	343183/2013, PROLONG 2019	2933998053	#Potassium (S)-5-(tert-butoxycarbonyl)-5-azaspiro[2.4]heptane-6-carboxylate (CAS RN 1441673-92-2)#	0%		31.12.2023
1083	1226201/2019	2933998056	#Methyl 3,5-diamino-6-chloropyrazine-2-carboxylate (CAS RN 1458-01-1)#	0%		31.12.2023
1084	287868/2013, PROLONG 2019	2933998057	#2-(5-Methoxyindol-3-yl)ethylamine (CAS RN 608-07-1)#	0%		31.12.2023
1085	4884643/2018	2933998058	#Ipconazole (ISO) (CAS RN 125225-28-7) with a purity by weight of 90 % or more#	0%		31.12.2023
1086	4759965/2018	2933998059	#Hydrates of Hydroxybenzotriazole (CAS RN 80029-43-2 and CAS RN 123333-53-9)#	0%		31.12.2023
1088	4897580/2018	2933998061	#(1R,5S)-8-Benzyl-8-azabicyclo(3.2.1)octan-3-one hydrochloride (CAS RN 83393-23-1)#	0%		31.12.2023
1089	4697606/2018	2933998063	#L-Prolinamide (CAS RN 7531-52-4)#	0%		31.12.2023
1092	4697425/2018	2933998068	#5-((1S,2S)-2-((2R,6S,9S,11R,12R,14aS,15S,16S,20R,23S,25aR)-9-Amino-20-((R)-3-amino-1-hydroxy-3-oxopropyl)-2,11,12,15-tetrahydroxy-6-((R)-1-hydroxyethyl)-16-methyl-5,8,14,19,22,25-hexaoxotetracosahydro-1H-dipyrrolo[2,1-c:2',1'-l][1,4,7,10,13,16]hexaazacyclohencosin-23-yl)-1,2-dihydroxyethyl)-2-hydroxyphenyl hydrogen sulphate (CAS RN 168110-44-9)#	0%		31.12.2023
1095	1137/2008, PROLONG 2019	2933998071	#10-Methoxyiminostilbene (CAS RN 4698-11-7)#	0%		31.12.2023

1096	1219/2008, PROLONG 2019	2933998072	#1,4,7-Trimethyl-1,4,7-triazacyclononane (CAS RN 96556-05-7)#	0%		31.12.2023
1100	1135/2008, PROLONG 2019	2933998078	#3-Amino-3-azabicyclo (3.3.0) octane hydrochloride (CAS RN 58108-05-7)#	0%		31.12.2023
1103	980/06, PROLONG 2019	2933998082	#Tolytriazole (CAS RN 29385-43-1)#	0%		31.12.2023
1105	782/6/1994, PROLONG 2019	2934100010	Hexythiazox (ISO) (CAS RN 78587-05-0)	0%		31.12.2023
1106	534/4/1995, PROLONG 2019	2934100020	#2-(4-Methylthiazol-5-yl)ethanol (CAS RN 137-00-8)#	0%		31.12.2023
1116	313222/2013, PROLONG 2019	2934999012	#Dimethomorph (ISO) (CAS RN 110488-70-5)#	0%		31.12.2023
1119	782/7/1994, PROLONG 2019	2934999015	#Carboxin (ISO) (CAS RN 5234-68-4)#	0%		31.12.2023
1149	1687/6/1996, PROLONG 2019	2934999058	#Dimethenamide-P (ISO) (CAS RN 163515-14-8)#	0%		31.12.2023
1151	2013/2/2001, PROLONG 2019	2934999060	DL-Homocysteine thiolactone hydrochloride (CAS RN 6038-19-3)	0%		31.12.2023
1152	1226466/2018	2934999061	#5-(1,2-Dithiolan-3-yl)valeric acid (CAS RN 1077-28-7)#### #	0%		31.12.2023
1153	1453634/2018	2934999062	#(2b,3a,5a,16b,17b)-2-(Morpholin-4-yl)-16-(pyrrolidin-1-yl)androstane-3,17-diol 17-acetate (CAS RN 119302-24-8) #	0%		31.12.2023
1154	1453576/2018	2934999063	#(2b,3a,5a,16b,17b)-2-(Morpholin-4-yl)-16-(pyrrolidin-1-yl)androstane-3,17-diol (CAS RN 119302-20-4)#	0%		31.12.2023
1155	1181505/2018	2934999064	#2-Bromo-5-benzoylthiophene (CAS RN 31161-46-3)#	0%		31.12.2023
1157	1319/2008, PROLONG 2019	2934999066	#Tetrahydrothiophene-1,1-dioxide (CAS RN 126-33-0)#	0%		31.12.2023
1168	4592679/2018	2934999078	#[(3aS,5R,6S,6aS)-6-Hydroxy-2,2-dimethyltetrahydrofuro[2,3-d][1,3]dioxol-5-yl] (morpholino)methanone (CAS RN 1103738-19-7)#	0%		31.12.2023
1169	1141/2008, PROLONG 2019	2934999079	#Thiophen-2-ethanol (CAS RN 5402-55-1)#	0%		31.12.2023
1170	4861238/2018	2934999080	#2-(Dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one (CAS RN 119344-86-4)#	0%		31.12.2023
1180	1892/6/2003, PROLONG 2019	2935909015	#Flupyrsulfuron-methyl-sodium (ISO) (CAS RN 144740-54-5)#	0%		31.12.2023
1183	435/3/1992, PROLONG 2019	2935909020	Toluenesulphonamides	0%		31.12.2023
1188	1892/7/2003, PROLONG 2019	2935909025	#Triflusulfuron-methyl (ISO) (CAS RN 126535-15-7)#	0%		31.12.2023
1190	240106/2013, PROLONG 2019	2935909028	#N-Fluorobenzenesulphonimide (CAS RN 133745-75-2)#	0%		31.12.2023
1194	4958187/2018	2935909033	#4-Chloro-3-pyridinesulphonamide (CAS RN 33263-43-3)#	0%		31.12.2023
1195	1892/1/2003, PROLONG 2019	2935909035	Chlorsulfuron (ISO) (CAS RN 64902-72-3)	0%		31.12.2023
1196	4593007/2018	2935909037	#1,3-Dimethyl-1H-pyrazole-4-sulfonamide (CAS RN 88398-53-2)#	0%		31.12.2023
1201	1892/2/2003, PROLONG 2019	2935909045	Rimsulfuron (ISO) (CAS RN 122931-48-0)	0%		31.12.2023

1204	1712/1/1997, PROLONG 2019	2935909050	#4,4'-Oxydi(benzenesulphonohydrazide) (CAS RN 80-51-3)#	0%		31.12.2023
1207	1892/3/2003, PROLONG 2019	2935909055	#Thifensulfuron-methyl (ISO) (CAS RN 79277-27-3)#	0%		31.12.2023
1211	4958271/2018	2935909060	#4-[(3-Methylphenyl)amino]pyridine-3-sulfonamide (CAS RN72811-73-5)#	0%		31.12.2023
1213	1892/4/2003, PROLONG 2019	2935909065	#Tribenuron-methyl (ISO) (CAS RN 101200-48-0)#	0%		31.12.2023
1216	1892/5/2003, PROLONG 2019	2935909075	#Metsulfuron-methyl (ISO) (CAS RN 74223-64-6)#	0%		31.12.2023
1219	3114/3/04, PROLONG 2019	2935909088	#N-(2-(4-Amino-N-ethyl-m-toluidino)ethyl)methanesulphonamide sesquisulphate monohydrate (CAS RN 25646-71-3)#	0%		31.12.2023
1222	1702/12/2002, PROLONG 2019	2938909010	Hesperidin (CAS RN 520-26-3)	0%		31.12.2023
1223	313267/2013, PROLONG 2019	2938909020	#Ethylvanillin beta-D-glucopyranoside (CAS RN 122397-96-0)#	0%		31.12.2023
1226	1225963/2018	2939799060	#4-Methyl-2-pyridylamine (CAS RN 695-34-1) with a purity by weight of 98 % or more#	0%		31.12.2023
1232	522/1/1974, PROLONG 2019	3201200000	#Wattle extract#	0%		31.12.2023
1234	823/1/1974, PROLONG 2019	3201909020	#Tanning extracts derived from gambier and myrobalan fruits#	0%		31.12.2023
1235	3090484/2013, PROLONG 2019	3204110015	#Colourant C.I. Disperse Blue 360 (CAS RN 70693-64-0) and preparations based thereon with a colourant C.I. Disperse Blue 360 content of 99 % or more by weight#	0%		31.12.2023
1245	313238/2013, PROLONG 2019	3204120040	#Liquid dye preparation containing anionic acid dye C.I. Acid Blue 182 (CAS RN 12219-26-0)#	0%		31.12.2023
1253	807/06, PROLONG 2022	3204130010	#Colourant C.I. Basic Red 1 (CAS RN 989-38-8) and preparations based thereon with a colourant C.I. Basic Red 1 content of 50 % or more by weight#	0%		31.12.2023
1255	1090257/2012, PROLONG 2019	3204130030	#Colourant C.I. Basic Blue 7 (CAS RN 2390-60-5) and preparations based thereon with a colourant C.I. Basic Blue 7 content of 50 % or more by weight#	0%		31.12.2023
1268	851/05, PROLONG 2019	3204150060	#Colourant C.I. Vat Blue 4 (CAS RN 81-77-6) and preparations based thereon with a colourant C.I. Vat Blue 4 content of 50 % or more by weight#	0%		31.12.2023
1269	3044589/2013, PROLONG 2019	3204150070	#Colourant C.I. Vat Red 1 (CAS RN 2379-74-0)#	0%		31.12.2023
1272	498/7/1995, PROLONG 2019	3204170010	#Colourant C.I. Pigment Yellow 81 (CAS RN 22094-93-5) and preparations based thereon with a colourant C.I. Pigment Yellow 81 content of 50 % or more by weight#	0%		31.12.2023
1275	3045147/2013, PROLONG 2019	3204170019	#Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) and preparations based thereon with a colourant C.I. Pigment Red 48:2 content of 85 % or more by weight#	0%		31.12.2023
1280	384769/2013, 5582640/2016, 989554/2011	3204170024	#Colourant C.I. Pigment Red 57:1 (CAS RN 5281-04-9) and preparations based thereon with a Colourant C.I. Pigment Red 57:1 content of 20 % or more by weight#	0%		31.12.2023
1283	4838104/2018	3204170031	#Colourant C.I. Pigment Red 63:1 (CAS RN 6417-83-0) and preparations based thereon with a colourant C.I. Pigment Red 63:1 content of 70 % or more by weight#	0%		31.12.2023
1286	1431431/2018	3204170037	#Colourant C.I. Pigment Red 81:2 (CAS RN 75627-12-2) and preparations based thereon with a colourant C.I. Pigment Red 81:2 content of 30 % or more by weight#	0%		31.12.2023

1288	384794/2013, 994086/2011, PROLONG 2019	3204170045	#Colourant C.I. Pigment Yellow 174 (CAS RN 78952-72-4), highly resinated pigment (approx. 35 % disproportionate resin), with a purity of 98 % by weight or more, in the form of extruded beads with a moisture content of not more than 1 % by weight#	0%		31.12.2023
1298	3119/10/04, PROLONG 2019	3205000010	#Aluminium lakes prepared from dyes for use in the manufacture of pigments for the pharmaceutical industry#	0%		31.12.2023
1299	4838121/2018	3205000020	#Colourant C.I. Solvent Red 48 (CAS RN 13473-26-2) preparation, in a form of dry powder, containing by weight:### # 16 % or more but not more than 25 % of Colourant C.I. Solvent Red 48 (CAS RN 13473-26-2) # 65 % or more but not more than 75 % of aluminium hydroxide (CAS RN 21645-51-2) #	0%		31.12.2023
1300	4838121/2018	3205000030	#Colourant C.I. Pigment Red 174 (CAS RN 15876-58-1) preparation, in a form of dry powder, containing by weight:### # 16 % or more but not more than 21 % of Colourant C.I. Pigment Red 174 (CAS RN 15876-58-1) # 65 % or more but not more than 69 % of aluminium hydroxide (CAS RN 21645-51-2) #	0%		31.12.2023
1301	1887/16/2002, PROLONG 2019	3206110010	#Titanium dioxide coated with isopropoxytitanium triisostearate, containing by weight 1,5 % or more but not more than 2,5 % of isopropoxytitanium triisostearate#	0%		31.12.2023
1303	613/2/1998, PROLONG 2019	3206420010	#Lithopone (CAS RN 1345-05-7)#	0%		31.12.2023
1307	1964/1/2003, PROLONG 2019	3206500000	#Inorganic products of a kind used as luminophores#	0%		31.12.2023
1309	1450/2/1995, PROLONG 2019	3208201010	#Copolymer of N -vinylcaprolactam, N -vinyl-2-pyrrolidone and dimethylaminoethyl methacrylate, in the form of a solution in ethanol containing by weight 34 % or more but not more than 40 % of copolymer#	0%		31.12.2023
1310	1320/2008, PROLONG 2019	3208201020	#Immersion topcoat solution containing by weight 0,5 % or more but not more than 15 % of acrylate-methacrylate-alkenesulphonate copolymers with fluorinated side chains, in a solution of n-butanol and/or 4-methyl-2-pentanol and/or diisoamylether#	0%		31.12.2023
1313	723/05, 724/05, PROLONG 2019	3208901915	#Chlorinated polyolefins, in a solution#	0%		31.12.2023
1314	1726/4/2001, PROLONG 2019	3208901940	#Polymer of methylsiloxane, in the form of a solution in a mixture of acetone, butanol, ethanol and isopropanol, containing by weight 5 % or more but not more than 11 % of polymer of methylsiloxane#	0%		31.12.2023
1315	3070384/2013, PROLONG 2019	3208901945	#Polymer consisting of a polycondensate of formaldehyde and naphthalenediol, chemically modified by reaction with an alkyne halide, dissolved in propylene glycol methyl ether acetate#	0%		31.12.2023
	3070384/2013, PROLONG 2019	3824999263	#Polymer consisting of a polycondensate of formaldehyde and naphthalenediol, chemically modified by reaction with an alkyne halide, dissolved in propylene glycol methyl ether acetate#	0%		31.12.2023
1317	1655/1/2002, PROLONG 2019	3208901950	#Solution containing by weight:## # (65 ± 10) % of γ -butyrolactone, # (30 ± 10) % of polyamide resin, # (3,5 ± 1,5) % of naphthoquinone ester derivative and # (1,5 ± 0,5) % of arylsilicic acid #	0%		31.12.2023
1322	1553/3/1995, PROLONG 2019	3215907010	#Ink formulation, for use in the manufacture of ink-jet cartridges#	0%		31.12.2023
1323	1636/3/1999, PROLONG 2019	3215907020	#Heat sensitive ink fixed on a plastic film#	0%		31.12.2023
1324	1281/2008, PROLONG 2019	3215907030	#Disposable cartridge ink, containing by weight:### # 1 % or more, but not more than 10 % of amorphous silicon dioxide or # 3,8 % or more of dye C.I. Solvent Black 7 in organic solvents # ###for use in the marking of integrated circuits#	0%		31.12.2023
1326	497/3/1995, PROLONG 2019	3301121000	#Essential oil of orange, not deterpenated#	0%		31.12.2023
1328	880/05, PROLONG 2019	3402420010	#Vinyl copolymer surface active agent based on polypropylene glycol#	0%		31.12.2023

1331	1283/3/1983, PROLONG 2019	3402901020	#Mixture of docusate sodium (INN) and sodium benzoate#	0%		31.12.2023
1333	1503438/2018	3501909010	#Non edible sodium caseinate (CAS RN 9005-46-3) in the form of powder with a protein content of more than 88 % by weight for use in the production of thermoplastic granules#	0%		31.12.2023
1334	445/15/1995, PROLONG 2019	3506919010	#Adhesive based on an aqueous dispersion of a mixture of dimerised rosin and a copolymer of ethylene and vinyl acetate (EVA)#	0%		31.12.2023
1335	907/05, PROLONG 2019	3506919030	#Two component microencapsulated epoxy adhesive dispersed in a solvent#	0%		31.12.2023
1337	1254126/2015, PROLONG 2022	3506919050	#Preparation containing by weight:### # 15 % or more but not more than 60 % of styrene butadiene copolymers or styrene isoprene copolymers, and # 10 % or more but not more than 30 % of pinene polymers or pentadiene copolymers, # ###dissolved in:### # Methyl ethyl ketone (CAS RN 78-93-3), # Heptane (CAS RN 142-82-5), and # Toluene (CAS RN 108-88-3) or light aliphatic solvent naphtha (CAS RN 64742-89-8) # ### #	0%		31.12.2023
1342	1816782/2020	3801100020	#Artificial graphite (CAS RN 7782-42-5) powder form, with:### # specific surface area (measured by BET) of 0,8 m ² /g (± 0,25), # tap density: 0,85 g/cm ³ (± 0,10), # particle size represented by d50 value of 21,0 µm (± 2,0), # specific discharge capacity of 351,0 mAh/g (± 3,0), # initial efficiency of 94,0 % (± 2,0) #	1.8%		31.12.2023
1343	1731611/2020	3801100030	#Artificial graphite in powder form, (CAS RN 7782-42-5) with:### # with or without coating on the surface, # particle size represented by d50 value of 15 µm (± 4), # specific surface area (measured by BET) less than 3,5 m ² /g, # tap density: 1,3 g/m ³ (± 0,5), # specific Discharge Capacity of 348 mAh/g (± 13), # initial efficiency above 93,0 % #	1.8%		31.12.2023
1347	1/1/1970, PROLONG 2019	3805901000	#Pine oil#	1.7%		31.12.2023
1348	1272/1/2000, PROLONG 2019	3808919010	#Indoxacarb (ISO) and its (R) isomer, fixed on a support of silicon dioxide#	0%		31.12.2023
1350	874/2/2004, PROLONG 2019	3808919040	#Spinosad (ISO)#	0%		31.12.2023
1353	1134/5/1995, PROLONG 2019	3808929010	#Fungicide in the form of a powder, containing by weight 65 % or more but not more than 75 % of hymexazole (ISO), not put up for retail sale#	0%		31.12.2023
1354	1948/3/2001, PROLONG 2019	3808929030	# Preparation consisting of a suspension of pyrrithione zinc (INN) in water, containing by weight:### # 24 % or more but not more than 26 % of pyrrithione zinc (INN), or # 39 % or more but not more than 41 % of pyrrithione zinc (INN) #	0%		31.12.2023
1359	449023/2013, PROLONG 2019	3808999020	#Abamectin (ISO) (CAS RN 71751-41-2)#	0%		31.12.2023
1360	402/2/1982, PROLONG 2019	3809910010	#Mixture of 5-ethyl-2-methyl-2-oxo-1,3,2 λ ⁵ -dioxaphosphoran-5-ylmethyl methyl methylphosphonate and bis(5-ethyl-2-methyl-2-oxo-1,3,2 λ ⁵ -dioxaphosphoran-5-ylmethyl) methylphosphonate#	0%		31.12.2023
1361	1191/2008, PROLONG 2019	3810100010	#Soldering or welding paste, consisting of a mixture of metals and resin containing by weight:### # 70 % or more, but not more than 90 % of tin # not more than 10 % of one or more metals of silver, copper, bismuth, zinc, or indium # ###for use in the electro technical industry#	0%		31.12.2023
1363	596/6/1987, PROLONG 2019	3811210010	#Salts of dinonylnaphthalenesulphonic acid, in the form of a solution in mineral oils#	0%		31.12.2023
1364	5573295/2016, PROLONG 2022	3811210011	#Dispersing agent and oxidation inhibitor containing :### # o-amino polyisobutylenephenol (CAS RN 78330-13-9), # more than 30 % by weight but not more than 50 % by weight of mineral oils, # ###used in the manufacture of blends of additives for lubricating oils#	0%		31.12.2023
1371	1277/3/2000, PROLONG 2019	3811210020	#Additives for lubricating oils, based on complex organic molybdenum compounds, in the form of a solution in mineral oil#	0%		31.12.2023

1390	452817/2013, PROLONG 2019	3811210073	#Additives containing:### # borated succinimide compounds (CAS RN 134758-95-5), # mineral oils, and # having a total base number (TBN) greater than 40, # ###for use in the manufacture of additive mixtures for lubricating oils#	0%		31.12.2023
1397	1498127/2017	3811290018	#Additive consisting of dihydroxy butanedioic acid - (mixed C12-16-alkyl and C13-rich C11-14-isoalkyl) diester, for use in the manufacture of engine oils#	0%		31.12.2023
1406	5573326/2016, PROLONG 2022	3811290075	#Oxidation inhibitor mainly containing a mixture of isomers of 1-(tert-dodecylthio)propan-2-ol (CAS RN 67124-09-8), used in the manufacture of blends of additives for lubricating oils#	0%		31.12.2023
1408	3119/11/04, PROLONG 2019	3811900010	#Dinonylnaphthylsulphonic acid salt, in a mineral oil solution#	0%		31.12.2023
1412	384672/2013, PROLONG 2019	3812209010	#Plasticiser, containing:### # bis(2-ethylhexyl)-1,4-benzene dicarboxylate (CAS RN 6422-86-2) # more than 10 % but not more than 60 % by weight of dibutylterephthalate (CAS RN 1962-75-0) #	0%		31.12.2023
1413	1301/6/1994, PROLONG 2019	3812399020	#Mixture containing predominantly bis(2,2,6,6-tetramethyl-1-octyloxy-4-piperidyl) sebacate#	0%		31.12.2023
1414	498854/2013, PROLONG 2019	3812399025	#UV photo stabiliser containing:### # α -[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2); # α -[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly (oxy-1,2-ethanediyl) (CAS RN 104810-47-1); # polyethylene glycol of a weight average molecular weight (Mw) of 300 (CAS RN 25322-68-3) # bis (1,2,2,6,6-pentamethyl-4-piperidyl)sebacate (CAS RN 41556-26-7), and # methyl-1,2,2,6,6-pentamethyl-4- piperidyl sebacate (CAS RN 82919-37-7) #	0%		31.12.2023
1416	498733/2013, PROLONG 2019	3812399035	#Mixture containing by weight:## 25 % or more but not more than 55 % of a mixture of C15-18 tetramethylpiperidiny l esters (CAS RN 86403-32-9) not more than 20 % of other organic compounds on a carrier of polypropylene (CAS RN 9003-07-0) or amorphous silica (CAS RN 7631-86-9 or 112926-00-8)	0%		31.12.2023
1417	169561/2010, PROLONG 2019	3812399040	#Mixture of:### # 80 % (\pm 10 %) by weight of 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-35-4), and # 20 % (\pm 10 %) by weight of 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-34-3) #	0%		31.12.2023
1422	1893/2/2003, PROLONG 2019	3814009020	#Mixture containing by weight:### # 69 % or more but not more than 71 % of 1-methoxypropan-2-ol (CAS RN 107-98-2), # 29 % or more but not more than 31 % of 2-methoxy-1-methylethyl acetate (CAS RN 108-65-6) #	0%		31.12.2023
1423	3114/5/04, PROLONG 2019	3814009040	#Azeotrope mixtures containing isomers of nonafluorobutyl methyl ether and/or nonafluorobutyl ethyl ether#	0%		31.12.2023
1424	1023/1/1980, PROLONG 2019	3815120010	#Catalyst, in the form of granules or rings of a diameter of 3 mm or more but not more than 10 mm, consisting of silver on an aluminium oxide support and containing by weight 8 % or more but not more than 40 % of silver#	0%		31.12.2023
1425	4592717/2018	3815120020	#Spherical catalyst consisting of a support of aluminium oxide coated with platinum, with## a diameter of 1,4 mm or more but not more than 2,0 mm, and a platinum content by weight of 0,2 % or more but not more than 0,5 %	0%		31.12.2023
1426	4623658/2018	3815120030	#Catalyst### # containing 0,3 gram per litre or more, but not more than 7 gram per litre of precious metals, # deposited on a ceramic honeycomb structure coated with aluminium oxide or cerium/zirconium oxide, the honeycomb structure having: # a nickel content of 1,26 % by weight or more, but not more than 1,29 % by weight, # 62 cells per cm ² or more, but not more than 140 cells per cm ² , # a diameter of 100 mm or more, but not more than 120 mm, and # a length of 60 mm or more, but not more than 150 mm, # ###for use in the production of motor vehicles#	0%		31.12.2023
1428	728/5/1997, PROLONG 2019	3815199015	#Catalyst, in the form of a powder, consisting of a mixture of metal oxides fixed on a support of silicon dioxide, containing by weight 20 % or more but not more than 40 % of molybdenum, bismuth and iron evaluated together, for use in the manufacture of acrylonitrile#	0%		31.12.2023
1429	542/3/1990, PROLONG 2019	3815199020	#Catalyst,### # in the form of solid spheres, # of a diameter of 4 mm or more but not more than 12 mm, and # consisting of a mixture of molybdenum oxide and other metal oxides, supported on silicon dioxide and/or aluminium oxide, # ###for use in the manufacture of acrylic acid#	0%		31.12.2023

1430	443748/2013, PROLONG 2019	3815199025	#Catalyst in the form of spheres of a diameter of 4,2 mm or more but not more than 9 mm, consisting of a mixture of metal oxides containing predominantly oxides of molybdenum, nickel, cobalt and iron, on a support of aluminium oxide, for use in the manufacture of acrylic aldehyde#	0%		31.12.2023
1431	1161/1/1989, PROLONG 2019	3815199030	#Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polypropylene#	0%		31.12.2023
1432	1431371/2018	3815199035	#Catalyst consisting of tungstosilicic acid hydrate (CAS RN 12027-43-9) impregnated on a support of silicon dioxide in the form of a powder#	0%		31.12.2023
1433	730/8/1997, PROLONG 2019	3815199065	#Catalyst consisting of phosphoric acid chemically bonded to a support of silicon dioxide#	0%		31.12.2023
1434	280/4/1996, PROLONG 2019	3815199070	#Catalyst consisting of organo-metallic compounds of aluminium and zirconium, fixed on a support of silicon dioxide#	0%		31.12.2023
1435	1792/1/1997, PROLONG 2019	3815199075	#Catalyst consisting of organo-metallic compounds of aluminium and chromium, fixed on a support of silicon dioxide#	0%		31.12.2023
1436	1792/3/1997, PROLONG 2019	3815199080	#Catalyst consisting of organo-metallic compounds of magnesium and titanium, fixed on a support of silicon dioxide, in the form of a suspension in mineral oil#	0%		31.12.2023
1437	1792/2/1997, PROLONG 2019	3815199085	#Catalyst consisting of organo-metallic compounds of aluminium, magnesium and titanium, fixed on a support of silicon dioxide, in the form of powder#	0%		31.12.2023
1438	751/05, PROLONG 2019	3815199086	#Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polyolefins#	0%		31.12.2023
1440	1460609/2018	3815909025	#Catalyst consisting by weight of:### # 30 % or more but not more than 33 % of bis(4-(diphenylsulphonio)phenyl)sulphide bis(hexafluorophosphate) (CAS RN 74227-35-3), and # 24 % or more but not more than 27 % of diphenyl(4-phenylthio)phenylsufonium hexafluorophosphate (CAS RN 68156-13-8) # ###in propylene carbonate (CAS RN 108-32-7)#	0%		31.12.2023
1442	1460735/2018	3815909035	#Catalyst containing by weight:### # 25 % or more but not more than 27,5 % of bis[4-(diphenylsulphonio)phenyl]sulphide bis(hexafluoroantimonate) (CAS RN 89452-37-9), and # 20 % or more but not more than 22,5 % of diphenyl(4-phenylthio)phenylsufonium hexafluoroantimonate (CAS RN 71449-78-0) # ###in propylene carbonate (CAS RN 108-32-7)#	0%		31.12.2023
1444	450780/2013, PROLONG 2019	3815909040	#Catalyst:### # containing molybdenum oxide and other metal oxides in a silicon dioxide matrix, # in the form of hollow cylindrical solids of a length of 4 mm or more but not more than 12 mm # ###for use in the manufacture of acrylic acid#	0%		31.12.2023
1447	1060/9/1982, PROLONG 2019	3815909050	#Catalyst containing titanium trichloride, in the form of a suspension in hexane or heptane containing by weight, in the hexane- or heptane-free material, 9 % or more but not more than 30 % of titanium#	0%		31.12.2023
1449	1505/10/1998, PROLONG 2019	3815909081	#Catalyst, containing by weight 69 % or more but not more than 79 % of (2-hydroxy-1-methylethyl)trimethylammonium 2-ethylhexanoate#	0%		31.12.2023
1451	1310/1/2003, PROLONG 2019	3815909086	#Catalyst, in the form of rodlets, consisting of an aluminosilicate (zeolite), containing by weight 2 % or more but not more than 3 % of rare-earth metal oxides and less than 1 % of disodium oxide#	0%		31.12.2023
1452	3114/6/04, PROLONG 2019	3815909088	#Catalyst, consisting of titanium tetrachloride and magnesium chloride, containing by weight on an oil- and hexane-free basis:### # 4 % or more but not more than 10 % of titanium and # 10 % or more but not more than 20 % magnesium #	0%		31.12.2023
1454	1199/2008, PROLONG 2019	3817005010	#Mixture of alkylbenzenes (C14-26) containing by weight:### # 35 % or more but not more than 60 % of eicosylbenzene, # 25 % or more but not more than 50 % of docosylbenzene, # 5 % or more but not more than 25 % of tetracosylbenzene #	0%		31.12.2023
1455	893/9/2004, PROLONG 2019	3817008010	#Mixture of alkyl-naphthalenes, containing by weight:## # 88 % or more but not more than 98 % of hexadecyl-naphthalene # 2 % or more but not more than 12 % of dihexadecyl-naphthalene #	0%		31.12.2023

1456	1261/2008, 1277/2008, PROLONG 2019	3817008020	#Mixture of branched alkyl benzenes mainly containing dodecyl benzenes#	0%		31.12.2023
1458	909/05, PROLONG 2019	3819000020	#Fire resistant hydraulic fluid based on phosphate ester#	0%		31.12.2023
1460	343037/2013, PROLONG 2019	3823193020	#Palm fatty acid distillate, whether or not hydrogenated, with free fatty acid content 80 % or more for use in the manufacture of:### # industrial monocarboxylic fatty acids of heading 3823, # stearic acid of heading 3823, # stearic acid of heading 2915, # palmitic acid of heading 2915, or # animal feed preparations of heading 2309 #	0%		31.12.2023
	343037/2013, PROLONG 2019	3823193030	#Palm fatty acid distillate, whether or not hydrogenated, with free fatty acid content 80 % or more for use in the manufacture of:### # industrial monocarboxylic fatty acids of heading 3823, # stearic acid of heading 3823, # stearic acid of heading 2915, # palmitic acid of heading 2915, or # animal feed preparations of heading 2309 #	0%		31.12.2023
1461	343026/2013, PROLONG 2019	3823199020	#Palm acid oils from refining for use in the manufacture of:### # industrial monocarboxylic fatty acids of heading 3823, # stearic acid of heading 3823, # stearic acid of heading 2915, # palmitic acid of heading 2915, or # animal feed preparations of heading 2309 #	0%		31.12.2023
	343026/2013, PROLONG 2019	3823199030	#Palm acid oils from refining for use in the manufacture of:### # industrial monocarboxylic fatty acids of heading 3823, # stearic acid of heading 3823, # stearic acid of heading 2915, # palmitic acid of heading 2915, or # animal feed preparations of heading 2309 #	0%		31.12.2023
1462	475/1/1988, PROLONG 2019	3824991510	#Acid aluminosilicate (artificial zeolite of the Y type) in the sodium form, containing by weight not more than 11 % of sodium evaluated as sodium oxide, in the form of rodlets#	0%		31.12.2023
1463	1957046/2022	3824999222	#Solution containing:### # 30 % or more but not more than 40 % by weight of lithium hexafluorophosphate (CAS RN 21324-40-3), and # 60 % or more but not more than 70 % by weight of ethyl methyl carbonate (CAS RN 623-53-0) #	3.2%		31.12.2023
1466	4842779/2018	3824999231	#Liquid crystal mixtures for use in the manufacture of LCD (liquid crystal display) modules#	0%		31.12.2023
1468	596/12/1987, PROLONG 2019	3824999233	#Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either:## # on a support of mineral wax, whether or not modified chemically, or # in the form of a solution in an organic solvent #	0%		31.12.2023
	596/12/1987, PROLONG 2019	3824999340	#Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either:## # on a support of mineral wax, whether or not modified chemically, or # in the form of a solution in an organic solvent #	0%		31.12.2023
	596/12/1987, PROLONG 2019	3824999640	#Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either:## # on a support of mineral wax, whether or not modified chemically, or # in the form of a solution in an organic solvent #	0%		31.12.2023
1469	906/06, PROLONG 2019	3824999235	#Preparations containing not less than 92 % or more but not more than 96,5 % by weight of 1,3:2,4- bis-O -(4-methylbenzylidene)- D -glucitol and also containing carboxylic acid derivatives and an alkyl sulphate#	0%		31.12.2023
1470	1296/2008, PROLONG 2019	3824999237	#Mixture of acetates of 3-butene-1,2-diol with a content by weight of 65 % or more of 3-butene-1,2-diol diacetate (CAS RN 18085-02-4)#	0%		31.12.2023
1472	906/06, PROLONG 2019	3824999239	#Preparation containing not less than 47 % by weight of 1,3:2,4-bis-O-benzylidene-D-glucitol#	0%		31.12.2023
1474	3014113/2013, PROLONG 2019	3824999242	#Preparation of tetrahydro- α -(1-naphthylmethyl)furan-2-propionic acid (CAS RN 25379-26-4) in toluene#### #	0%		31.12.2023
1476	446/4/1995, PROLONG 2019	3824999245	#Preparation consisting predominantly of γ -butyrolactone and quaternary ammonium salts, for the manufacture of electrolytic capacitors#	0%		31.12.2023
1478	1553/5/1995, PROLONG 2019	3824999251	#Mixture containing by weight 40 % or more but not more than 50 % of 2-hydroxyethyl methacrylate and 40 % or more but not more than 50 % of glycerol ester of boric acid#	0%		31.12.2023

1479	1697432/2019	3824999252	#Electrolyte containing:### # 5 % or more but not more than 20 % lithium hexafluorophosphate (CAS RN 21324-40-3) or lithium tetrafluoroborate (CAS RN 14283-07-9), # 60 % or more but not more than 90 % of a mixture of ethylene carbonate (CAS RN 96-49-1), dimethyl carbonate (CAS RN 616-38-6) and/or ethyl methyl carbonate (CAS RN 623-53-0), # 0,5 % or more but not more than 20 % 1,3,2-dioxathiolane 2,2-dioxide (CAS RN 1072-53-3), # ###for use in the manufacture of motor vehicle batteries#	3.2%		31.12.2023
1480	288/1/1996, PROLONG 2019	3824999253	#Preparations consisting predominantly of ethylene glycol and:### # either diethylene glycol, dodecanedioic acid and ammonia water, # or N,N-dimethylformamide, # or γ -butyrolactone, # or silicon oxide, # or ammonium hydrogen azelate, # or ammonium hydrogen azelate and silicon oxide, # or dodecanedioic acid, ammonia water and silicon oxide, # ###for the manufacture of electrolytic capacitors#	0%		31.12.2023
1482	455068/2013, PROLONG 2019	3824999255	#Additives for paints and coatings, containing:### # a mixture of esters of phosphoric acid obtained from the reaction of phosphoric anhydride with 4-(1,1-dimethylpropyl) phenol and copolymers of styrene-allyl alcohol (CAS RN 84605-27-6), and # 30 % or more but not more than 35 % by weight of isobutyl alcohol #	0%		31.12.2023
1485	443/12/1977, PROLONG 2019	3824999259	#Potassium tert-butanolate (CAS RN 865-47-4) in the form of a solution in tetrahydrofuran#	0%		31.12.2023
1492	3093564/2013, PROLONG 2019	3824999272	#N-(2-Phenylethyl)-1,3-benzenedimethanamine derivatives (CAS RN 404362-22-7)#	0%		31.12.2023
1493	3041921/2013, PROLONG 2019	3824999276	#Preparation containing:### # 74 % or more but not more than 90 % by weight of (S)- α -hydroxy-3-phenoxy-benzeneacetonitrile (CAS RN 61826-76-4) and # 10 % or more but not more than 26 % by weight of toluene (CAS RN 108-88-3) #	0%		31.12.2023
1495	435/7/1992, PROLONG 2019	3824999284	#Preparation consisting by weight of 83 % or more of 3a,4,7,7a-tetrahydro-4,7-methanoindene (dicyclopentadiene), a synthetic rubber, whether or not containing by weight 7 % or more of tricyclopentadiene, and:### # either an aluminium-alkyl compound, # or an organic complex of tungsten # or an organic complex of molybdenum #	0%		31.12.2023
1498	5064665/2020	3824999293	#Solution of not more than 15 % by weight of lithium hexafluorophosphate (CAS RN 21324-40-3) in a mixture of ethylene carbonate (CAS RN 96-49-1), dimethyl carbonate (CAS RN 616-38-6) and ethyl methyl carbonate (CAS RN 623-53-0), contains organic carbonate derivatives as additives#	3.2%		31.12.2023
1503	1292/2008, PROLONG 2019	3824999342	#Mixture of bis{4-(3-(3-phenoxy-carbonylamino)tolyl)ureido}phenylsulphone, diphenyltoluene-2,4-dicarbamate and 1-[4-(4-aminobenzenesulphonyl)-phenyl]-3-(3-phenoxy-carbonylamino-tolyl)-urea#	0%		31.12.2023
1507	3155/3/2000, PROLONG 2019	3824999353	#Zinc dimethacrylate (CAS RN 13189-00-9), containing not more than 2,5 % by weight of 2,6-di-tert-butyl-alpha-dimethyl amino-p-cresol (CAS RN 88-27-7), in the form of powder#	0%		31.12.2023
1508	1427706/2018	3824999360	#Mixture of phytosterols containing by weight:### # 35 % or more but not more than 88 % sitosterols, # 20 % or more but not more than 63 % campesterols, # 14 % or more but not more than 38 % stigmasterols, # not more than 13 % brassicasterols, # not more than 10 % other stanols, and # not more than 10 % other sterols # ### #	0%		31.12.2023
1510	1286699/2018	3824999365	#Reaction mass of 1,1'-(isopropylidene)bis[3,5-dibromo-4-(2,3-dibromo-2-methylpropoxy)benzene] (CAS RN 97416-84-7) and 1,3-dibromo-2-(2,3-dibromo-2-methylpropoxy)-5-{2-[3,5-dibromo-4-(2,3,3-tribromo-2-methylpropoxy)phenyl]propan-2-yl}benzene#	0%		31.12.2023
1515	1091234/2012, PROLONG 2019	3824999383	#Preparation containing:### # C,C'-azodi(formamide) (CAS RN 123-77-3), # magnesium oxide (CAS RN 1309-48-4) and # zinc bis(p-toluene sulphinate) (CAS RN 24345-02-6) # ###in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C#	0%		31.12.2023
	1091234/2012, PROLONG 2019	3824999685	#Preparation containing:### # C,C'-azodi(formamide) (CAS RN 123-77-3), # magnesium oxide (CAS RN 1309-48-4) and # zinc bis(p-toluene sulphinate) (CAS RN 24345-02-6) # ###in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C#	0%		31.12.2023
1516	579/2/1999, PROLONG 2019	3824999385	#Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges#	0%		31.12.2023

	579/2/1999, PROLONG 2019	3824999657	#Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges#	0%		31.12.2023
1519	497/9/1974, PROLONG 2019	3824999635	#Calcined bauxite (refractory grade)#	0%		31.12.2023
1521	1564962/2017	3824999645	#Lithium nickel cobalt aluminium oxide powder (CAS RN 177997-13-6) with:### # a particle size of less than 10 µm, # a purity by weight of more than 98 % #	3.2%		31.12.2023
1523	1131/5/1984, PROLONG 2019	3824999647	#Mixed metals oxides, in the form of powder, containing by weight:## # either 5 % or more of barium, neodymium or magnesium and 15 % or more of titanium, # or 30 % or more of lead and 5 % or more of niobium, # ##for use in the manufacture of dielectric films or for use as dielectric materials in the manufacture of multilayer ceramic capacitors#	0%		31.12.2023
1526	3058734/2013, PROLONG 2019	3824999655	#Carrier in powder form, consisting of:### # ferrite (Iron oxide) (CAS RN 1309-37-1) # manganese oxide (CAS RN 1344-43-0) # magnesium oxide (CAS RN 1309-48-4) # styrene acrylate copolymer # ### to be mixed with the toner powder, in the manufacturing of ink/toner filled bottles or cartridges for facsimile machines, computer printers and copiers#	0%		31.12.2023
1528	1505/13/1998, PROLONG 2019	3824999665	#Aluminium sodium silicate, in the form of spheres of a diameter of:## # either 1,6mm or more but not more than 3,4 mm, # or 4mm or more but not more than 6 mm #	0%		31.12.2023
1529	5063896/2020	3824999668	#Lithium nickel dioxide (CAS RN 12325-84-7) containing by weight:### # less than 5 % of lithium hydroxide (CAS RN 1310-65-2), # less than 5 % of lithium carbonate (CAS RN 554-13-2), and # less than 15 % of nickel oxide (CAS RN 11099-02-8) #	3.2%		31.12.2023
1533	1449239/2018	3824999683	#Cubic Boron nitride (CAS RN 10043-11-5) coated with nickel and/or nickelphosphide (CAS RN 12035-64-2)#	0%		31.12.2023
1535	343104/2013, PROLONG 2019	3826001020	#Mixture of fatty acid methyl esters containing by weight at least:### # 65 % or more but not more than 75 % of C12 FAME, # 21 % or more but not more than 28 % of C14 FAME, # 4 % or more but not more than 8 % of C16 FAME, # ###for use in the manufacture of detergents and home and personal care products#	0%		31.12.2023
	343104/2013, PROLONG 2019	3826001029	#Mixture of fatty acid methyl esters containing by weight at least:### # 65 % or more but not more than 75 % of C12 FAME, # 21 % or more but not more than 28 % of C14 FAME, # 4 % or more but not more than 8 % of C16 FAME, # ###for use in the manufacture of detergents and home and personal care products#	0%		31.12.2023
1536	343116/2013	3826001050	#Mixture of fatty acid methyl esters containing by weight at least:### # 50 % or more but not more than 58 % of C8-FAME # 35 % or more but not more than 50 % of C10-FAME # ###for the manufacturing of high purity C8 or C10 fatty acid or fatty acid mixtures thereof or of high purity methylester of C8 or C10 fatty acid#	0%		31.12.2023
	343116/2013	3826001059	#Mixture of fatty acid methyl esters containing by weight at least:### # 50 % or more but not more than 58 % of C8-FAME # 35 % or more but not more than 50 % of C10-FAME # ###for the manufacturing of high purity C8 or C10 fatty acid or fatty acid mixtures thereof or of high purity methylester of C8 or C10 fatty acid#	0%		31.12.2023
1540	2002292/2022	3901101060	#Copolymer of ethylene and 1-butene (CAS RN 25087-34-7) with: ### # a density (ASTM D 1505) of 0,922 g/cm 3 or more but not more than 0,926 g/cm 3 and # a melt flow rate (190 °C/2,16 kg) of 18 g/10 min or more but not more than 22 g/10 min #	0%		31.12.2023
	2002292/2022	3901400060	#Copolymer of ethylene and 1-butene (CAS RN 25087-34-7) with: ### # a density (ASTM D 1505) of 0,922 g/cm 3 or more but not more than 0,926 g/cm 3 and # a melt flow rate (190 °C/2,16 kg) of 18 g/10 min or more but not more than 22 g/10 min #	0%		31.12.2023
1547	403/3/1982	3901908091	#Ionomer resin consisting of a salt of a copolymer of ethylene with methacrylic acid#	0%		31.12.2023
1548	799/05, PROLONG 2019	3901908092	#Chlorosulphonated polyethylene#	0%		31.12.2023
1549	498/8/1995, PROLONG 2019	3901908093	#Copolymer of ethylene, vinyl acetate and carbon monoxide, for use as a plasticiser in the manufacture of roof sheets#	0%		31.12.2023

1550	279/5/1996, PROLONG 2019	3901908094	#Mixtures of A-B block copolymer of polystyrene and ethylene-butylene copolymer and A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight not more than 35 % of styrene#	0%		31.12.2023
1551	1314/2/2003, PROLONG 2019	3901908097	#Chlorinated polyethylene, in the form of powder#	0%		31.12.2023
1552	730/10/1997, PROLONG 2019	3902100020	#Polypropylene, containing no plasticiser,## # of a melting point of more than 150 °C (as determined by the ASTM D 3417 method), # of a heat of fusion of 15 J/g or more but not more than 70 J/g, # of an elongation at break of 1 000 % or more (as determined by the ASTM D 638 method), # of a tensile modulus of 69 MPa or more but not more than 379 MPa (as determined by the ASTM D 638 method) #	0%		31.12.2023
1554	1222/8/2003, PROLONG 2019	3902200010	Polyisobutylene, of a number average molecular weight (M n) of 700 or more but not more than 800	0%		31.12.2023
1555	460/4/1999, PROLONG 2019	3902200020	#Hydrogenated polyisobutene, in liquid form#	0%		31.12.2023
1558	1249/7/1992, PROLONG 2019	3902300091	A-B Block copolymer of polystyrene and an ethylene-propylene copolymer, containing by weight 40 % or less of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39	0%		31.12.2023
1561	1221/2008, PROLONG 2019	3902909052	#Amorphous poly-alpha-olefin copolymer blend of poly(propylene-co-1-butene) and petroleum hydrocarbon resin#	0%		31.12.2023
1562	1322/2008, PROLONG 2019	3902909055	#Thermoplastic elastomer, with an A-B-A block copolymer structure of polystyrene, polyisobutylene and polystyrene containing by weight 10 % or more but not more than 35 % of polystyrene#	0%		31.12.2023
1567	742/4/1993, PROLONG 2019	3902909092	#Polymers of 4-methylpent-1-ene#	0%		31.12.2023
1568	723/05, 724/05, D- 20050706-084914- 1314, PROLONG 2019	3902909094	#Chlorinated polyolefins, whether or not in a solution or dispersion#	0%		31.12.2023
1570	331267/2011, PROLONG 2019	3903909015	#Copolymer in the form of granules containing by weight:### # 78 (± 4 %) of styrene, # 9 (± 2 %) of n-butyl acrylate, # 11 (± 3 %) of n-butyl methacrylate,, # 1.5 (± 0,7 %) of methacrylic acid and # 0,01 % or more but not more than 2,5 % of polyolefinic wax #	0%		31.12.2023
1573	1489/11/1994, PROLONG 2019	3903909035	#Copolymer of α -methylstyrene and styrene, having a softening point of more than 113 °C#	0%		31.12.2023
	1489/11/1994, PROLONG 2019	3911909943	#Copolymer of α -methylstyrene and styrene, having a softening point of more than 113 °C#	0%		31.12.2023
1580	774/05, PROLONG 2019	3903909080	#Granules of copolymer of styrene and divinylbenzene of a minimum diameter of 150 µm and a maximum diameter of 800 µm and containing by weight:### # minimum 65 % styrene, # maximum 25 % divinylbenzene # ###for use in the manufacture of ion exchange resins#	0%		31.12.2023
1581	1201/2008, PROLONG 2019	3903909086	#Mixture containing by weight:### # 45 % or more but not more than 65 % of polymers of styrene # 35 % or more but not more than 45 % of poly(phenylene ether) # not more than 10 % of other additives # ###and with one or more of the following special colour effects:### # metallic or pearlescent with a visual angular metamerism caused by at least 0,3 % flake-based pigment # fluorescent, as characterized by emitting light during absorption of ultraviolet radiation # bright white, as characterized by L* not less than 92 and b* not more than 2 and a* between -5 and 7 on the CIE Lab colour scale #	0%		31.12.2023

1582	1/1/1987, PROLONG 2019	3904300030	#Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight:### # 87 % or more but not more than 92 % of vinyl chloride, # 2 % or more but not more than 9 % of vinyl acetate and # 1 % or more but not more than 8 % of vinyl alcohol, # ###in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of goods of headings 3215 or 8523 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink#	0%		31.12.2023
	1/1/1987, PROLONG 2019	3904400091	#Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight:### # 87 % or more but not more than 92 % of vinyl chloride, # 2 % or more but not more than 9 % of vinyl acetate and # 1 % or more but not more than 8 % of vinyl alcohol, # ###in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of goods of headings 3215 or 8523 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink#	0%		31.12.2023
1583	1687/8/1996, PROLONG 2019	3904610020	#Copolymer of tetrafluoroethylene and trifluoro(heptafluoropropoxy)ethylene, containing 3,2 % or more but not more than 4,6 % by weight of trifluoro(heptafluoropropoxy)ethylene and less than 1 mg/kg of extractable fluoride ions#	0%		31.12.2023
1584	4958337/2018	3904698020	#Copolymer of tetrafluoroethylene, heptafluoro-1-pentene and ethene (CAS RN 94228-79-2)#	0%		31.12.2023
1585	4908926/2018	3904698030	#Copolymer of tetrafluoroethylene, hexafluoropropene and ethene#	0%		31.12.2023
1588	1448/1/1995, PROLONG 2019	3904698094	#Copolymer of ethylene and tetrafluoroethylene#	0%		31.12.2023
1589	1687/10/1996, PROLONG 2019	3904698096	#Polychlorotrifluoroethylene, in one of the forms mentioned in note 6 (a) and (b) to Chapter 39#	0%		31.12.2023
1597	1450/4/1995	3905999095	#Hexadecylated or eicosylated polyvinylpyrrolidone#	0%		31.12.2023
1598	1710/12/1997, PROLONG 2019	3905999096	#Polymer of vinyl formal, in one of the forms mentioned in note 6 (b) to Chapter 39, of a weight average molecular weight (M w) of 25 000 or more but not more than 150 000 and containing by weight:### # 9,5 % or more but not more than 13 % of acetyl groups evaluated as vinyl acetate and # 5 % or more but not more than 6,5 % of hydroxy groups evaluated as vinyl alcohol #	0%		31.12.2023
1599	1728/7/2002, PROLONG 2019	3905999097	#Povidone (INN)-iodine (CAS RN 25655-41-8)#	0%		31.12.2023
1600	1728/6/2002, PROLONG 2019	3905999098	#Poly(vinyl pyrrolidone) partially substituted by triacontyl groups, containing by weight 78 % or more but not more than 82 % of triacontyl groups#	0%		31.12.2023
1601	1508/3/1998, PROLONG 2019	3906906000	#Copolymer of methyl acrylate with ethylene and a monomer containing a non-terminal carboxy group as a substituent, containing by weight 50 % or more of methyl acrylate, whether or not mixed with silicon dioxide#	0%		31.12.2023
1602	1043/1/1975, PROLONG 2019	3906909010	Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer, for the manufacture of medicaments of heading 3003 or 3004	0%		31.12.2023
1608	1683/3/1998, PROLONG 2019	3906909050	#Polymers of esters of acrylic acid with one or more of the following monomers in the chain:### # chloromethyl vinyl ether, # chloroethyl vinyl ether, # chloromethylstyrene, # vinyl chloroacetate, # methacrylic acid, # butenedioic acid monobutyl ester, # butenedioic acid monocyclohexyl ester, # ###containing by weight not more than 5 % of each monomer unit#	0%		31.12.2023
1609	1520854/2018	3906909060	#Aqueous dispersion containing by weight:### # more than 10 % but not more than 15 % of ethanol, and # more than 7 % but not more than 11 % of a reaction product of poly(epoxyalkylmethacrylate-co-divinylbenzene) with a glycerol derivative #	0%		31.12.2023
1612	1263/3/1992, PROLONG 2019	3907291110	#Poly(ethylene oxide) of a number average molecular weight (M n) of 100 000 or more#	0%		31.12.2023
1613	1120/2008, PROLONG 2019	3907291120	#Bis[Methoxypoly(ethyleneglycol)]-maleimidopropionamide, chemically modified with lysine, of a number average molecular weight (M n) of 40 000#	0%		31.12.2023

1614	1349038/2016, PROLONG 2022	3907292025	#Copolymer of propylene oxide and butylene oxide, monododecylether, containing by weight:### # 48 % or more but not more than 52 % of propylene oxide and # 48 % or more but not more than 52 % of butylene oxide # ### #	0%		31.12.2023
1615	444/7/1995, PROLONG 2019	3907292030	#Mixture, containing by weight 70 % or more but not more than 80 % of a polymer of glycerol and 1,2-epoxypropane and 20 % or more but not more than 30 % of a copolymer of dibutyl maleate and N -vinyl-2-pyrrolidone#	0%		31.12.2023
1616	1457919/2018	3907292035	#Mixture containing by weight:### # 5 % or more but not more than 15 % of a copolymer of glycerol, propylene oxide and ethylene oxide (CAS RN 9082-00-2), and # 85 % or more but not more than 95 % of a copolymer of sucrose, propylene oxide and ethylene oxide (CAS RN 26301-10-0) #	0%		31.12.2023
1617	921/05, PROLONG 2019	3907292040	#Copolymer of tetrahydrofuran and tetrahydro-3-methylfuran with a number average molecular weight (Mn) of 900 or more but not more than 3 600#	0%		31.12.2023
1619	601/1/1987, PROLONG 2019	3907299915	Poly(oxypropylene) having alkoxysilyl end-groups	0%		31.12.2023
1620	1586049/2018	3907299920	#2,3-Bis(methylpolyoxyethylene-oxy)-1-[(3-maleimido-1-oxopropyl)amino]propyloxy propane (CAS RN 697278-30-1) with a number average molecular weight (Mn) of at least 20 kDa whether or not modified with a chemical entity enabling a linkage between the PEG and a protein or a peptide#	0%		31.12.2023
1621	984/1/1989, PROLONG 2019	3907299930	Homopolymer of 1-chloro-2,3-epoxypropane (epichlorohydrin)	0%		31.12.2023
1622	1425060/2018	3907299940	#N-(methoxypoly (ethylene glycol) -N-(1-acetyl- (2-methoxypoly (ethylene glycol)) -glycine (CAS RN 600169-00-4) with a number average molecular weight (Mn) for polyethylene glycol of 40 kDa#	0%		31.12.2023
1623	1913/9/2003, PROLONG 2019	3907299945	#Copolymer of ethylene oxide and propylene oxide, having aminopropyl and methoxy end-groups#	0%		31.12.2023
1624	1279/2008, PROLONG 2019	3907299950	#Vinyl-silyl terminated perfluoropolyether polymer or an assortment of two components consisting of the same type of vinyl-silyl terminated perfluoropolyether polymer as the main ingredient#	0%		31.12.2023
1625	1263/2008, PROLONG 2019	3907299955	#Succinimidyl ester of methoxy poly(ethylene glycol)propionic acid, of a number average molecular weight (Mn) of 5 000#	0%		31.12.2023
1629	564/1/1998, PROLONG 2019	3907300040	#Epoxide resin, containing by weight 70 % or more of silicon dioxide, for the encapsulation of goods of headings 8504, 8533, 8535, 8536, 8541, 8542 or 8548#	0%		31.12.2023
1631	1794/2/1997, PROLONG 2019	3907400035	# α -Phenoxy carbonyl- ω -phenoxy poly[oxy(2,6-dibromo-1,4-phenylene) isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl] (CAS RN 94334-64-2)#	0%		31.12.2023
1632	1997/5/2001, PROLONG 2019	3907400045	# α -(2,4,6-Tribromophenyl)- ω -(2,4,6-tribromophenoxy)poly[oxy(2,6-dibromo-1,4-phenylene)isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl] (CAS RN 71342-77-3)#	0%		31.12.2023
1635	1997/7/2001, PROLONG 2019	3907690010	Copolymer of terephthalic acid and isophthalic acid with ethylene glycol, butane-1,4-diol and hexane-1,6-diol	0%		31.12.2023
1636	1704/14/2002, PROLONG 2019	3907700000	Poly(lactic acid)	0%		31.12.2023
1638	1247/4/1982, Prologation exercice 1/1/2019	3907998010	#Poly(oxy-1,4-phenylenecarbonyl) (CAS RN 26099-71-8), in the form of powder#	0%		31.12.2023
1641	1425441/2018	3907998035	#Copolymer in form of a clear, pale yellow liquid, consisting of### # phthalic acid isomers and/or aliphatic dicarboxylic acids, # aliphatic diols, and # fatty acid end-caps # ###with:### # a hydroxyl number of 120 mg KOH or more but not more than 350 mg KOH, # a viscosity at 25 °C of 2000 cPs or more but not more than 8000 cPs, and # an acid value less than 10 mg KOH/g #	0%		31.12.2023
1643	1270/1/1983, PROLONG 2019	3908900010	Poly(iminomethylene-1,3-phenylenemethyleneiminoadipoyl), in one of the forms mentioned in note 6 (b) to Chapter 39	0%		31.12.2023

1644	891/1/2004, PROLONG 2019	3908900030	Reaction product of mixtures of octadecanecarboxylic acids polymerised with an aliphatic polyetherdiamine	0%		31.12.2023
1653	456/2/1998, PROLONG 2019	3910000020	#Block copolymer of poly(methyl-3,3,3-trifluoropropylsiloxane) and poly[methyl(vinyl)siloxane]#	0%		31.12.2023
1662	313252/2013, PROLONG 2019	3910000070	#Passivating silicon coating in primary form, to protect edges and prevent short circuits in semiconductor devices#	0%		31.12.2023
1665	1204/2008, PROLONG 2019	3911100081	#Non-hydrogenated hydrocarbon resin, obtained by polymerization of more than 75 % by weight C-5 to C-12 cycloaliphatic alkenes and more than 10 % but not more than 25 % by weight aromatic alkenes yielding a hydrocarbon resin with:### # an iodine value of more than 120 and # a Gardner Colour of more than 10 for the pure product or # a Gardner Colour of more than 8 for a 50 % solution by weight in toluene (as determined by the ASTM method D6166) #	0%		31.12.2023
1667	435/7/1992, PROLONG 2019	3911901920	#Set of two components, in a volume ratio of 1:1, intended to produce a thermosetting polydicyclopentadiene after mixing, both components containing:### # 83 % or more by weight of 3a,4,7,7a-tetrahydro-4,7-methanoindene (dicyclopentadiene), # a synthetic rubber, # whether or not containing by weight 7 % or more of tricyclopentadiene. # ###and each separate component containing:### # either an aluminium-alkyl compound, # or an organic complex of tungsten # or an organic complex of molybdenum #	0%		31.12.2023
1673	1305/5/1994, PROLONG 2019	3911909925	#Copolymer of vinyltoluene and α -methylstyrene#	0%		31.12.2023
1676	1450/9/1995, PROLONG 2019	3911909940	#Mixed calcium and sodium salt of a copolymer of maleic acid and methyl vinyl ether, having a calcium content of 9 % or more but not more than 16 % by weight#	0%		31.12.2023
1677	1450/10/1995, PROLONG 2019	3911909945	#Copolymer of maleic acid and methyl vinyl ether#	0%		31.12.2023
1679	1728/4/2002, PROLONG 2019	3911909965	Calcium zinc salt of a copolymer of maleic acid and methyl vinyl ether	0%		31.12.2023
1683	461/6/1985, PROLONG 2019	3912398510	Ethylcellulose, not plasticized	0%		31.12.2023
1684	579/4/1999, PROLONG 2019	3912398520	Ethylcellulose, in the form of an aqueous dispersion containing hexadecan-1-ol and sodium dodecyl sulphate, containing by weight 27 (\pm 3) % of ethylcellulose	0%		31.12.2023
1685	494/3/1985, PROLONG 2019	3912398530	Cellulose, both hydroxyethylated and alkylated with alkyl chain-lengths of 3 or more carbon atoms	0%		31.12.2023
1687	882/05, PROLONG 2019	3912901020	#Hydroxypropyl methylcellulose phthalate#	0%		31.12.2023
1688	768/05, PROLONG 2019	3913900030	#Protein, chemically or enzymatically modified by carboxylation and/or phthalic acid addition, whether or not hydrolysed, having a weight average molecular weight (Mw) of less than 350 000#	0%		31.12.2023
1689	3114/12/04, PROLONG 2019	3913900085	#Sterile sodium hyaluronate (CAS RN 9067-32-7)#	0%		31.12.2023
1690	268/2/1992, PROLONG 2019	3913900095	#Chondroitinsulphuric acid, sodium salt (CAS RN 9082-07-9)#	0%		31.12.2023
1693	384433/2013, PROLONG 2019	3916901010	#Rods with cellular structure, containing by weight:### # polyamide-6 or poly(epoxy anhydride) # 7 % or more but not more than 9 % of polytetrafluorethylene if present # 10 % or more but not more than 25 % of inorganic fillers #	0%		31.12.2023
1695	5679967/2021	3917320030	#Heat shrinkable tube:### # containing by weight 80 % or more polymer, # with an insulation resistance of 90 M Ω or more, # with a dielectric strength of 35 kV / mm or more, # with a wall thickness of 0,04 mm or more, but not more than 0,9 mm, # with a lay-flat width of 18 mm or more, but not more than 156 mm, # ###for use in the manufacture of aluminium electrolytic capacitors#	0%		31.12.2023

1698	461/4/1999, PROLONG 2019	3919101910	#Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film#	0%		31.12.2023
1698	461/4/1999, PROLONG 2019	3919108025	#Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film#	0%		31.12.2023
1698	461/4/1999, PROLONG 2019	3919908031	#Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film#	0%		31.12.2023
1700	461/5/1999, PROLONG 2019	3919108035	#Reflecting film, consisting of a layer of poly(vinyl chloride), a layer of alkyd polyester, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, only visible by means of a retroreflecting lighting, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film#	0%		31.12.2023
1703	4874236/2020	3919108048	#Plastic strips of polypropylene,### # self-adhesive, # unilaterally adhesive-coated with an Acrylic Polymer, # in rolls with a width of 20 cm or less, # with a thickness including adhesion layer of 0,03 mm or less, # ###for use in the manufacturing of lithium-ion electric rechargeable batteries#	3.2%		31.12.2023
1704	254103/2009, 496/5/1995, PROLONG 2019	3919108050	#Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and/or dicing process of silicon discs#	0%		31.12.2023
	254103/2009, 496/5/1995, PROLONG 2019	3919908041	#Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and/or dicing process of silicon discs#	0%		31.12.2023
	254103/2009, 496/5/1995, PROLONG 2019	3920108925	#Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and/or dicing process of silicon discs#	0%		31.12.2023
1706	170264/2010, 3193/1/2000, PROLONG 2019	3919108057	#Reflecting sheet:### # of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern # covered on one or both sides with one or more layers of plastic or metallisation, and # whether or not covered on one side with a self-adhesive layer and a release sheet #	0%		31.12.2023
	170264/2010, 3193/1/2000, PROLONG 2019	3919908030	#Reflecting sheet:### # of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern # covered on one or both sides with one or more layers of plastic or metallisation, and # whether or not covered on one side with a self-adhesive layer and a release sheet #	0%		31.12.2023
	170264/2010, 3193/1/2000, PROLONG 2019	3920610030	#Reflecting sheet:### # of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern # covered on one or both sides with one or more layers of plastic or metallisation, and # whether or not covered on one side with a self-adhesive layer and a release sheet #	0%		31.12.2023
1708	1272/2008, PROLONG 2019	3919108073	#Self-adhesive reflecting sheet whether or not in segmented pieces,### # whether or not containing a watermark, # with or without an application tape coated on one side with an adhesive; # ###the reflective sheet consists of:### # a layer of acrylic or vinyl polymer, # a layer of poly(methyl methacrylate) or polycarbonate containing microprisms, # a layer of metallisation, # an adhesive layer, and # a release sheet # whether or not containing an additional layer of polyester #	0%		31.12.2023
	1272/2008, PROLONG 2019	3919908050	#Self-adhesive reflecting sheet whether or not in segmented pieces,### # whether or not containing a watermark, # with or without an application tape coated on one side with an adhesive; # ###the reflective sheet consists of:### # a layer of acrylic or vinyl polymer, # a layer of poly(methyl methacrylate) or polycarbonate containing microprisms, # a layer of metallisation, # an adhesive layer, and # a release sheet # whether or not containing an additional layer of polyester #	0%		31.12.2023

1711	1205/2008, PROLONG 2019	3919908019	#Transparent poly(ethylene terephthalate) self-adhesive film:### # free from impurities or faults, # coated on one side with an acrylic pressure sensitive adhesive and a protective liner, and on the other side with an antistatic layer of ionic organic choline compound, # whether or not with a printable dust-proof layer of modified long chain alkyl organic compound, # with a total thickness without the liner of 54 µm or more but not more than 64 µm, and # a width of more than 1 295 mm but not more than 1 305 mm #	0%		31.12.2023
1713	1316/5/2003, PROLONG 2019	3919908023	#Film consisting of 1 to 3 laminated layers of poly(ethylene terephthalate) and a copolymer of terephthalic acid, sebacic acid and ethylene glycol, coated on one side with an acrylic abrasion resistant coating and on the other side with an acrylic pressure sensitive adhesive, a water soluble methylcellulose coating and a poly(ethylene terephthalate) protective liner#	0%		31.12.2023
1715	1206/2008, PROLONG 2019	3919908033	#Transparent poly(ethylene) self-adhesive film, free from impurities or faults, coated on one side with an acrylic pressure sensitive adhesive, with a thickness of 60 µm or more, but not more than 70 µm, and with a width of more than 1 245 mm but not more than 1 255 mm#	0%		31.12.2023
1716	1164/2008, PROLONG 2019	3919908035	#Reflecting layered sheet on rolls, with a width of more than 20 cm, showing an embossed regular pattern, consisting of poly(vinyl chloride) film coated on one side with:### # a layer of polyurethane containing glass micro beads, # a layer of poly(ethylene vinyl acetate), # an adhesive layer, and # a release sheet #	0%		31.12.2023
1717	1518372/2018	3919908037	#Polyethylene or polycarbonate film, cut into ready to use forms,### # one side partly printed whereby part of the printing either gives information about the meaning of LED's visible at the unprinted areas, or marks those points which must be touched to operate the system, # the other side partly covered with an adhesive layer, # both sides covered with a release liner, and # with dimensions of not more than 14 cm x 2,5 cm, # ###for use in the manufacture of push-button switches for mechatronic system adjustable furniture#	0%		31.12.2023
1718	1155/2008, PROLONG 2019	3919908049	#Reflecting laminated sheet consisting of a film of poly(methyl methacrylate) embossed on one side in a regular shaped pattern, a film of a polymer containing glass microspheres, an adhesive layer and a release sheet#	0%		31.12.2023
1719	1702/16/2002, PROLONG 2019	3919908051	#Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 µm or more but not exceeding 90 µm, covered on one side with an adhesive layer and a release sheet#	0%		31.12.2023
1725	1912/1/2003, PROLONG 2019	3920102530	#Mono-layered High-Density Polyethylene film:### # containing by weight 99 % or more of polyethylene, # with a thickness of 12 µm or more but not more than 20 µm, # with a length of 4000 m or more but not more than 7000 m, # with a width of 600 mm or more but not more than 900 mm #	0%		31.12.2023
1726	2513987/2022	3920102820	#A Separator film of polyethylene:### # coated on one side with a layer of aluminium oxide, # containing by weight not more than 70 % of polyethylene, # containing by weight not more than 30 % of aluminum oxide, # with a total thickness of 5 µm or more but not more than 25 µm, # ###for use in the manufacture of lithium-ion batteries#	3.2%		31.12.2023
1727	1215/2008, PROLONG 2019	3920102891	#Poly(ethylene) film printed with a graphic design, which is achieved by using four base colours in ink plus specialist colours, to achieve multiple colours in ink on one side of the film, and one colour on the opposite side, the graphic design also has the following characteristics:### # is repetitive and equally spaced along the length of the film # is equally and visibly aligned when viewed from the back or front of the film #	0%		31.12.2023
1732	967272/2011, PROLONG 2022	3920202140	#Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0,1 mm, # printed on both sides with specialised coatings to allow banknote security printing #	0%		31.12.2023
1734	1154/2008, PROLONG 2019	3920202960	#Mono-axial oriented film, of a total thickness of not more than 75µm, consisting of three or four layers, each layer containing a mixture of polypropylene and polyethylene, with a core layer whether or not containing titanium dioxide, having:### # a tensile strength in the machine direction of 120 MPa or more but not more than 270 MPa and # a tensile strength in the transverse direction of 10 MPa or more but not more than 40 MPa # ###as determined by test method ASTM D882/ISO 527-3#	0%		31.12.2023
1737	442/1/1989, PROLONG 2019	3920431092	#Sheeting of poly(vinyl chloride), stabilized against ultraviolet rays, without any holes, even microscopic, of a thickness of 60 µm or more but not more than 80 µm, containing 30 or more but not more than 40 parts of plasticiser to 100 parts of poly(vinyl chloride)#	0%		31.12.2023

1738	1691/1/2001, PROLONG 2019	3920431094	#Film of a specular gloss of 70 or more, measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of one or two layers of poly(vinyl chloride) coated on both sides with a layer of plastic, of a thickness of 0,26 mm or more but not more than 1,0 mm, covered on the gloss surface with a protective film of polyethylene, in rolls of a width of 1 000 mm or more but not more than 1 450 mm, for use in the manufacture of goods of heading 9403#	0%		31.12.2023
1738	1691/1/2001, PROLONG 2019	3920491093	#Film of a specular gloss of 70 or more, measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of one or two layers of poly(vinyl chloride) coated on both sides with a layer of plastic, of a thickness of 0,26 mm or more but not more than 1,0 mm, covered on the gloss surface with a protective film of polyethylene, in rolls of a width of 1 000 mm or more but not more than 1 450 mm, for use in the manufacture of goods of heading 9403#	0%		31.12.2023
1739	1729/8/2001, PROLONG 2019	3920431095	Reflecting laminated sheet, consisting of a film of poly(vinyl chloride) and a film of an other plastic totally embossed in a regular pyramidal pattern, covered on one side with a release sheet	0%		31.12.2023
1740	313302/2013, PROLONG 2019	3920491030	#Film of a (polyvinyl)chloride-copolymer### # containing by weight 45 % or more of fillers # on a support #	0%		31.12.2023
1741	1506/1/1998, PROLONG 2019	3920510020	#Plate of poly(methyl methacrylate) containing aluminium trihydroxide, of a thickness of 3,5 mm or more but not more than 19 mm#	0%		31.12.2023
1742	1702/16/2002, PROLONG 2019	3920510030	#Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 µm or more but not exceeding 90 µm#	0%		31.12.2023
1743	1176/2008, PROLONG 2019	3920510040	#Sheets of polymethylmethacrylate conforming to standard EN 4366 (MIL-PRF-25690)#	0%		31.12.2023
1747	137/1/1974, PROLONG 2019	3920621908	#Poly(ethylene terephthalate) film, not coated with an adhesive, of a thickness of not more than 25 µm, either:### # only dyed in the mass, or # dyed in the mass and metallised on one side #	0%		31.12.2023
1748	445/20/1995, PROLONG 2019	3920621912	#Film of poly(ethylene terephthalate) only, of a total thickness of not more than 120 µm, consisting of one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material#	0%		31.12.2023
1749	445/21/1995, PROLONG 2019	3920621918	#Laminated film of poly(ethylene terephthalate) only, of a total thickness of not more than 120 µm, consisting of one layer which is metallised only and one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material#	0%		31.12.2023
1750	137/1/1974, PROLONG 2019	3920621920	Reflecting polyester sheeting embossed in a pyramidal pattern, for the manufacture of safety stickers and badges, safety clothing and accessories thereof, or of school satchels, bags or similar containers	0%		31.12.2023
1752	460/5/1999, PROLONG 2019	3920621938	#Poly(ethylene terephthalate) film, of a thickness of not more than 12 µm, coated on one side with a layer of aluminium oxide of a thickness of not more than 35 nm#	0%		31.12.2023
1754	730/11/1997, PROLONG 2019	3920621952	#Film of polyethylene terephthalate, polyethylene naphthalate or similar polyester, coated on one side with metal and/or metal oxides, containing by weight less than 0,1 % of aluminium, of a thickness of not more than 300 µm and having a surface resistivity of not more than 10 000 ohms (per square) (as determined by the ASTM D257 method)#	0%		31.12.2023
1757	1304/2008, 238080/2009, PROLONG 2019	3920621976	#Transparent poly(ethylene terephthalate) film:### # coated on both sides with layers of organic substances on the basis of acryl of a thickness of 7 nm or more but not more than 80 nm, # with a surface tension of 36 Dyne/cm or more but not more than 39 Dyne/cm, # with a light transmission of more than 93 %, # with a haze value of not more than 1,3 %, # with a total thickness of 10 µm or more but not more than 350 µm, # with a width of 800 mm or more but not more than 1 600 mm #	0%		31.12.2023
1758	1843/6/1996, PROLONG 2019	3920690020	Film of poly(ethylene naphthalene-2,6-dicarboxylate)	0%		31.12.2023
1765	1279/5/1983, PROLONG 2019	3920910091	Poly(vinyl butyral) film having a graduated coloured band	3%		31.12.2023

1767	1323/2008, PROLONG 2019	3920910095	#Co-extruded trilayer poly(vinyl butyral) film with a graduated colour band containing by weight 29 % or more but not more than 31 % of 2,2'-ethylenedioxydiethyl bis(2-ethylhexanoate) as a plasticiser#	0%		31.12.2023
1768	770/05, PROLONG 2019	3920992840	#Polymer film containing the following monomers:### # poly (tetramethylene ether glycol), # bis (4-isocyanotocyclohexyl) methane, # 1,4-butanediol or 1,3-butanediol, # with a thickness of 0,25 mm or more but not more than 5,0 mm, # embossed with a regular pattern on one surface, # and covered with a release sheet #	0%		31.12.2023
1774	484/4/1983, PROLONG 2019	3920995925	Poly(1-chlorotrifluoroethylene) film	0%		31.12.2023
1775	4753771/2018	3920995930	#Poly(tetrafluoroethylene) film containing by weight 10 % or more of graphite#	0%		31.12.2023
1776	1512/4/1998, PROLONG 2019	3920995955	#Ion-exchange membranes of fluorinated plastic material#	0%		31.12.2023
1777	1728/13/2002, PROLONG 2019	3920995965	#Film of a vinyl alcohol copolymer, soluble in cold water, of a thickness of 34 µm or more but not more than 90 µm, a tensile strength at break of 20 MPa or more but not more than 55 MPa and an elongation at break of 250 % or more but not more than 900 %#	0%		31.12.2023
1778	1458625/2018	3920995975	#Film of fluorinated ethylene propylene resin (CAS RN 25067-11-2) with:### # a thickness of 0,010 mm or more but not more than 0,80 mm, # a width of 1 219 mm or more but not more than 1 575 mm, and # a melting point of 252 °C (measured according ASTM D-3418) #	0%		31.12.2023
1779	889/06, PROLONG 2019	3920999020	#Anisotropic conductive film, in rolls, of a width of 1,2 mm or more but not more than 3,15 mm and a maximum length of 300 m, used for joining electronic components in the production of LCD or plasma displays#	0%		31.12.2023
1781	384433/2013, PROLONG 2019	3921190030	#Blocks with cellular structure, containing by weight:### # polyamide-6 or poly(epoxy anhydride) # 7 % or more but not more than 9 % of polytetrafluoroethylene if present # 10 % or more but not more than 25 % of inorganic fillers #	0%		31.12.2023
1782	3938612/2015	3921190040	#Transparent, microporous, acrylic acid grafted polyethylene film, in the form of rolls, with:### # a width of 98 mm or more but not more than 170 mm, # a thickness of 15 µm or more but not more than 36 µm, # ###of a kind used for the manufacture of alkaline battery separators#	3.2%		31.12.2023
1783	1489232/2017	3921190045	#Microporous monolayer film of polypropylene or a microporous trilayer film of polypropylene, polyethylene and polypropylene, each film with:### # zero transversal production direction (TD) shrinkage, # a total thickness of 8 µm or more, but not more than 50 µm, # a width of 15 mm or more, but not more than 900 mm, # a length of more than 200 m, but not more than 8 000 m, # an average pore size between 0,02 µm and 0,1 µm, # laminated or not with a Polypropylene non-woven mat of 50 to 200 µm thickness, # coated or not with surfactant, # coated or not on 1 or 2 sides with a ceramic layer of min 1 µm thickness or more, but not more than 5 µm, # coated or not on 1 or 2 sides with a sticky binder, PVdF type or similar of min 0,5 µm thickness or more, but not more than 5 µm #	3.2%		31.12.2023
1786	3193/2/2000, PROLONG 2019	3921190093	#Strip of microporous polytetrafluoroethylene on a support of a non-woven, for use in the manufacture of filters for kidney dialysis equipment#	0%		31.12.2023
1787	1706/1/2002, PROLONG 2019	3921190095	Film of polyethersulfone, of a thickness of not more than 200 µm	0%		31.12.2023
1788	434/8/1992, PROLONG 2019	3921901010	Composite plate of poly(ethylene terephthalate) or of poly(butylene terephthalate), reinforced with glass fibres	0%		31.12.2023
1789	1121/2008, PROLONG 2019	3921901020	#Poly(ethylene terephthalate) film, laminated on one side or on both sides with a layer of unidirectional nonwoven poly(ethylene terephthalate) and impregnated with polyurethane or epoxide resin#	0%		31.12.2023
1790	3070446/2013, PROLONG 2019	3921901030	#Multilayer film consisting of:### # a poly(ethylene terephthalate) film with a thickness of more than 100 µm but not more than 150 µm, # a primer of phenolic material with a thickness of more than 8 µm but not more than 15 µm, # an adhesive layer of a synthetic rubber with a thickness of more than 20 µm but not more than 30 µm, # and a transparent poly(ethylene terephthalate) liner with a thickness of more than 35 µm but not more than 40 µm #	0%	m ²	31.12.2023
1792	1502477/2018	3921905535	#Glass fiber impregnated with epoxy resin for use in the manufacture of smart cards#	0%	m ²	31.12.2023

1795	1247/6/1982	3921906035	#Ion-exchange membranes based on a fabric coated on both sides with fluorinated plastic material, for use in chlor-alkali electrolytic cells#	0%		31.12.2023
1797	4891401/2018	3926300040	#Plastic internal door handle used in the manufacture of motor vehicles#	0%		31.12.2023
1799	1792/5/1997, PROLONG 2019	3926909710	#Microspheres of a polymer of divinylbenzene, of a diameter of 4,5 µm or more but not more than 80 µm#	0%		31.12.2023
1800	3119/14/04, PROLONG 2019	3926909715	#Glass fibre reinforced plastic traverse leaf spring for use in the manufacture of motor vehicle suspension systems#	0%		31.12.2023
1801	1282/9/1978, PROLONG 2019	3926909720	#Reflecting sheeting or tape, consisting of a facing-strip of poly(vinyl chloride) embossed in a regular pyramidal pattern, heat-sealed in parallel lines or in a grid-pattern to a backing-strip of plastic material, or of knitted or woven fabric covered on one side with plastic material#	0%		31.12.2023
1803	1171480/2018	3926909727	#Gasket of polyethylene foam, intended to fill-up the space between the body of a motor vehicle and the base of a rear-view mirror#	0%		31.12.2023
1807	1927/7/2003, 3112/10/04, PROLONG 2019	3926909743	#Mixture of water and by weight 19 % or more but not more than 35 % of expanded hollow microspheres of a copolymer of acrylonitrile, methacrylonitrile and isobornyl methacrylate or other methacrylate, of a diameter of 3 µm or more but not more than 4,95 µm#	0%		31.12.2023
1808	3082385/2013, PROLONG 2019	3926909750	#Knob of car radio front panel, made of Bisphenol A-based polycarbonate, in immediate packings of not less than 300 pieces#	0%	p/st	31.12.2023
1811	462/1/1998, PROLONG 2019	4007000010	#Siliconated vulcanised rubber thread and cord#	0%		31.12.2023
1813	1297172/2016, PROLONG 2022	4010310010	#Vulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87#	0%		31.12.2023
	1297172/2016, PROLONG 2022	4010330010	#Vulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87#	0%		31.12.2023
	1297172/2016, PROLONG 2022	4010390010	#Vulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87#	0%		31.12.2023
1819	496/7/1974, PROLONG 2019	4105100000	#Sheep or lamb skin leather, without wool on, tanned or retanned but not further prepared, whether or not split, other than leather of heading 4114#	0%		31.12.2023
	496/7/1974, PROLONG 2019	4105309000	#Sheep or lamb skin leather, without wool on, tanned or retanned but not further prepared, whether or not split, other than leather of heading 4114#	0%		31.12.2023
1820	1/4/1971, PROLONG 2019	4106210000	#Goat or kid skin leather, without hair on, tanned or retanned but not further prepared, whether or not split, other than leather of heading 4114#	0%		31.12.2023
	1/4/1971, PROLONG 2019	4106229000	#Goat or kid skin leather, without hair on, tanned or retanned but not further prepared, whether or not split, other than leather of heading 4114#	0%		31.12.2023
1821	80/5/1974, PROLONG 2019	4106310000	#Leather of other animals, without hair on, not further prepared than tanned, other than leather of heading 4114#	0%		31.12.2023
	80/5/1974, PROLONG 2019	4106320000	#Leather of other animals, without hair on, not further prepared than tanned, other than leather of heading 4114#	0%		31.12.2023
	80/5/1974, PROLONG 2019	4106409000	#Leather of other animals, without hair on, not further prepared than tanned, other than leather of heading 4114#	0%		31.12.2023
	80/5/1974, PROLONG 2019	4106920000	#Leather of other animals, without hair on, not further prepared than tanned, other than leather of heading 4114#	0%		31.12.2023

1822	177488/2014, 177531/2014, 177560/2014, 177579/2014, 177599/2014, PROLONG 2019	4408393010	#Okoume veneer sheets:### # of a length of 1 270 mm or more, but not more than 3 200 mm, # of a width of 150 mm or more, but not more than 2 000 mm, # of a thickness of 0,5 mm or more, but not more than 4 mm, # not sanded and # not planed #	0%		31.12.2023
1825	1/2/1989, PROLONG 2019	5005001010	#Yarn spun entirely from silk waste (noil), not put up for retail sale#	0%		31.12.2023
	1/2/1989, PROLONG 2019	5005009010	#Yarn spun entirely from silk waste (noil), not put up for retail sale#	0%		31.12.2023
1826	1973/1/1998, PROLONG 2019	5208111000	#Fabrics for the manufacture of bandages, dressings and medical gauzes#	5.2%		31.12.2023
1828	1496119/2018	5311009020	#Sisal cloth in rolls with;### # a length of 20 metres or more but not more than 30 metres and # a maximum width of 2,5 metres # ###for use in the production of Stainless Steel Kitchenware#	0%		31.12.2023
1829	4780789/2018	5402440010	#Synthetic elastomeric filament yarn:### # untwisted or with a twist not exceeding 50 turns per metre, measuring 300 dtex or more but not more than 1000 dtex, # composed of polyurethane ureas based on a copolyether glycol of tetrahydrofuran and 3-methyltetrahydrofuran, # ###for use in the manufacture of disposable hygiene products of heading 9619#	0%		31.12.2023
1830	1267/2/1981, PROLONG 2019	5402490030	Yarn of a copolymer of glycollic acid with lactic acid, for the manufacture of surgical sutures	0%		31.12.2023
1831	382/3/1982, PROLONG 2019	5402490050	Non-textured filament yarn of poly(vinyl alcohol)	0%		31.12.2023
1832	1334/5/1991, PROLONG 2019	5402490070	#Synthetic filament yarn, single, containing by weight 85 % or more of acrylonitrile, in the form of a wick containing 1 000 continuous filaments or more but not more than 25 000 continuous filaments, of a weight per metre of 0,12 g or more but not more than 3,75 g and of a length of 100 m or more, for the manufacture of carbon-fibre yarn#	0%	m	31.12.2023
1834	1391/4/2003, PROLONG 2019	5404190050	#Monofilaments of polyester or poly(butylene terephthalate), with cross-sectional dimension of 0,5 mm or more but not more than 1 mm, for use in the manufacture of zippers#	0%		31.12.2023
1836	1280/1/2000, PROLONG 2019	5404909020	#Strip of polyimide#	0%		31.12.2023
1838	1291/1/2002, PROLONG 2019	5503110010	#Synthetic staple fibres of a copolymer of terephthalic acid, p -phenylenediamine and 3,4'-oxybis(phenyleneamine), of a length of not more than 7 mm#	0%		31.12.2023
	1291/1/2002, PROLONG 2019	5601300040	#Synthetic staple fibres of a copolymer of terephthalic acid, p -phenylenediamine and 3,4'-oxybis(phenyleneamine), of a length of not more than 7 mm#	0%		31.12.2023
1839	418/5/1981, PROLONG 2019	5503900020	#Poly(vinyl alcohol) fibres, whether or not acetalized#	0%		31.12.2023
	418/5/1981, PROLONG 2019	5506900010	#Poly(vinyl alcohol) fibres, whether or not acetalized#	0%		31.12.2023
	418/5/1981, PROLONG 2019	5601300010	#Poly(vinyl alcohol) fibres, whether or not acetalized#	0%		31.12.2023
1840	311/7/1982, PROLONG 2019	5603111010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of a thickness of 200 µm or more but not more than 280 µm and # of a weight of 20 g/m ² or more but not more than 50 g/m ² #	0%	m ²	31.12.2023
	311/7/1982, PROLONG 2019	5603119010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of a thickness of 200 µm or more but not more than 280 µm and # of a weight of 20 g/m ² or more but not more than 50 g/m ² #	0%	m ²	31.12.2023

	311/7/1982, PROLONG 2019	5603121010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of a thickness of 200 µm or more but not more than 280 µm and # of a weight of 20 g/m ² or more but not more than 50 g/m ² #	0%	m ²	31.12.2023
	311/7/1982, PROLONG 2019	5603129010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of a thickness of 200 µm or more but not more than 280 µm and # of a weight of 20 g/m ² or more but not more than 50 g/m ² #	0%	m ²	31.12.2023
	311/7/1982, PROLONG 2019	5603911010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of a thickness of 200 µm or more but not more than 280 µm and # of a weight of 20 g/m ² or more but not more than 50 g/m ² #	0%	m ²	31.12.2023
	311/7/1982, PROLONG 2019	5603919010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of a thickness of 200 µm or more but not more than 280 µm and # of a weight of 20 g/m ² or more but not more than 50 g/m ² #	0%	m ²	31.12.2023
	311/7/1982, PROLONG 2019	5603921010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of a thickness of 200 µm or more but not more than 280 µm and # of a weight of 20 g/m ² or more but not more than 50 g/m ² #	0%	m ²	31.12.2023
	311/7/1982, PROLONG 2019	5603929010	#Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:### # of a thickness of 200 µm or more but not more than 280 µm and # of a weight of 20 g/m ² or more but not more than 50 g/m ² #	0%	m ²	31.12.2023
1841	269/1/1972, PROLONG 2019	5603129030	#Non-wovens of aromatic polyamide fibres obtained by polycondensation of m -phenylenediamine and isophthalic acid, in the piece or cut into rectangles#	0%	m ²	31.12.2023
	269/1/1972, PROLONG 2019	5603139030	#Non-wovens of aromatic polyamide fibres obtained by polycondensation of m -phenylenediamine and isophthalic acid, in the piece or cut into rectangles#	0%	m ²	31.12.2023
	269/1/1972, PROLONG 2019	5603149010	#Non-wovens of aromatic polyamide fibres obtained by polycondensation of m -phenylenediamine and isophthalic acid, in the piece or cut into rectangles#	0%	m ²	31.12.2023
	269/1/1972, PROLONG 2019	5603929060	#Non-wovens of aromatic polyamide fibres obtained by polycondensation of m -phenylenediamine and isophthalic acid, in the piece or cut into rectangles#	0%	m ²	31.12.2023
	269/1/1972, PROLONG 2019	5603939040	#Non-wovens of aromatic polyamide fibres obtained by polycondensation of m -phenylenediamine and isophthalic acid, in the piece or cut into rectangles#	0%	m ²	31.12.2023
	269/1/1972, PROLONG 2019	5603949030	#Non-wovens of aromatic polyamide fibres obtained by polycondensation of m -phenylenediamine and isophthalic acid, in the piece or cut into rectangles#	0%	m ²	31.12.2023
1842	459/11/1999, PROLONG 2019	5603129060	#Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m ² but not more than 80 g/m ² and an air resistance (Gurley) of 8 seconds or more but not more than 36 seconds (as determined by the ISO 5636/5 method)#	0%	m ²	31.12.2023
	459/11/1999, PROLONG 2019	5603139060	#Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m ² but not more than 80 g/m ² and an air resistance (Gurley) of 8 seconds or more but not more than 36 seconds (as determined by the ISO 5636/5 method)#	0%	m ²	31.12.2023
1844	383984/2013_1, PROLONG 2019	5603141030	#Non-wovens, consisting of poly(ethylene terephthalate) spun bonded media:### # of weight of 160 g/m ² or more but not more than 300 g/m ² , # with a filtration efficiency of class M or better (according to DIN 60335-2-69), # pleatable, # ###with at least one of following treatments:### # a coating or covering with polytetrafluoroethylene (PTFE), # a coating with aluminium particles, # a coating of phosphorous based flame retardants, # a nano fiber coating of a polyamide, a polyurethane or a fluorine-containing polymer #	0%	m ²	31.12.2023
1845	383984/2013, PROLONG 2019	5603149060	#Non-wovens, consisting of poly(ethylene terephthalate) spun bonded media:### # of weight of 160 g/m ² or more but not more than 300 g/m ² , # with a filtration efficiency of class M or better (according to DIN 60335-2-69), # pleatable, # with or without an expanded polytetrafluoroethylene (ePTFE) membrane #	0%	m ²	31.12.2023
1846	742/5/1993, PROLONG 2019	5603929020	#Non-wovens consisting of a meltblown central layer of a thermoplastic elastomer laminated on each side with spunbonded filaments of polypropylene#	0%	m ²	31.12.2023
	742/5/1993, PROLONG 2019	5603939020	#Non-wovens consisting of a meltblown central layer of a thermoplastic elastomer laminated on each side with spunbonded filaments of polypropylene#	0%	m ²	31.12.2023
1847	1316/6/2003, PROLONG 2019	5603929070	#Non-wovens, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene#	0%	m ²	31.12.2023

	1316/6/2003, PROLONG 2019	5603949040	#Non-wovens, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene#	0%	m ²	31.12.2023
1849	3045458/2013, PROLONG 2019	5603939060	#Nonwovens made of polyester fibres,### # with a weight of 85 g/m ² , # with a constant thickness of 95 µm (± 5 µm), # neither coated nor covered, # in 1 m wide rolls of 2 000m to 5 000 m length, # ###suitable for the coating of membranes in the manufacture of osmosis and reverse osmosis filters#	0%	m ²	31.12.2023
1850	1928/4/1993, PROLONG 2019	5603949020	#Acrylic fibre rods, having a length of not more than 50 cm, for the manufacture of pen tips#	0%	m ²	31.12.2023
1852	1964/13/2003, PROLONG 2019	5803001091	#Gauze of cotton, of a width of less than 1 500 mm#	0%		31.12.2023
1854	1291/2/2002, PROLONG 2019	5906999010	#Rubberised textile fabric, consisting of warp yarns of polyamide-6,6 and weft yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, p -phenylenediamine and 3,4'-oxybis(phenyleneamine)#	0%		31.12.2023
1857	1249/16/1982, PROLONG 2019	5911909930	#Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness of not more than 4 mm, whether or not housed in a cylinder of a wall-thickness of 5 mm or more#	0%		31.12.2023
	1249/16/1982, PROLONG 2019	8421999092	#Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness of not more than 4 mm, whether or not housed in a cylinder of a wall-thickness of 5 mm or more#	0%		31.12.2023
1861	1635/5/1999, PROLONG 2019	6813890020	#Friction material, of a thickness of less than 20 mm, not mounted, for use in the manufacture of friction components#	0%		31.12.2023
1862	313315/2013, 313325/2013, PROLONG 2019	6814100010	#Agglomerated mica with a thickness of not more than 0,15 mm, on rolls, whether or not calcined, whether or not reinforced with aramid fibres #	0%		31.12.2023
1863	3141/3/2000, PROLONG 2019	6903909040	#Silicon carbide reactor tubes and holders having a maximum service temperature of 1370 °C or more#	0%		31.12.2023
1865	3007257/2013, PROLONG 2019	6909190025	#Ceramic proppants, containing aluminium oxide, silicon oxide and iron oxide#	0%		31.12.2023
1866	1038/12/1976, PROLONG 2019	6909190030	#Supports for catalysts, consisting of porous cordierite or mullite ceramic pieces, of an overall volume of not more than 65 l, having, per cm ² of the cross-section, not less than one continuous channel which may be open at both ends or stopped at one end#	0%		31.12.2023
1868	1960/6/2002, PROLONG 2019	6909190050	#Ceramic articles made of continuous filaments of ceramic oxides, containing by weight:### # 2 % or more of diboron trioxide, # 28 % or less of silicon dioxide and # 60 % or more of dialuminium trioxide #	0%		31.12.2023
	1960/6/2002, PROLONG 2019	6914900020	#Ceramic articles made of continuous filaments of ceramic oxides, containing by weight:### # 2 % or more of diboron trioxide, # 28 % or less of silicon dioxide and # 60 % or more of dialuminium trioxide #	0%		31.12.2023
1869	3114/14/04, PROLONG 2019	6909190060	#Supports for catalysts, consisting of porous ceramic pieces, of a blend of silicon carbide and silicon, with a hardness of less than 9 on the Mohs scale, with a total volume of not more than 65 litres, having, per cm ² of the surface of the cross section one or more closed channels at the tail end#	0%		31.12.2023
1870	1255/2008, 1297/2008, PROLONG 2019	6909190070	#Supports for catalysts or filters, consisting of porous ceramics made primarily from oxides of aluminium and titanium; with a total volume of not more than 65 litres and at least one duct (open on one or both ends) per cm ² of cross section#	0%		31.12.2023

1873	4842729/2018	7006009040	#Plates of sodalime or borosilicate glass of STN (Super Twisted Nematic) or TN (Twisted Nematic) quality having:### # a length of 300 mm or more but not more than 1 500 mm, # a width of 300 mm or more but not more than 1 500 mm, # a thickness of 0,5 mm or more but not more than 1,1 mm, # an indium-tin-oxide coating with a resistance of 80 Ω or more, but not more than 160 Ω on one side, # with or without a passivation layer of silicon dioxide (SiO ₂) between indium-tin-oxide layer and glass surface, # with or without a multi layer anti-reflection-coating on the other side, and # machined (chamfered) edges #	0%		31.12.2023
1878	1688/9/1996, PROLONG 2019	7014000010	#Optical elements of glass (other than those of heading 7015), not optically worked, other than signalling glassware#	0%		31.12.2023
1879	1727/8/2001, PROLONG 2019	7019120002	#Rovings, measuring 650 tex or more but not more than 2 500 tex, coated with a layer of polyurethane whether or not mixed with other materials#	0%		31.12.2023
	1727/8/2001, PROLONG 2019	7019120022	#Rovings, measuring 650 tex or more but not more than 2 500 tex, coated with a layer of polyurethane whether or not mixed with other materials#	0%		31.12.2023
1881	380/14/1978, PROLONG 2019	7019130010	Yarn of 33 tex or a multiple thereof (± 7,5 %), obtained from continuous spun-glass filaments of a nominal diameter of 3,5 µm or of 4,5 µm, in which filaments of a diameter of 3 µm or more but not more than 5,2 µm predominate, other than those treated so as to improve their adhesion to elastomers	0%		31.12.2023
1889	4884694/2018	7019640040	#Epoxy resin coated glass woven fabric containing by weight:### # 91 % or more but not more than 93 % of glass fibres, # 7 % or more but not more than 9 % of epoxy resin #	0%		31.12.2023
1891	727/05, PROLONG 2019	7019900010	#Non-textile glass fibres in which fibres of a diameter of less than 4,6 µm predominate#	0%		31.12.2023
1892	1899/3/2003, PROLONG 2019	7019900020	#Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde-vinylpyridine resin and an acrylonitrile-butadiene rubber (NBR)#	0%		31.12.2023
1893	885/05, PROLONG 2019	7019900030	#High modulus glass cord (K) impregnated with rubber, obtained from twisted high modulus glass filament yarns, coated with a latex comprising a resorcinol-formaldehyde resin with or without vinylpyridine and/or hydrogenated acrylonitrile-butadiene rubber (HNBR)#	0%		31.12.2023
1898	1/1/1995, PROLONG 2019	7202500000	#Ferro-silico-chromium#	0%		31.12.2023
1900	1518399/2018	7318240040	#Tube or pipe restraint joint elements:### # of stainless steel according to specification 17-4PH or of steel according to specification tool steel S7, # produced by metal injection moulding, # with a rockwell hardness of 38 HRC (± 1) or 53 HRC (+ 2/- 1), # measuring 7 mm x 4 mm x 5 mm or more, but not more than 40 mm x 20 mm x 10 mm #	0%		31.12.2023
1901	1312/2008, PROLONG 2019	7320901091	#Flat spiral spring of tempered steel, with:### # a thickness of 2,67 mm or more, but not more than 4,11 mm, # a width of 12,57 mm or more, but not more than 16,01 mm, # a torque of 18,05 Nm or more, but not more than 73,5 Nm # an angle between the free position and the nominal position in exercise of 76° or more, but not more than 218° # ###for use in the manufacture of tensioners for power transmission belts, for internal combustion engines#	0%	p/st	31.12.2023
1905	1158/3/1982, PROLONG 2019	7410210010	#Sheet or plate of polytetrafluoroethylene, containing aluminium oxide or titanium dioxide as filler or reinforced with glass-fibre fabric, covered on both sides with copper foil#	0%		31.12.2023
1906	1502532/2018	7410210020	#Foil, rolls composed of one layer of glass epoxy of 100 µm colaminated with refined copper foil on one or two sides of 35 µm with a tolerance of 10 % for use in the production of smart cards#	0%	m ²	31.12.2023
1907	1158/3/1982, PROLONG 2019	7410210030	#Film of polyimide, whether or not containing epoxide resin and/or glass fibre, covered on one side or on both sides with a copper foil#	0%		31.12.2023
1908	761/05, PROLONG 2019	7410210040	#Sheet or plates:### # consisting of at least a central layer of paper or one central sheet of any type of nonwoven fibre, laminated on each side with glass-fibre fabric and impregnated with epoxide resin, or # consisting of multiple layers of paper, impregnated with phenolic resin, # ###coated on one or both sides with a copper film with a maximum thickness of 0,15 mm#	0%		31.12.2023

1909	1189/2008, PROLONG 2019	7410210050	#Plates:### # consisting of at least one layer of fibreglass fabric impregnated with thermosetting resin, # covered on one or both sides with copper foil with a thickness of not more than 0,15 mm, and # with a dielectric constant (DK) of less than 3,9 and a loss factor (Df) of less than 0,015 at a measuring frequency of 10 GHz, as measured according to IPC-TM-650 #	0%		31.12.2023
1911	1517/4/1997, PROLONG 2019	7419809091	#Disc (target) with deposition material, consisting of molybdenum silicide:### # containing 1mg/kg or less of sodium and # mounted on a copper or aluminium support #	0%		31.12.2023
	1517/4/1997, PROLONG 2019	7616999060	#Disc (target) with deposition material, consisting of molybdenum silicide:### # containing 1mg/kg or less of sodium and # mounted on a copper or aluminium support #	0%		31.12.2023
1914	275125/2013, PROLONG 2019	7601203000	#Slabs and billets of unwrought aluminium alloys#	4%		31.12.2023
	275125/2013, PROLONG 2019	7601204000	#Slabs and billets of unwrought aluminium alloys#	4%		31.12.2023
1918	1728/14/2002, PROLONG 2019	7605190010	#Not alloyed aluminium wire, of a diameter of 2 mm or more but not more than 6 mm, covered with a layer of copper of a thickness of 0,032 mm or more but not more than 0,117 mm#	0%		31.12.2023
1921	4697798/2018	7607209910	#Aluminium foil, in rolls:### # coated on one side with polypropylene or polypropylene and acid-modified polypropylene and on the other with polyamide and polyethylene terephthalate, with adhesive layers between them, # with a width of 200 mm or more, but not more than 400 mm, # with a thickness of 0,138 mm or more, but not more than 0,168 mm, # ###for use in the manufacture of lithium-ion battery cell covers#	3.7%		31.12.2023
1923	3051158/2013, PROLONG 2019	7608208930	#Seamless aluminium alloyed extruded tubes with:## # an outer diameter of 60 mm or more but not more than 420 mm, and # a wall thickness of 10 mm or more but not more than 80 mm # ###	0%		31.12.2023
1926	1635/7/1999, PROLONG 2019	7613000020	#Aluminium container, seamless, for compressed natural gas or compressed hydrogen, wholly embedded in an overwrap of epoxy-carbon fibres composite, of a storage capacity of 172 l (± 10 %) and an unfilled weight of not more than 64 kg#	0%	p/st	31.12.2023
1927	740/05, PROLONG 2019	7616999015	#Honeycomb aluminium blocks for use in the manufacture of aircraft parts#	0%	p/st	31.12.2023
1929	1895600/2020	7616999035	#Aluminum plate with:### # a length of 36 mm or more but not more than 49 mm, # a width of 29,8 mm or more but not more than 45,2 mm, # a thickness of 0,18 mm or more but not more than 0,66 mm, # ###equipped with a polypropylene tape with:### # a length of 6,5 mm or more but not more than 16,5 mm, # a width of 39 mm or more but not more than 56 mm, # characteristic allowing to create solid joint with Pouch external layer by melting process assuring leak and pressure proof sealing of Cell, # resistance to influence of electrolyte, # ###for use in the manufacture of lithium-ion battery cells for motor vehicle batteries#	3%		31.12.2023
1935	484/6/1983, PROLONG 2019	8104900010	Ground and polished magnesium sheets, of dimensions not more than 1500 mm × 2000 mm, coated on one side with an epoxy resin insensitive to light	0%		31.12.2023
1936	1102610/2012, PROLONG 2019	8105900010	#Bars or wires made of cobalt alloy containing, by weight:### # 35 % (± 2 %) cobalt, # 25 % (± 1 %) nickel, # 19 % (± 1 %) chromium and # 7 % (± 2 %) iron, # ###conforming to the material specifications AMS 5842#	0%		31.12.2023
1937	1/6/1971, PROLONG 2019	8108200010	Titanium sponge	0%		31.12.2023
1938	1284/2008, PROLONG 2019	8108200030	#Titanium powder of which 90 % by weight or more passes through a sieve with an aperture of 0,224 mm#	0%		31.12.2023
1939	1/7/1971, PROLONG 2019	8108300010	Waste and scrap of titanium and titanium alloys, except those containing by weight 1 % or more but not more than 2 % of aluminium	0%		31.12.2023
1952	726/1/1997, PROLONG 2019	8109210010	#Non-alloy zirconium sponges or ingots, containing by weight more than 0,01 % of hafnium for use in the manufacture of tubes, bars or ingots enlarged by remelting for the chemical industry#	0%		31.12.2023

	726/1/1997, PROLONG 2019	8109290010	#Non-alloy zirconium sponges or ingots, containing by weight more than 0,01 % of hafnium for use in the manufacture of tubes, bars or ingots enlarged by remelting for the chemical industry#	0%		31.12.2023
1953	1/2/1992, PROLONG 2019	8110100010	Antimony in the form of ingots	0%		31.12.2023
1954	45/1/1989, PROLONG 2019	8112995010	#Alloy of niobium (columbium) and titanium, in the form of bars and rods#	0%		31.12.2023
1955	984106/2011	8113002010	#Cermets blocks containing by weight 60 % or more of aluminium and 5 % or more of boron carbide#	0%		31.12.2023
1960	4765888/2018	8301200010	#Mechanical or electromechanical steering column lock:### # with a height of 10,5 cm (± 3 cm), # with a width of 6,5 cm (± 3 cm), # in a metal housing, # whether or not with a holder, # ###for use in the manufacture of goods of Chapter 87#	0%		31.12.2023
1963	4784641/2018	8302300010	#Support bracket for an exhaust system:### # with a thickness of 0,7 mm or more but not more than 1,3 mm, # of stainless steel class 1.4310 and 1.4301 according to norm EN 10088, # whether or not with mounting holes, # ###for use in the manufacture of exhaust systems for automobiles#	0%		31.12.2023
1965	1953/1/2002, PROLONG 2019	8309909010	#Aluminium can ends:## # with a diameter of 99,00 mm or more but not more than 136,5 mm (±1mm), # whether or not with a "ring-pull" aperture # #####	0%	p/st	31.12.2023
1966	824/2005, PROLONG 2019	8401300020	#Non-irradiated hexagonal fuel modules (elements) for use in nuclear reactors#	0%		31.12.2023
1974	1946/3/2001, PROLONG 2019	8408904120	#Diesel engines of a power of not more than 15 kW, with 2 or 3 cylinders, for use in the manufacture of vehicle mounted temperature control systems#	0%		31.12.2023
1975	1946/4/2001, PROLONG 2019	8408904320	#Diesel engines of a power of not more than 30 kW, with 4 cylinders, for use in the manufacture of vehicle mounted temperature control systems#	0%		31.12.2023
1978	4762376/2018	8409910025	#Air intake module for engine cylinders consisting of:### # a suction pipe, # a pressure sensor, # an electric throttle, # hoses, # brackets, # ###for use in the manufacture of engines of motor vehicles#	0%		31.12.2023
1982	371591/2013	8409910050	#Exhaust manifold with turbine housing of turbochargers, with a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm#	0%	p/st	31.12.2023
	371591/2013	8409990055	#Exhaust manifold with turbine housing of turbochargers, with a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm#	0%	p/st	31.12.2023
1983	4765326/2018	8409910053	#The exhaust gas recirculation assembly consisting of:### # a control unit, # an air throttle, # an intake pipe, # an outlet hose, # ###for use in the manufacture of spark-ignition or compression-ignition combustion engines of motor vehicles#	0%		31.12.2023
	4765326/2018	8409990065	#The exhaust gas recirculation assembly consisting of:### # a control unit, # an air throttle, # an intake pipe, # an outlet hose, # ###for use in the manufacture of spark-ignition or compression-ignition combustion engines of motor vehicles#	0%		31.12.2023
1985	4835409/2018	8409910070	#Inlet manifold, exclusively for use in the manufacture of the motor vehicles with:## a width of 40 mm or more but not more than 70 mm, valves length of 250 mm or more but not more than 350 mm, air volume of 5,2 litres, and an electrical flow control system that provides maximum performance at more than 3200 rpm	0%		31.12.2023
1994	371587/2013, PROLONG 2019	8412390020	#Actuator for a single-stage turbocharger, with:### # a pressure inlet pipe and a control rod with a working stroke of 15 mm or more but not more than 40 mm, # a maximum length of the actuator including control rod of not more than 400 mm, # a maximum diameter of the can at the widest point of not more than 140 mm, and # a maximum height of the can without control rod of not more than 140 mm #	0%	p/st	31.12.2023
2006	4762433/2018	8414102530	#Tandem pump consisting of:### # an oil pump with displacement of 21,6 cc/rev (± 2 cc/rev) and working pressure 1,5 bar at 1 000 revolutions per minute, # vacuum pump with displacement of 120 cc/rev (± 12 cc/rev) and performance of - 666 mbar in 6 seconds at 750 revolutions per minute # ###for use in the manufacture of engines of motor vehicles#	0%		31.12.2023

2007	4765822/2018	8414108930	#Electric vacuum pump with:### # Controller Area Network (CAN bus), # whether or not with a rubber hose, # a connecting cable with connector, # a mounting bracket, # ###for use in the manufacture of goods of Chapter 87#	0%		31.12.2023
2013	3081186/2013, 3089769/2013, PROLONG 2019	8414308160	#Hermetic rotary compressors for either hydrofluorocarbon (HFC) or hydrocarbon refrigerants:## driven by 'on-off' single phase alternate current (AC) or 'brushless direct current' (BLDC) variable speed motors, with a nominal power rating of not more than 1,5 kW, a rated voltage of 100 V or more but not more than 240 V, with a height of not more than 300 mm, an external diameter of not more than 150 mm, with a unit weight of not more than 15 kg, #for use in the manufacture of heat pumps for household appliances, including clothes dryers#	0%		31.12.2023
	3081186/2013, 3089769/2013, PROLONG 2019	8414807330	#Hermetic rotary compressors for either hydrofluorocarbon (HFC) or hydrocarbon refrigerants:## driven by 'on-off' single phase alternate current (AC) or 'brushless direct current' (BLDC) variable speed motors, with a nominal power rating of not more than 1,5 kW, a rated voltage of 100 V or more but not more than 240 V, with a height of not more than 300 mm, an external diameter of not more than 150 mm, with a unit weight of not more than 15 kg, #for use in the manufacture of heat pumps for household appliances, including clothes dryers#	0%		31.12.2023
2014	1946/5/2001, PROLONG 2019	8414308920	Vehicle air conditioning system part, consisting of an open shaft reciprocating compressor of a power of more than 0,4 kW but not more than 10 kW	0%		31.12.2023
2015	5050162/2018	8414308930	#Open shaft, scroll type compressor with clutch assembly, of a power of more than 0,4 kW, for air conditioning in vehicles, for use in the manufacture of motor vehicles of Chapter 87#	0%		31.12.2023
2016	4700007/2018	8414593520	#Radial fan, with:## a dimension of 25mm (height) x 85mm (width) x 85mm (depth), a weight of 120 g, a rated voltage of 13,6 VDC (direct current voltage), an operating voltage of 9 VDC or more but not more than 16 VDC (direct current voltage), a rated current of 1,1 A (TYP), a rated power of 15 W, a rotation speed of 500 RPM (revolutions per minute) or more but not more than 4800 RPM (revolutions per minute) (free flow), an air flow of not more than 17,5 litre/s, an air pressure of not more than 16 mm H ₂ O ≈ 157 Pa, an overall sound pressure of not more than 58 dB(A) at 4800 RPM (revolutions per minute), and #with a FIN (Fan Interconnect Network) interface for communication with the heating and air-conditioning control unit used in car seat ventilation systems#	0%		31.12.2023
2021	561/6/1998, PROLONG 2019	8414900030	#Pressure-regulating system, for incorporation into compressors of air conditioning machines of motor vehicles#	0%	p/st	31.12.2023
2022	916/2005, PROLONG 2019	8414900040	Drive part, for compressors of air conditioning machines of motor vehicles	0%	p/st	31.12.2023
2028	1249/17/1982, PROLONG 2019	8421999091	Parts of equipment, for the purification of water by reverse osmosis, consisting of a bundle of hollow fibres of artificial plastic material with permeable walls, embedded in a block of artificial plastic material at one end and passing through a block of artificial plastic material at the other end, whether or not housed in a cylinder	0%	p/st	31.12.2023
2029	3093074/2013, PROLONG 2019	8431200040	#Aluminium core, plastic tank radiator, with integral steel support structure and an open core square wave design of 9 fins per 2,54 cm of core length for use in the manufacture of vehicles of heading 8427#	0%	p/st	31.12.2023
2031	1363/4/1979, PROLONG 2019	8439990010	#Suction-roll shells, produced by centrifugal casting, not drilled, in the form of alloy-steel tubes, of a length of 3 000 mm or more and an external diameter of 550 mm or more#	0%	p/st	31.12.2023
2032	1953/5/2002, PROLONG 2019	8477809910	Machines for casting or for surface modification of plastic membranes of heading 3921	0%	p/st	31.12.2023
2034	1485985/2018	8479899735	#Mechanical unit ensuring the movement of the camshaft with:### # 6 or 8 oil chambers, # a phasing range of at least 18° but not more than 62°, # a steel and/or steel alloy sprocket, # a steel and/or steel alloy and/or aluminium alloy rotor #	0%		31.12.2023
2036	1731723/2020	8479899755	#Integrated automated turnkey machinery line for manufacturing jelly rolls of cylindrical lithium ion battery cells by winding, tab assembly and cutting of cathode, separator and anode#	0.8%		31.12.2023
2038	1732024/2020	8479899765	#Integrated automated turnkey machinery line for the assembly of battery cells to cylindrical lithium ion batteries with a speed of 300 parts per minute and production line#	0.8%		31.12.2023

2047	1686/1/1996, PROLONG 2019	8481805910	#Air control valve, consisting of a stepping motor and a valve pintle, for the regulation of idle air flow in fuel injection engines#	0%	p/st	31.12.2023
2055	1485944/2018	8481807320	#Pressure- and flow-control valve controlled by external electromagnet:### # made of steel and/or steel alloy(s), # without integrated circuit, # of not more than 1000 kPa operating pressure, # with a flow quantity of not more than 5 l/min, # without an electromagnet #	0%		31.12.2023
	1485944/2018	8481809970	#Pressure- and flow-control valve controlled by external electromagnet:### # made of steel and/or steel alloy(s), # without integrated circuit, # of not more than 1000 kPa operating pressure, # with a flow quantity of not more than 5 l/min, # without an electromagnet #	0%		31.12.2023
2056	4887827/2018	8481807930	#Service Valve which suits for R410A or R32 gas while connecting indoor and outdoor units with:## a withstanding pressure of the valve body of 6,3 MPa, a leakage ratio of less than 1,6 g/a, an impurity ratio of less than 1,2 mg/PCS, an airtight pressure of the valve body of 4,2 MPa, #for use in the manufacture of air conditioners#	0%		31.12.2023
	4887827/2018	8481809930	#Service Valve which suits for R410A or R32 gas while connecting indoor and outdoor units with:## a withstanding pressure of the valve body of 6,3 MPa, a leakage ratio of less than 1,6 g/a, an impurity ratio of less than 1,2 mg/PCS, an airtight pressure of the valve body of 4,2 MPa, #for use in the manufacture of air conditioners#	0%		31.12.2023
2057	1485961/2018	8481900040	#Valve armature:### # for the opening and closing of the flow of fuel, # consisting of a shaft and a blade, # with at least 3 but not more than 8 holes on the blade, # made of metal and/or metal alloy(s) #	0%		31.12.2023
2065	371597/2013, PROLONG 2019	8483402960	#Epicyclic gearing, of a kind used in driving hand-held power tools with:### # a rated torque of 25 Nm or more, but not more than 70 Nm, # standard gear ratios of 1:12.7 or more, but not more than 1:64.3 #	0%	p/st	31.12.2023
2066	1314/5/2003, PROLONG 2019	8483405120	#Gear box, having a differential with wheel axle, for use in the manufacture of self-propelled lawnmowers with a seat of subheading 8433 11 51#	0%	p/st	31.12.2023
2072	4755348/2018	8484200020	#Mechanical face sealing device made of two movable rings (one ceramic mating, with a thermal conductivity lower than 80W/mK and the other carbon sliding), one spring and a nitrile sealant on the external side#	0%		31.12.2023
2074	4728772/2018	8501101030	#Motors for air pumps, with:### # operating voltage of 9 VDC or more but not more than 24 VDC, # operating temperature range of -40°C or more but not more than 80°C, # an output not exceeding 18 W, # ###for use in the manufacture of pneumatic support and ventilation systems for car seats#	0%		31.12.2023
2085	3042035/2013, PROLONG 2019	8501109970	#DC stepping motor, with:### # a two-phase winding, # a rated voltage of 9 V or more, but not more than 16,0 V, # of a specified temperature range of - 40 °C or more but not more than + 105 °C, # with or without connection pinion, # with or without motor drive connector #	0%		31.12.2023
2087	1805/10/2003, PROLONG 2019	8501109979	#DC motor with brushes and an internal rotor with a three-phase winding, whether or not equipped with a worm, of a specified temperature range covering at least - 20 °C to + 70 °C #	0%		31.12.2023
2088	1285/2008, PROLONG 2019	8501109980	#DC stepping motor, with:### # an angle of step of 7,5° (± 0,5°), # a pull-out torque at 25 °C of 25 mNm or more, # a pull-out pulse rate of 1 500 pps or more, # a two-phase winding, and # a rated voltage of 10,5 V or more, but not more than 16,0 V #	0%		31.12.2023
2093	362814/2013, PROLONG 2019	8501310045	#DC motors, brushless, with:### # an external diameter of 90 mm or more, but not more than 110 mm, # a rated speed of not more than 3 680 rpm, # an output of 600 W or more but not more than 740 W at 2 300 rpm and at 80 °C, # a supply voltage of 12 V, # a torque of not more than 5,67 Nm, # a rotor position sensor, # an electronic star-point relay, and # for use with an electric power steering control module #	0%		31.12.2023
2096	371604/2013, PROLONG 2019	8501310055	#DC motor with or without commutator, with## an external diameter of 24,2 mm or more, but not more than 140 mm, a rated speed of 3300 rpm or more, but not more than 26200 rpm, a rated supply voltage of 3,6 V or more, but not more than 230 V, an output power of more than 37,5 W, but not more than 2400 W, a free load current of not more than 20,1 A, a maximum efficiency of 50 % or more, #for driving hand-held power tools or lawn mowers#	0%		31.12.2023

	371604/2013, PROLONG 2019	8501320040	#DC motor with or without commutator, with## an external diameter of 24,2 mm or more, but not more than 140 mm, a rated speed of 3300 rpm or more, but not more than 26200 rpm, a rated supply voltage of 3,6 V or more, but not more than 230 V, an output power of more than 37,5 W, but not more than 2400 W, a free load current of not more than 20,1 A, a maximum efficiency of 50 % or more, #for driving hand-held power tools or lawn mowers#	0%		31.12.2023
2112	731/1/1996, PROLONG 2019	8503009131	#Rotor, at the inner side provided with one or two magnetic rings (uniform or sectional) whether or not incorporated in a steel ring or bearing mounted in steel housing#	0%	p/st	31.12.2023
	731/1/1996, PROLONG 2019	8503009932	#Rotor, at the inner side provided with one or two magnetic rings (uniform or sectional) whether or not incorporated in a steel ring or bearing mounted in steel housing#	0%	p/st	31.12.2023
2113	1440/1/1995, PROLONG 2019	8503009931	Stamped collector of an electric motor, having an external diameter of not more than 16 mm	0%	p/st	31.12.2023
2116	1521555/2018	8503009937	#Rotor for an electric motor, with the rotor cylindrical body made of agglomerated ferrite and plastics and the shaft made of metal with:### # diameter of the rotor body of 17 mm or more but not more than 37 mm, # length of the rotor body of 12 mm or more but not more than 36 mm, # shaft length of 52 mm or more but not more than 82 mm #	0%		31.12.2023
2122	1449456/2018	8504318015	#Electrical Transformer with### # a capacity of 192 Watts or 216 Watts # dimensions of not more than 27,1 x 26,6 x 18 mm # an operating temperature range of – 40 °C or more, but not more than + 125 °C # three or four inductively coupled copper wire windings and # 9 connection pins at the bottom #	0%		31.12.2023
2123	1449501/2018	8504318025	#Electrical Transformer with### # a capacity of 432 Watts # dimensions of not more than 24 mm x 21 mm x19 mm # an operating temperature range of – 20 °C or more, but not more than + 85 °C # two windings and # 5 connection pins at the bottom #	0%		31.12.2023
2124	1195/2008, PROLONG 2019	8504318030	#Switching transformers, having a power handling capacity of not more than 1 kVA for use in the manufacture of static converters#	0%		31.12.2023
2125	1449556/2018	8504318035	#Electrical Transformer with### # a capacity of 433 Watts # dimensions of not more than 37,3 x 38,2 x 28,5 mm # an operating temperature range of – 40 °C or more, but not more than + 125 °C # four inductively coupled copper wire windings and # 13 connection pins at the bottom #	0%		31.12.2023
2126	1449377/2018	8504318045	#Electrical Transformer with:### # a capacity of 0,2 Watts, # dimensions of not more than 15 mm x 15,5 mm x 14 mm, # an operating temperature range of – 10 °C or more, but not more than + 125 °C, # two inductively coupled copper wire windings, # 5 connection pins at the bottom, and # a copper shielding #	0%		31.12.2023
2131	1431341/2018	8505111053	#Permanent magnets of a neodymium alloy cylindrical shaped with notch with internal threaded bore on one side, with### # a length of 97,5 mm or more, but not more than 225 mm # a diameter of 19 mm or more, but not more than 25 mm #	0%		31.12.2023
2133	2520/3/2004, 873/2005, PROLONG 2019	8505111065	#Permanent magnets consisting of an alloy of neodymium, iron and boron, either in the shape of a rectangle, whether or not rounded, with a rectangular or a trapezoidal section having### # a length of not more than 140 mm, # a width of not more than 90 mm and # a thickness of not more than 55 mm, # ###or in the shape of curved rectangle (tile type) having### # a length of not more than 75 mm, # a width of not more than 40 mm, # a thickness of not more than 7 mm and # a radius of curvature of more than 86 mm but not more than 241 mm # ###or in the shape of a disc with a diameter of not more than 90 mm, whether or not containing a hole in the centre#	0%	p/st	31.12.2023
2135	343278/2013, PROLONG 2019	8505111070	#Disc consisting of an alloy of neodymium, iron and boron, covered with nickel or zinc, that after magnetisation is intended to become a permanent magnet### # whether or not containing a hole in the centre, # with a diameter of not more than 90 mm, # ###of a kind used in car loudspeakers#	0%		31.12.2023
2139	343054/2013, PROLONG 2019	8505199030	#Articles of agglomerated ferrite in the shape of a disc with a diameter of not more than 120 mm, containing a hole in the centre intended to become permanent magnets after magnetisation with a remanence between 245 mT and 470 mT#	0%		31.12.2023

2141	1502200/2018	8505199060	#Articles of agglomerated ferrite in the shape of a half-sleeve or a quarter-sleeve, or with rounded corners, to intended to become permanent magnet after magnetisation with the following dimentions:### # a length of 10 mm or more but not more than 100 mm (± 1 mm), # a width of 10 mm or more but not more than 100 mm (± 1 mm), # a thickness of 2 mm or more but not more than 15 mm ($\pm 0,15$ mm) #	0%		31.12.2023
2142	917/2005, PROLONG 2019	8505200030	#Electromagnetic clutch, for use in the manufacture of compressors of air conditioning machines of motor vehicles#	0%	p/st	31.12.2023
2144	3869578/2015, PROLONG 2022	8506501010	#Lithium cylindrical primary cells with:### # a diameter of 14,0 mm or more but not more than 26,0 mm, # a length of 2,2 mm or more but not more than 51 mm, # a voltage of 1,5 V or more, but not more than 3,6 V, # a capacity of 0,15 Ah or more, but not more than 5,00 Ah # ###for use in the manufacture of telemetry and medical devices, electronic meters or remote controls#	0%		31.12.2023
2145	461/7/1985, PROLONG 2019	8506509010	Lithium iodine single cell battery the dimensions of which do not exceed 9 mm \times 23 mm \times 45 mm and a voltage of not more than 2,8 V	0%		31.12.2023
2146	574/2/1999, PROLONG 2019	8506509030	#Lithium-iodine or lithium-silver vanadium oxide single cell battery of dimensions of not more than 28 mm \times 45 mm \times 15 mm and a capacity of not less than 1,05 Ah#	0%		31.12.2023
2147	300372/2011, PROLONG 2019	8506900010	#Cathode, in rolls, for air zinc button cell batteries (hearing aid batteries)#	0%		31.12.2023
2148	1144451/2015	8507600015	#Cylindrical lithium-ion-accumulators or modules with:### # a nominal capacity of 8,8 Ah or more, but not more than 18 Ah, # a nominal voltage of 36 V or more, but not more than 48 V, # a power of 300 Wh or more, but not more than 648 Wh, # ###for use in the manufacture of electric bicycles#	1.3%		31.12.2023
2149	4793865/2018	8507600018	#Lithium-ion polymer accumulator equipped with a battery management system and can-bus interface with:### # a length of not more than 1600 mm, # a width of not more than 448 mm, # a height of not more than 395 mm, # a nominal voltage of 280 V or more but not more than 400 V, # a nominal capacity of 9,7 Ah or more but not more than 10,35 Ah, # a charging voltage of 110 V or more but not more than 230 V, and # containing 6 modules with 90 cells or more but not more than 96 cells enclosed in a steel casing, # ###for use in the manufacture of vehicle capable of being charged by plugging to external source of electric power of heading 8703#	1.3%		31.12.2023
2150	1961285/2022	8507600029	#A lithium-ion-rechargeable battery pack in a specific housing suitable for operating in digital cameras, having:### # a length of 70 mm or more but not more than 120 mm, # a width of 60 mm or more but not more than 80 mm, # a height of 15 mm or more but not more than 45 mm, # a weight of 0,040 kg or more but not more than 0,085 kg, and # a capacity of not more than 1860 mAh #	1.3%		31.12.2023
2152	1232310/2015	8507600033	#Lithium-ion accumulator, with:### # a length of 150 mm or more, but not more than 1,000 mm, # a width of 100 mm or more, but not more than 1,000 mm, # a height of 200 mm or more, but not more than 1,500 mm, # a weight of 75 kg or more, but not more than 200 kg, # a nominal capacity not less than 150Ah and not more than 500 Ah, # a nominal output voltage of 230V AC (Line to neutral) or a nominal voltage of 64V (± 10 %) #	1.3%		31.12.2023
2153	1232273/2015	8507600037	#Lithium-ion accumulator, with:### # a length of 1 200 mm or more, but not more than 2 000 mm, # a width of 800 mm or more, but not more than 1 300 mm, # a height of 2 000 mm or more, but not more than 2 800 mm, # a weight of 1 800 kg or more, but not more than 3 000 kg, # a nominal capacity of 2 800 Ah or more but not more than 7 200 Ah #	1.3%		31.12.2023
2154	4922932/2020	8507600048	#Integrated battery system in a metal case with holders, consisting of:### # a lithium-ion battery with a voltage of 36 V or more but not more than 50,4 V and a nominal energy of 0,6 kWh, # Battery Management System, # a power relay, # a cooling system, # four connectors, # ###for use in the manufacture of Mild-hybrid (mHEV) motor vehicles#	1.3%		31.12.2023

2155	323555/2012	8507600050	#Modules for the assembly of batteries of ion lithium electric accumulators with:### # a length of 298 mm or more, but not more than 500 mm, # a width of 33,5 mm or more, but not more than 209 mm, # a height of 75 mm or more, but not more than 228 mm, # a weight of 3,6 kg or more, but not more than 17 kg, and # a power of 458 Wh or more, but not more than 2 900 Wh #	1.3%		31.12.2023
2156	4697852/2018	8507600058	#Prismatic lithium-ion electric accumulator with:### # a width of 120,0 mm or more but not more than 305,0 mm, # a thickness of 12,0 mm or more but not more than 67,0 mm, # a height of 72,0 mm or more but not more than 126,0 mm, # a nominal voltage of 3,6 V or more but not more than 3,75 V, and # a nominal capacity of 6,9 Ah or more not more than 265 Ah, # ###for use in the manufacture of rechargeable electric vehicle batteries#	1.3%		31.12.2023
2157	968718/2011	8507600065	#Cylindrical lithium ion cell with### # a nominal diameter of 9,8 mm or more, but not more than 14,5 mm, # a nominal voltage of 3,0 VDC or more, but not more than 4,0 VDC, and # a nominal capacity of 200 mAh or more, but not more than 1200 mAh #	1.3%		31.12.2023
2158	5988869/2019	8507600068	#Lithium-ion accumulator in a metal housing, with### # a length of 65 mm or more, but not more than 225 mm, # a width of 10 mm or more, but not more than 75 mm, # a height of 60 mm or more, but not more than 285 mm, # a nominal voltage of 2,1 V or more, but not more than 3,8 V, and # a nominal capacity of 2,5 Ah or more, but not more than 325 Ah #	1.3%		31.12.2023
2159	5668861/2021	8507600073	#Lithium-ion Electric accumulators consisting of 3 modules containing 102 cells in total, with:### # a nominal capacity of 51 Ah per cell, # a nominal voltage of 285 V or more but not more than 426V, # a weight of 33 kg or more but not more than 36 kg per module, # a length of 1 400 mm or more but not more than 1 600 mm, # a height of 340 mm or more but not more than 395 mm, # a width of 220 mm or more but not more than 420 mm, # ###for use in the manufacture of vehicles of subheadings 8703 60 and 8703 80#	1.3%		31.12.2023
2160	1095345/2012	8507600077	#Lithium-ion rechargeable batteries, with:### # a length of 700 mm or more, but not more than 2 820 mm, # a width of 935 mm or more, but not more than 1 660 mm, # a height of 85 mm or more, but not more than 700 mm, # a weight of 250 kg or more, but not more than 700 kg, # a power of not more than 175 kWh, # a nominal voltage of 400 V #	1.3%		31.12.2023
2161	5691842/2021	8507600083	#Modules for the assembly of ion lithium electric accumulators with:### # a length of 570 mm or more, but not more than 610 mm, # a width of 210 mm or more, but not more than 240 mm, # a height of 100 mm or more, but not more than 120 mm, # a weight of 28 kg or more, but not more than 35 kg, and # a capacity of not more than 2500 Ah and a nominal energy of less than 7,5 kW, # ###for use in the manufacture of vehicles of subheadings 8703 60, 8703 70, 8703 80 and 8704 60#	1.3%		31.12.2023
2162	5739779/2021	8507600088	#A rechargeable lithium-ion battery, with:### # a fuse, # a cell-to-pack design, # a length of 1 050 mm or more but not more than 1 070 mm, # a width of 624 mm or more but not more than 636 mm, # a height of 235 mm or more but not more than 245 mm, # a mass of 214,4 kg or more but not more than 227,6 kg, # a capacity of 228 Ah, # an upper outer casing of a composite material, # an IP68 protection rating, # an energy density of 220Wh/l or more, # a specific energy of 159 Wh/kg or more, # without contactors, # ###for the manufacture of batteries for electric buses#	1.3%		31.12.2023
2163	2207294/2022	8507908020	#Top cap made of ferrous alloy or stainless steel: ### # whether or not including parts made of aluminum and aluminum alloy, # with sealing elements or other elements made of polymer material, # with a "current interrupt device" and an "evacuation valve", # with an outer diameter of 17 mm or more, but not more than 18 mm, # ###for use in the manufacture of lithium-ion batteries#	1.3%		31.12.2023
2175	372488/2013, PROLONG 2019	8512400010	#Car door mirror heating foil:### # with two electrical contacts, # with an adhesive layer on both sides (on the side of the plastic holder of the mirror and on the side of the mirror glass), # with a protective paper film on both sides #	0%		31.12.2023
	372488/2013, PROLONG 2019	8516802020	#Car door mirror heating foil:### # with two electrical contacts, # with an adhesive layer on both sides (on the side of the plastic holder of the mirror and on the side of the mirror glass), # with a protective paper film on both sides #	0%		31.12.2023

2185	1282/1/2003, PROLONG 2019	8529906530	#Parts of TV-apparatus, having micro-processor and video-processor functions, comprising at least a micro-controller and a video-processor, mounted on a leadframe and contained in a plastic housing#	0%	p/st	31.12.2023
	1282/1/2003, PROLONG 2019	8548009044	#Parts of TV-apparatus, having micro-processor and video-processor functions, comprising at least a micro-controller and a video-processor, mounted on a leadframe and contained in a plastic housing#	0%	p/st	31.12.2023
2189	837/2005, PROLONG 2019	8529909215	#LCD modules,### # solely consisting of one or more TFT glass or plastic cells, # not combined with touch screen facilities, # with one or more printed circuits boards with control electronics for pixel addressing only, # with or without backlight unit and # with or without inverters #	0%	p/st	31.12.2023
	837/2005, PROLONG 2019	8548009060	#LCD modules,### # solely consisting of one or more TFT glass or plastic cells, # not combined with touch screen facilities, # with one or more printed circuits boards with control electronics for pixel addressing only, # with or without backlight unit and # with or without inverters #	0%	p/st	31.12.2023
2191	1804/59/2003, PROLONG 2019	8529909242	#Aluminium heat sinks and cooling fins, for maintaining the operating temperature of transistors and integrated circuits, for use in the manufacture of products falling within heading 8527 or 8528#	0%	p/st	31.12.2023
2192	1221/1/2003, PROLONG 2019	8529909243	Plasma display module incorporating only address and display electrodes, with or without driver and/or control electronics for pixel address only and with or without a power supply	0%	p/st	31.12.2023
2193	862/2005, PROLONG 2019	8529909245	Integrated circuit package with TV reception functionality containing a channel decoder die, tuner die, power management die, GSM filters and discrete as well as embedded passive circuit elements for reception of digitally broadcasting videosegments of DVB-T and DVB-H formats	0%	p/st	31.12.2023
2201	1425412/2018	8529909278	#OLED modules, consisting of one or more TFT glass or plastic cells,### # a diagonal measurement of the screen of 121 cm or more, but not more than 224 cm, # with a thickness of not more than 55mm, # containing organic material, # with control electronic for pixel addressing only, # with V-by-One Interface and with or without a plug for power supply, # with back cover, # ###of a kind used in the manufacture of TV sets and monitors#	0%		31.12.2023
2217	4886469/2018	8537109157	#Programmable memory control board with:### # 4 or more stepper motor drivers, # 4 or more outputs with MOSFET transistors, # a main processor, # 3 or more inputs for temperature sensors, # for a voltage of 10 V or more but not more than 30 V, # ###for use in the manufacture of 3D printers#	0%		31.12.2023
2218	4780876/2018	8537109159	#Electronic control units for controlling inter axle torque transferring in all-wheel drive vehicles including:## a printed circuit board with programmable memory controller, one single connector, and working at 12 V	0%		31.12.2023
2219	3081262/2013, PROLONG 2019	8537109160	#Electronic control units, manufactured according to class 2 of IPC-A-610E standard, with at least:### # an AC power input of 208 V or more but not more than 400 V, # a logic power input of 24 V DC, # an automatic circuit breaker, # a main power switch, # internal or external electrical connectors and cables, # in a housing with dimension of 281 mm x 180 mm x 75 mm or more, but not more than 630 mm x 420 mm x 230 mm, # ###of a kind used for manufacturing recycling or sorting machines#	0%	p/st	31.12.2023
	3081262/2013, PROLONG 2019	8537109845	#Electronic control units, manufactured according to class 2 of IPC-A-610E standard, with at least:### # an AC power input of 208 V or more but not more than 400 V, # a logic power input of 24 V DC, # an automatic circuit breaker, # a main power switch, # internal or external electrical connectors and cables, # in a housing with dimension of 281 mm x 180 mm x 75 mm or more, but not more than 630 mm x 420 mm x 230 mm, # ###of a kind used for manufacturing recycling or sorting machines#	0%	p/st	31.12.2023
2220	4780964/2018	8537109163	#Electronic control units able to control automatic continuous variable transmission for passenger vehicles including:### # a printed circuit board with programmable memory controller, # a metallic housing, # one single connector, # working at 12V #	0%		31.12.2023
2221	4835561/2018	8537109167	#Electronic Engine Control Unit (ECU) with:### # a printed circuit board (PCB), # 12 Volts voltage, # reprogrammable, # a micro-processor that can control, evaluate and manage support service functions in cars (injection and ignition advance values of fuel, fuel and air flow rate), # ###for use in the manufacture of goods of Chapter 87#	0%		31.12.2023

2223	3051229/2013, PROLONG 2019	8537109830	#Motor bridge ICs without programmable memory consisting of:## # one or more integrated circuits, not interconnected, on separate lead frames, # also with discrete Metal Oxide Field Effect Transistors (MOSFET) for controlling DC motors in cars # mounted in a plastic housing #	0%	p/st	31.12.2023
2235	5524483/2016, PROLONG 2022	8537109875	#Control unit for keyless access to vehicle and vehicle starting, with electrical switching apparatus, in a plastic housing, for a voltage of 12 V, whether or not with:### # an antenna, # a connector, # a metal holder, # ###for use in the manufacture of goods of Chapter 87#	0%	p/st	31.12.2023
2238	1946/2/2001, PROLONG 2019	8537109893	#Electronic control units for a voltage of 12 V, for use in the manufacture of vehicle mounted temperature control systems#	0%	p/st	31.12.2023
2244	775/2005, PROLONG 2019	8540710020	#Continuous wave magnetron with:### # a fixed frequency of 2 460 MHz, # a packaged magnet, # a probe output, # an output power of 960 or more but not more than 1500 W #	0%		31.12.2023
2245	1028/1/1977, PROLONG 2019	8540890091	Displays in the form of a tube consisting of a glass housing mounted on a board the dimensions of which do not exceed 300 mm x 350 mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of fluorescent or phosphorescent elements. These elements are mounted on a metallised base which is covered with fluorescent substances or phosphorescent salts which give off light when bombarded with electrons	0%		31.12.2023
2246	1160/99/9999, PROLONG 2019	8540890092	Vacuum fluorescent display tube	0%		31.12.2023
2250	1/7/1997, PROLONG 2019	8543709030	#Amplifier, consisting of active and passive elements mounted on a printed circuit, contained in a housing#	0%	p/st	31.12.2023
2252	1839/6/1994, PROLONG 2019	8543709035	Radio frequency (RF) modulator, operating with a frequency range of 43 MHz or more but not more than 870 MHz, capable of switching VHF and UHF signals, consisting of active and passive elements mounted on a printed circuit, contained in a housing	0%	p/st	31.12.2023
2253	1317/26/1994, PROLONG 2019	8543709045	#Piezo-electric crystal oscillator with a fixed frequency, within a frequency range of 1,8 MHz to 67 MHz, contained in a housing#	0%	p/st	31.12.2023
2254	1257/6/1986, PROLONG 2019	8543709055	Opto-electronic circuit comprising one or more light-emitting diodes (LEDs), whether or not equipped with an integrated driving circuit, and one photodiode with amplifier circuit, whether or not with an integrated logic gate arrays circuit or one or more light-emitting diodes and at least 2 photodiodes with an amplifier circuit, whether or not with an integrated logic gate arrays circuit or other integrated circuits, contained in a housing	0%	p/st	31.12.2023
2255	1618/1/2002, PROLONG 2019	8543709080	Temperature compensated oscillator, comprising a printed circuit on which are mounted at least a piezo-electric crystal and an adjustable capacitor, contained in a housing	0%	p/st	31.12.2023
2256	1618/2/2002, PROLONG 2019	8543709085	Voltage controlled oscillator (VCO), other than temperature compensated oscillators, consisting of active and passive elements mounted on a printed circuit, contained in a housing	0%	p/st	31.12.2023
2257	1150/2008, PROLONG 2019	8544200010	#PET/PVC insulated flexible cable with:### # a voltage of not more than 60 V, # a current of not more than 1 A, # a heat resistance of not more than 105 °C, # individual wires of a thickness of not more than 0,1 mm (± 0,01 mm) and a width of not more than 0,8 mm (± 0,03 mm), # a distance between conductors of not more than 0,5 mm and # a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm #	0%		31.12.2023
	1150/2008, PROLONG 2019	8544429020	#PET/PVC insulated flexible cable with:### # a voltage of not more than 60 V, # a current of not more than 1 A, # a heat resistance of not more than 105 °C, # individual wires of a thickness of not more than 0,1 mm (± 0,01 mm) and a width of not more than 0,8 mm (± 0,03 mm), # a distance between conductors of not more than 0,5 mm and # a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm #	0%		31.12.2023
	1150/2008, PROLONG 2019	8544499320	#PET/PVC insulated flexible cable with:### # a voltage of not more than 60 V, # a current of not more than 1 A, # a heat resistance of not more than 105 °C, # individual wires of a thickness of not more than 0,1 mm (± 0,01 mm) and a width of not more than 0,8 mm (± 0,03 mm), # a distance between conductors of not more than 0,5 mm and # a pitch (distance from centreline to centreline of conductors) of not more than 1,25 mm #	0%		31.12.2023

2259	3093494/2013, PROLONG 2019	8544300030	#Multi-measurement wire harness of a voltage of 5V or more but not more than 90 V capable of measuring some or all of the following;### # a travel speed of not more than 24 km/h # a motor speed of not more than 4 500 rpm # hydraulic pressure of not more than 25 Mpa # mass of not more than 50 metric tonnes # ###for use in the manufacture of vehicles of heading 8427#	0%	p/st	31.12.2023
2267	1149/2008, 165221/2010, PROLONG 2019	8544429010	#Data transmission cable capable of a bit rate transmission of 600 Mbit/s or more, with:### # a voltage of 1,25 V (± 0,25 V) # connectors fitted at one or both ends, at least one of which contains pins with a pitch of 1 mm, # outer screening shielding, # ###used solely for communication between LCD, PDP or OLED panel and video processing electronic circuits#	0%	p/st	31.12.2023
2268	1449634/2018	8544429015	#PVC isolated flexible eight wire cable with:### # a length of not more than 2100 mm # an operating voltage of 5V or more, but not more than 35V # a temperature resistance of not more than 80°C # either an over-moulded 7 pin round 270° DIN male connector, a 6 pin A1101 male connector or a 8 pin A1001 male connector on one end and # at least two stripped and tinned wires on the other end # whether or not with mounted rubber pad with integrated strain relief #	0%		31.12.2023
2269	1453445/2018	8544429025	#PVC isolated flexible cable with:### # a length of not more than 1800 mm # an operating voltage of 5V or more, but not more than 35V # a heat resistance of not more than 80°C # an over-moulded 8 pin MiniFit male connector on one end # either a 6 pin MiniFit socket or two over-moulded AMP connectors on the other end # a over-moulded resistor inside the connector and # a moulded strain relief on the cable # whether or not with a over-moulded diode inside a connector #	0%		31.12.2023
2270	1449665/2018	8544429035	#PVC isolated flexible six or eight wire cable with:### # a length of not more than 1300 mm # an operating voltage of 5V or more, but not more than 35V # a heat resistance of not more than 80°C # either an over-moulded 8 pin MiniFit male connector or an over-moulded 6-pin DIN male connector on one end and # either an over-moulded 8 pin MiniFit socket or an 8 pin MicroFit male connector on the other end #	0%		31.12.2023
2272	5524595/2016, PROLONG 2022	8544429080	#12-wire connecting cable containing two connectors### # of a voltage of 5 V, # with a length of not more than 300 mm # ###for use in the manufacture of goods of Chapter 87 #	0%	p/st	31.12.2023
2273	1307/2/2003, PROLONG 2019	8544499310	#Elastomeric connector, of rubber or silicone, consisting of one or more conductor elements#	0%	p/st	31.12.2023
2275	1435/9/1995, PROLONG 2019	8548009041	Unit, consisting of a resonator operating within a frequency range of 1,8 MHz or more but not more than 40 MHz and a capacitor, contained in a housing	0%	p/st	31.12.2023
2276	474/1/1991, PROLONG 2019	8548009043	Contact image sensor	0%	p/st	31.12.2023
2278	295880/2011, PROLONG 2019	8549132010	#Spent lithium-ion or nickel metal hydride electric accumulators#	0%		31.12.2023
	295880/2011, PROLONG 2019	8549142010	#Spent lithium-ion or nickel metal hydride electric accumulators#	0%		31.12.2023
2286	4837989/2018	8708402060	#Automatic transmission assembly with rotary gear shifter with:## aluminium casting housing, differential gear, 9 Speed automatic, electronic range select gear selection system, #with dimensions of:## a width of 330 mm or more but not more than 420 mm, a height of 380 mm or more but not more than 450 mm, a length of 580 mm or more but not more than 690 mm, #for use in the manufacture of the vehicles in heading 87#	0%		31.12.2023
	4837989/2018	8708405050	#Automatic transmission assembly with rotary gear shifter with:## aluminium casting housing, differential gear, 9 Speed automatic, electronic range select gear selection system, #with dimensions of:## a width of 330 mm or more but not more than 420 mm, a height of 380 mm or more but not more than 450 mm, a length of 580 mm or more but not more than 690 mm, #for use in the manufacture of the vehicles in heading 87#	0%		31.12.2023

2298	4765766/2018	8708502065	#Intermediate steel shaft connecting the gearbox with semi-axle with:### # a length of 300 mm or more but not more than 650 mm, # a spline end on both sides, # whether or not with a pressed bearing in the case, # whether or not with a holder, # ###for use in the manufacture of goods of Chapter 87#	0%		31.12.2023
	4765766/2018	8708509920	#Intermediate steel shaft connecting the gearbox with semi-axle with:### # a length of 300 mm or more but not more than 650 mm, # a spline end on both sides, # whether or not with a pressed bearing in the case, # whether or not with a holder, # ###for use in the manufacture of goods of Chapter 87#	0%		31.12.2023
2299	4703203/2018	8708502070	#Housing of tripod type half shaft inboard joint for transmitting a torque from engine and transmission to wheels of motor vehicles with:## an outer diameter of 67,0 mm or more but not more than 84,5 mm, 3 cold calibrated roller tracks with a diameter of 29,90 mm or more but not more than 36,60 mm, sealing diameter 34,0 mm or more but not more than 41,0 mm, without lead angle, spline with 21 teeth or more but not more than 35, bearing seat diameter of 25,0 mm or more but not more than 30,0 mm, with or without oil grooves	0%		31.12.2023
	4703203/2018	8708509925	#Housing of tripod type half shaft inboard joint for transmitting a torque from engine and transmission to wheels of motor vehicles with:## an outer diameter of 67,0 mm or more but not more than 84,5 mm, 3 cold calibrated roller tracks with a diameter of 29,90 mm or more but not more than 36,60 mm, sealing diameter 34,0 mm or more but not more than 41,0 mm, without lead angle, spline with 21 teeth or more but not more than 35, bearing seat diameter of 25,0 mm or more but not more than 30,0 mm, with or without oil grooves	0%		31.12.2023
2300	4702919/2018	8708502075	#Outboard joint assembly for transmitting a torque from engine and transmission to wheels of motor vehicles, consisting of:## an inner race with 6 ball tracks for running with the bearing balls with a diameter 15,0 mm or more but not more than 20,0 mm, an outer race with 6 ball tracks for running with 6 bearing balls, made of steel with carbon content of 0,45 % or more but not more than 0,58 %, with thread and with a spline with 26 teeth or more but not more than 38, a spherical cage keeping bearing balls in the ball tracks of outer race and inner race in proper angular position, made of material suitable for carburizing with carbon content of 0,14 % or more but not more than 0,25 %, and with a grease compartment, #capable of working at constant speed at variable articulation angle not higher than 50 degrees#	0%		31.12.2023
	4702919/2018	8708509935	#Outboard joint assembly for transmitting a torque from engine and transmission to wheels of motor vehicles, consisting of:## an inner race with 6 ball tracks for running with the bearing balls with a diameter 15,0 mm or more but not more than 20,0 mm, an outer race with 6 ball tracks for running with 6 bearing balls, made of steel with carbon content of 0,45 % or more but not more than 0,58 %, with thread and with a spline with 26 teeth or more but not more than 38, a spherical cage keeping bearing balls in the ball tracks of outer race and inner race in proper angular position, made of material suitable for carburizing with carbon content of 0,14 % or more but not more than 0,25 %, and with a grease compartment, #capable of working at constant speed at variable articulation angle not higher than 50 degrees#	0%		31.12.2023
2302	4780825/2018	8708809920	#Aluminium suspension link arm, with dimensions of:### # a height of 50 mm or more but not more than 150 mm, # a width of 10 mm or more but not more than 100 mm, # a length of 100 mm or more but not more than 600 mm, # a mass of 1000 g or more but not more than 3000 g, # ###equipped with at least two bushed holes made of aluminium alloy with the following characteristics:### # a tensile strength of 200 MPa or more, # a strength of 19 kN or more, # a stiffness of 5 kN/mm or more but not more than 9 kN/mm, # a frequency of 400 Hz or more but not more than 600 Hz #	0%	p/st	31.12.2023
2308	4785621/2018	8708929910	#Exhaust system inner liner:### # with a wall thickness of 0,7 mm or more but not more than 1,3 mm, # made of stainless steel sheets or coil class 1.4310 and 1.4301 according to norm EN 10088, # whether or not with mounting holes, # ###for use in the manufacture of exhaust systems for automobiles#	0%		31.12.2023

2309	4785712/2018	8708929920	#Pipe for guiding exhaust gases from the combustion engine:### # with a diameter of 40 mm or more but not more than 100 mm, # with a length of 90 mm or more but not more than 410 mm, # with a wall thickness of 0,7 mm or more but not more than 1,3 mm, # of stainless steel, # ###for use in the manufacture of exhaust systems for automobiles#	0%		31.12.2023
2310	4784737/2018	8708929930	#Exhaust system end cover:### # with a wall thickness of 0,7 mm or more but not more than 1,3 mm, # made of stainless steel class 1.4310 and 1.4301 according to norm EN 10088, # whether or not with inner liner, # whether or not with surface treatment, # ###for use in the manufacture of exhaust systems for automobiles#	0%		31.12.2023
2316	1171410/2018	8708991025	#Plastic air guide for directing air flow to the surface of intercooler for use in the production of motor vehicles#	0%		31.12.2023
	1171410/2018	8708999745	#Plastic air guide for directing air flow to the surface of intercooler for use in the production of motor vehicles#	0%		31.12.2023
2318	1314/4/2003 split2	8708999718	#Hydrostatic speed changer:### # with a hydro pump and a differential with wheel axle, # whether or not with a fan impeller and/or a pulley, # ###for use in the manufacture of tractors of subheadings 8701 91 90 and 8701 92 90, whose main function is that of a lawn mower#	0%	p/st	31.12.2023
2323	3087046/2013, PROLONG 2019	8714913025	#Front forks, except rigid (non-telescopic) front forks made entirely of steel, for use in the manufacture of bicycles (including electric bicycles)#	0%		31.12.2023
	3087046/2013, PROLONG 2019	8714913035	#Front forks, except rigid (non-telescopic) front forks made entirely of steel, for use in the manufacture of bicycles (including electric bicycles)#	0%		31.12.2023
	3087046/2013, PROLONG 2019	8714913072	#Front forks, except rigid (non-telescopic) front forks made entirely of steel, for use in the manufacture of bicycles (including electric bicycles)#	0%		31.12.2023
2329	1246/3/1982, PROLONG 2019	9001109010	Image reverser made up from an assembly of optical fibres	0%		31.12.2023
2332	4697914/2018	9002110018	#Lens assembly consisting of a cylinder-shaped cover made of metal or plastic and optical elements with:### # a horizontal field of view range to a maximum of 120 deg, # a diagonal field of view range to a maximum of 105 deg, # a focal length to a maximum of 7,50 mm, # a relative aperture of a maximum of F/2,90, # a maximum diameter of 22 mm #	0%		31.12.2023
2336	506/12/1990, PROLONG 2019	9002110050	#Lens unit:### # having a focal length of 25 mm or more but not more than 150 mm, # consisting of glass or plastic lenses, with a diameter of 60 mm or more but not more than 190 mm #	0%		31.12.2023
2338	1435/14/1995, PROLONG 2019	9002900030	Optical unit, comprising 1 or 2 rows of optical glass fibres in the form of lenses and with a diameter of 0,85 mm or more but not more than 1,15 mm, embedded between 2 plastic plates	0%	p/st	31.12.2023
2339	362855/2013, PROLONG 2019	9025804030	#Electronic barometric semiconductor pressure sensor in a housing, mainly consisting of### # a combination of one or more monolithic application-specific integrated circuits (ASIC) and # at least one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material #	0%	p/st	31.12.2023
2341	1965/16/2003, PROLONG 2019	9032890030	#Electronic controller of electric power steering (EPS controller)#	0%	p/st	31.12.2023
2348	382/10/1982, PROLONG 2019	9608910010	Non-fibrous plastic pen-tips with an internal canal	0%		31.12.2023
2349	1309/1/1994, PROLONG 2019	9608910020	Felt tips and other porous-tips for markers, without internal canal	0%		31.12.2023
2350	465/1/1999, PROLONG 2019	9612101010	Ribbons of plastic with segments of different colours, providing the penetration of dyes by heat into a support (so called dye-sublimation)	0%		31.12.2023