

Seznam celních suspenzí s koncem platnosti k 31. 12. 2022

Číslo	TARIC před r. 2022	TARIC v r. 2022	Popis	Status
1/1/1999	1511901920, 1511909120, 1513111020, 1513193020, 1513211020, 1513293020	1511901920, 1511909120, 1513111020, 1513193020, 1513211020, 1513293020	#Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of:### # industrial monocarboxylic fatty acids of subheading 3823 19 10, # methyl esters of fatty acids of heading 2915 or 2916, # fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, # fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, # stearic acid of subheading 3823 11 00, # goods of heading 3401, or # fatty acids with high purity of heading 2915 #	≥15000
3812219/2015	1512191010	1512191010	#Refined safflower oil (CAS RN 8001-23-8) for use in the manufacture of#### # conjugated linoleic acid of heading 3823 or # ethyl- or methyl esters of linoleic acid of heading 2916 #	<15000
1113066/2012	2007995083, 2007995093, 2007999310	2007995083, 2007995093, 2007999310	#Mango puree concentrate, obtained by cooking:### # of the Genus Mangifera spp. , # with a sugar content by weight of not more than 30 % # ####for use in the manufacture of products of food and drink industry#	BREXIT
1112993/2012	2007995084, 2007995094	2007995084, 2007995094	#Papaya puree concentrate, obtained by cooking:### # of the Genus Carica spp. , # with a sugar content by weight of more than 13 % but not more than 30 % # ####for use in the manufacture of products of food and drink industry#	BREXIT
1112921/2012	2007995085, 2007995095	2007995085, 2007995095	#Guava puree concentrate, obtained by cooking:### # of the Genus Psidium spp. , # with a sugar content by weight of more than 13 % but not more than 30 % # ####for use in the manufacture of products of food and drink industry#	BREXIT
247869/2009	2008939120	2008939120	#Sweetened dried cranberries, excluding packing alone as processing, for the manufacture of products of food processing industries#	≥15000
635208/2010	2008994894	2008994894	#Mango puree:### # not from concentrate, # of the genus Mangifera, # of a Brix value of 14 or more, but not more than 20, # ####used in the manufacture of products of drink industry#	≥15000

312338/2012	2008994970, 2008999911	2008994970, 2008999911	#Blanched vine leaves of the genus Karakishmish , in brine, containing by weight:### # more than 6 % of salt concentration, # 0,1 % or more but not more than 1,4 % of acidity expressed as citric acid monohydrate and # whether or not but not more than 2 000 mg/kg of sodium benzoate according CODEX STAN 192-1995 # ###for use in the manufacture of stuffed vine leaves with rice#	≥15000
1565336/2017	2106909250	2106909250	#Casein protein hydrolysate consisting of:### # by weight 20 % or more but not more than 70 % free amino acids, and # peptones of which by weight more than 90 % having a molecular weight of not more than 2000 Da #	≥15000
4639141/2017	2106909847	2106909847	#Preparation, having a moisture content of 1 % or more but not more than 4 %, and containing by weight:## 15 % or more but not more than 35 % of buttermilk, 20 % (±10 %) of lactose, 20 % (±10 %) of whey protein concentrate, 15 % (±10 %) of cheddar cheese, 3 % (±2 %) of salt, 0,1 % or more but not more than 10 % of lactic acid E270, 0,1 % or more but not more than 10 % of gum arabic E414 #for use in the manufacture of products of food and drink industry#	<15000
4509576/2017	2712909910	2712909910	#Blend of 1-alkenes containing by weight 90 % or more 1-alkenes of a chain length of 24 carbon atoms or more but not more than 1 % 1-alkenes of a chain length of more than 70 carbon atoms#	≥15000
313390/2013, 343255/2013, 371450/2013, 383834/2013, 499762/2013	2804701000	2804701000	#Red phosphorus#	≥15000
323514/2012	2805199020	2805199020	#Lithium metal (CAS RN 7439-93-2) of a purity by weight of 98,8 % or more#	≥15000
3863286/2015	2811220015	2811220015	#Amorphous silicon dioxide (CAS RN 60676-86-0)### # in the form of powder # of a purity by weight of 99,0 % or more # with a median grain size of 0,7 µm or more, but not more than 2,1 µm # where 70 % of the particles have a diameter of not more than 3 µm #	<15000
1500331/2017	2811299010	2811299010	#Tellurium dioxide (CAS RN 7446-07-3)#	≥15000
305455/2012	2816400010	2816400010	#Barium hydroxide (CAS RN 17194-00-2)#	≥15000
294577/2011, 446/2/1995	2823000010	2823000010	#Titanium dioxide (CAS RN 13463-67-7):### # of a purity by weight of 99,9 % or more, # with an average grain-size of 0,7 µm or more but not more than 2,1 µm #	≥15000
323355/2012	2825100010	2825100010	#Hydroxylammonium chloride (CAS RN 5470-11-1)#	≥15000
285068/2012	2825600010	2825600010	#Zirconium dioxide (CAS RN 1314-23-4)#	≥15000

631004/2010	2833298030	2833298030	#Zirconium sulphate (CAS RN 14644-61-2)#	BREXIT
1167/07	2835100010	2835100010	#Sodium hypophosphite monohydrate (CAS RN 10039-56-2)#	≥15000
1168/07	2839190010	2839190010	Disodium disilicate (CAS RN 13870-28-5)	<15000
1134/07	2841800010	2841800010	#Diammonium wolframate (ammonium paratungstate) (CAS RN 11120-25-5) #	≥15000
1563923/2017	2841903010	2841903010	#Potassium metavanadate (CAS RN 13769-43-2)#	≥15000
4509652/2017	2842100050	2842100050	#Fluorophlogopite (CAS RN 12003-38-2)#	≥15000
4509612/2017	2842908030	2842908030	#Aluminum trititanium dodecachloride (CAS RN 12003-13-3)#	<15000
1155/07	2850002030	2850002030	#Titanium nitride (CAS RN 25583-20-4) with a particle size of not more than 250 nm#	<15000
1514483/2017	2850002060	2850002060	#Disilane (CAS RN 1590-87-0)#	≥15000
1090164/2012	2903393100	2903510010	#2,3,3,3-Tetrafluoroprop-1-ene (2,3,3,3-tetrafluoropropene) (CAS RN 754-12-1)#	≥15000
1525373/2017	2903393940	2903590040	#1,1,2,3,4,4-Hexafluorobuta-1,3-diene (CAS RN 685-63-2)#	≥15000
1503351/2017	2903391920	2903691920	#5-Bromopent-1-ene (CAS RN 1119-51-3)#	<15000
1048229/2012	2903898050	2903898050	#Chlorocyclopentane (CAS RN 930-28-9)#	≥15000
1514559/2017	2903898060	2903898060	#Octafluorocyclobutane (CAS RN 115-25-3)#	≥15000
4489999/2017	2903998060	2903998060	#1,1'-Methanediylbis(4-fluorobenzene) (CAS RN 457-68-1)#	<15000
1203/1/1979, 146280/2010	2904200020	2904200020	#Nitroethane (CAS RN 79-24-3)#	≥15000
323492/2012	2904990040	2904990040	#4-Chlorobenzenesulphonyl chloride (CAS RN 98-60-2)#	≥15000
287186/2012	2905190070	2905190070	#Titanium tetrabutanolat (CAS RN 5593-70-4)#	≥15000
287141/2012	2905190080	2905190080	#Titanium tetraisopropoxide (CAS RN 546-68-9)#	≥15000
4503810/2017	2905299010	2905299010	#Cis-hex-3-en-1-ol (CAS RN 928-96-1)#	≥15000
254904/2011, 5501275/2016	2905399520	2905399520	#Butane-1,2-diol (CAS RN 584-03-2)#	<15000
1104520/2012	2905399540	2905399540	#Decane-1,10-diol (CAS RN 112-47-0)#	≥15000
1111621/2012	2906290030	2906290030	#2-Phenylethanol (CAS RN 60-12-8)#	BREXIT
3655112/2015	2906290040	2906290040	#2-Bromo-5-iodo-benzenemethanol (CAS RN 946525-30-0)#	<15000
4610103/2017	2906290050	2906290050	#2,2'-(m-Phenylene)dipropan-2-ol (CAS RN 1999-85-5)#	≥15000
1338664/2016	2909309080	2909309080	#Oxyfluorfen (ISO) (CAS RN 42874-03-3) with a purity by weight of 97 % or more#	BREXIT
1564222/2017	2912290035	2912290035	#Cinnamaldehyde (CAS RN 104-55-2)#	≥15000
4509799/2017	2912290045	2912290045	#p-Phenylbenzaldehyde (CAS RN 3218-36-8)#	<15000
329394/2012	2912490020	2912490020	#4-Hydroxybenzaldehyde (CAS RN 123-08-0)#	BREXIT
4422644/2017	2912490050	2912490050	#2,6-Dihydroxybenzaldehyde (CAS RN 387-46-2)#	≥15000

1045/2007	2914199020	2914199020	#Heptan-2-one (CAS RN 110-43-0)#	≥15000
1046/2007	2914199030	2914199030	#3-Methylbutanone (CAS RN 563-80-4)#	≥15000
1047/2007	2914199040	2914199040	#Pentan-2-one (CAS RN 107-87-9)#	≥15000
1008909/2011	2914290050	2914290050	# trans -β-Damascone (CAS RN 23726-91-2)#	BREXIT
4632248/2017	2914290070	2914290070	#2-sec-Butylcyclohexanone (CAS RN 14765-30-1)#	BREXIT
4503840/2017	2914290080	2914290080	#1-(Cedr-8-en-9-yl)ethanone (CAS RN 32388-55-9)#	BREXIT
1013/2007	2914390030	2914390030	#Benzophenone (CAS RN 119-61-9)#	≥15000
320238/2012	2914390070	2914390070	#Benzil (CAS RN 134-81-6)#	<15000
287195/2012	2914390080	2914390080	#4'-Methylacetophenone (CAS RN 122-00-9)#	≥15000
1090972/2012	2914500045	2914500045	#3,4-Dihydroxybenzophenone (CAS RN 10425-11-3)#	≥15000
1015/2007	2914500060	2914500060	#2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)#	≥15000
3655587/2015	2914500075	2914500075	#7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone (CAS RN 22009-38-7)#	<15000
1065611/2012	2914790020	2914790020	#2,4'-Difluorobenzophenone (CAS RN 342-25-6)#	≥15000
4638366/2017	2915390010	2915390010	#Cis-3-hexenyl acetate (CAS RN 3681-71-8)#	BREXIT
4632314/2017	2915390030	2915390030	#4- tert -Butylcyclohexyl acetate (CAS RN 32210-23-4)#	BREXIT
1111709/2012	2915601910	2915601910	#Ethyl butyrate (CAS RN 105-54-4)#	BREXIT
4509828/2017	2915907020	2915907020	#Methyl (R)-2-fluoropropionate (CAS RN 146805-74-5)#	≥15000
1048248/2012	2915907030	2915907030	#3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)#	≥15000
1090946/2012	2916120070	2916120070	#2-(2-Vinyloxyethoxy)ethyl acrylate (CAS RN 86273-46-3)#	<15000
4632366/2017	2916200020	2916200020	#Mixture of the (1S,2R,6R,7R)-and(1R,2R,6R,7S)-isomers of ethyl tricyclo[5.2.1.0(2,6)]decane-2-carboxylate (CAS RNs 80657-64-3 and 80623-07-0)#	<15000
1016/2007	2916399055	2916399055	#4- tert -Butylbenzoic acid (CAS RN 98-73-7)#	≥15000
305474/2012	2916399075	2916399075	# m -Toluic acid (CAS RN 99-04-7)#	≥15000
305543/2012	2916399085	2916399085	##(2,4,5-Trifluorophenyl)acetic acid (CAS RN 209995-38-0)#####	≥15000
287214/2012	2917191020	2917191020	#Diethyl malonate (CAS RN 105-53-3)#	≥15000
1053938/2012	2918290035	2918290035	#Propyl 3,4,5-trihydroxybenzoate (CAS RN 121-79-9)#	≥15000
4419266/2017	2918300015	2918300015	#2-Fluoro-5-formylbenzoic acid (CAS RN 550363-85-4)#	<15000
1111680/2012	2918300050	2918300050	#Ethyl acetoacetate (CAS RN 141-97-9)#	BREXIT
1111654/2012	2918999015	2918999015	#Ethyl 2,3-epoxy-3-phenylbutyrate (CAS RN 77-83-8)#	BREXIT
1489058/2017	2918999027	2918999027	#Ethyl 3-ethoxypropionate (CAS RN 763-69-9)#	≥15000
4488741/2017	2918999038	2918999038	#Diclofop-methyl (ISO) (CAS RN 51338-27-3)#	≥15000
1296542/2017	2920290015	2920290015	#Phosphorous acid 3,3',5,5'-tetrakis(1,1-dimethylethyl)-6,6'-dimethyl[1,1'-biphenyl]-2,2'-diyl tetra-1-naphthalenyl ester (CAS RN 198979-98-5)#	<15000

1042303/2012	2920901060	2920901060	#2,4-Di- tert -butyl-5-nitrophenyl methyl carbonate (CAS RN 873055-55-1)#	<15000
328077/2012	2921130000	2921130000	#2-(N,N -Diethylamino)ethyl chloride hydrochloride (CAS RN 869-24-9)#	<15000
328244/2012	2921199970	2921199970	# N,N -Dimethyloctylamine – boron trichloride (1:1) (CAS RN 34762-90-8)#	<15000
1048266/2012	2921309940	2921309940	#Cyclopropylamine (CAS RN 765-30-0)#	≥15000
318053/2012	2921420086	2921420086	#2,5-Dichloroaniline (CAS RN 95-82-9)#	≥15000
287298/2012	2921420087	2921420087	# N -Methylaniline (CAS RN 100-61-8)#	≥15000
318166/2012	2921420088	2921420088	#3,4-Dichloroaniline-6-sulphonic acid (CAS RN 6331-96-0)#	≥15000
1564151/2017	2921450060	2921450060	#1-Naphthylamine (CAS RN 134-32-7)#	≥15000
1564197/2017	2921450070	2921450070	#8-Aminonaphthalene-2-sulphonic acid (CAS RN 119-28-8)#	<15000
	2921599030	2921599030	#3,3'-Dichlorobenzidine dihydrochloride (CAS RN 612-83-9)#	≥15000
165772/2012	2921599060	2921599060	##(2R,5R)-1,6-Diphenylhexane-2,5-diamine dihydrochloride (CAS RN 1247119-31-	<15000
1042333/2012	2922190020	2922190020	#2-(2-Methoxyphenoxy)ethylamine hydrochloride (CAS RN 64464-07-9)#	≥15000
4609918/2017	2922390015	2922390015	#2-Amino-3,5-dibromobenzaldehyde (CAS RN 50910-55-9)#	<15000
318249/2012	2922498520	2922498520	#3-Amino-4-chlorobenzoic acid (CAS RN 2840-28-0)#	≥15000
3962007/2015	2922498530	2922498530	#Aqueous solution containing 40 % by weight or more of sodium methylaminoacetate (CAS RN 4316-73-8)#	BREXIT
1017/2007	2922498560	2922498560	#Ethyl-4-dimethylaminobenzoate (CAS RN 10287-53-3)#	≥15000
1445698/2017	2922498575	2922498575	#L-alanine isopropyl ester hydrochloride (CAS RN 62062-65-1)#####	<15000
1489079/2017	2922500015	2922500015	#3,5-Diiodothyronine (CAS RN 1041-01-6)#	≥15000
1489107/2017	2924190025	2924190025	#Isobutylidenediurea (CAS RN 6104-30-9)#	<15000
287332/2012	2924190080	2924190080	#Tetrabutylurea (CAS RN 4559-86-8)#	≥15000
318373/2012	2924297053	2924297053	#4-Amino- N -[4-(aminocarbonyl)phenyl]benzamide (CAS RN 74441-06-8)#	≥15000
1008923/2011	2924297063	2924297063	# N -Ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide (CAS RN 39711-79-0) #	BREXIT
1022/2007	2924297086	2924297086	#Anthranilamide (CAS RN 88-68-6) of a purity by weight of 99,5 % or more#	BREXIT
305509/2012	2925199520	2925199520	#4,5,6,7-Tetrahydroisoindole-1,3-dione (CAS RN 4720-86-9)#	≥15000
320086/2012	2925199530	2925199530	# N,N' -(m -Phenylene)dimaldimide (CAS RN 3006-93-7)#	≥15000
4632435/2017	2926907015	2926907015	#2-Cyclohexylidene-2-phenylacetonitrile (CAS RN 10461-98-0)#	BREXIT
4509883/2017	2926907018	2926907018	#Flumethrin (ISO) (CAS RN 69770-45-2)#	≥15000
4509853/2017	2926907033	2926907033	#Deltamethrin (ISO) (CAS RN 52918-63-5)#	≥15000
4613845/2017	2927000025	2927000025	#2,2'-Azobis(4-methoxy-2,4-dimethylvaleronitrile) (CAS RN 15545-97-8)#	≥15000
318303/2012	2927000080	2927000080	#4-[(2,5-Dichlorophenyl)azo]-3-hydroxy-2-naphthoic acid (CAS RN 51867-77-7)#	<15000
1096774/2012	2929100020	2929100020	#Butyl isocyanate (CAS RN 111-36-4)#	BREXIT
578966/2010	2929100055	2929100055	#2,5 (and 2,6)-Bis(isocyanatomethyl)bicyclo[2.2.1]heptane (CAS RN 74091-64-8)#	<15000

3428/06	2929100080	2929100080	#1,3-Bis(isocyanatomethyl)benzene (CAS RN 3634-83-1)#	<15000
303483/2011	2930200020	2930200020	#2-Isopropylethylthiocarbamate (CAS RN 141-98-0)#	BREXIT
1082/2007	2930200010	2930200040	#Prosulfocarb (ISO) (CAS RN 52888-80-9) with purity by weight of 97 % or more#	≥15000
579140/2010	2930909810	2930909810	#2,3-Bis((2-mercaptoethyl)thio)-1-propanethiol (CAS RN 131538-00-6)#	<15000
1008893/2011	2930909813	2930909813	#Mercaptamine hydrochloride (CAS RN 156-57-0)#	BREXIT
579001/2010	2930909865	2930909865	#Pentaerythritol tetrakis(3-mercaptopropionate) (CAS RN 7575-23-7)#	<15000
1079/2007	2930909868	2930909868	#Clethodim (ISO) (CAS RN 99129-21-2)#	≥15000
320028/2012	2931399008	2931499008	#Sodium diisobutyldithiophosphate (CAS RN 13360-78-6) in an aqueous	≥15000
1042358/2012	2931399025	2931499025	#(Z)-Prop-1-en-1-ylphosphonic acid (CAS RN 25383-06-6)#	≥15000
4422677/2017	2931900010	2931900010	#(3-Fluoro-5-isobutoxyphenyl)boronic acid (CAS RN 850589-57-0)#	<15000
1562984/2017	2931900020	2931900020	#Ferrocene (CAS RN 102-54-5)#	<15000
3939533/2015	2931900063	2931900063	#Chloroethenyldimethylsilane (CAS RN 1719-58-0)#	BREXIT
3962068/2015	2931900065	2931900065	#Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)#	BREXIT
305526/2012	2932209040	2932209040	#(S)-(-)-α-Amino-γ-butyrolactone hydrobromide (CAS RN 15295-77-9)#	≥15000
1565410/2017	2932209050	2932209050	#L-Lactide (CAS RN 4511-42-6) or D-Lactide (CAS RN 13076-17-0) or dilactide (CAS RN 95-96-5)#	≥15000
4636962/2017	2932990023	2932990023	#2-Ethyl-3-hydroxy-4-pyrone (CAS RN 4940-11-8)#	≥15000
1042379/2012	2932990025	2932990025	#1-(2,2-Difluorobenzo[d][1,3]dioxol-5-yl)cyclopropanecarboxylic acid (CAS RN 862574-88-7)#	≥15000
806/06	2932990075	2932990075	#3-(3,4-Methylenedioxyphenyl)-2-methylpropanal (CAS RN 1205-17-0)#	BREXIT
1095031/2012	2933299080	2933299080	#Imazalil (ISO) (CAS RN 35554-44-0)#	≥15000
287365/2012	2933399912	2933399912	#2,3-Dichloropyridine (CAS RN 2402-77-9)#	≥15000
3815462/2015	2933399914	2933399914	#N,4-Dimethyl-1-(phenylmethyl)- 3-piperidinamine hydrochloride (1:2) (CAS RN 1228879-37-5)#	<15000
239432/2009	2933399920	2933399920	#Copper pyrithione powder (CAS RN 14915-37-8)#	BREXIT
3815528/2015	2933399926	2933399926	#2-[4-(Hydrazinylmethyl)phenyl]-pyridine dihydrochloride (CAS RN 1802485-62-	<15000
1500584/2017	2933399936	2933399936	#1-[2-[5-Methyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]acetyl]piperidine-4-carbothioamide (CAS RN 1003319-95-6)#	≥15000
4422468/2017	2933399938	2933399938	#(2-Chloropyridin-3-yl) methanol (CAS RN 42330-59-6)#	≥15000
4422608/2017	2933399939	2933399939	#2,6-Dichloropyridine-3-carboxamide (CAS RN 62068-78-4)#	<15000
4490035/2017	2933399951	2933399951	#2,5-Dichloro-4,6-dimethylnicotinonitrile (CAS RN 91591-63-8)#	BREXIT
1042477/2012	2933399957	2933399957	# Tert -butyl 3-(6-amino-3-methylpyridin-2-yl)benzoate (CAS RN 1083057-14-0)#	≥15000
1042499/2012	2933491030	2933491030	#Ethyl 4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 52980-28-6)#	<15000

4609879/2017	2933599522	2933599522	#6-chloro-1,3-dimethyluracil (CAS RN 6972-27-6)#	<15000
4419296/2017	2933599524	2933599524	#1-(Cyclopropylcarbonyl)piperazine hydrochloride (CAS RN 1021298-67-8)#	<15000
4546001/2017	2933599526	2933599526	#5-Fluoro-4-hydrazino-2-methoxypyrimidine (CAS RN 166524-64-7)#	<15000
305555/2012	2933599577	2933599577	#3-(Trifluoromethyl)-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrazine hydrochloride (1:1) (CAS RN 762240-92-6)#	≥15000
4419345/2017	2933790025	2933790025	#Methyl 2-oxo-2,3-dihydro-1H-indole-6-carboxylate (CAS RN 14192-26-8)#	<15000
1077/2007	2933790030	2933790030	5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)	≥15000
318320/2012	2933998024	2933998024	#1,3-Dihydro-5,6-diamino-2 H -benzimidazol-2-one (CAS RN 55621-49-3)#	≥15000
1497747/2017	2933998041	2933998041	#5-[4'-(Bromomethyl)biphenyl-2-yl]-1-trityl-1H-tetrazole (CAS RN 124750-51-2)#####	≥15000
1497677/2017	2933998046	2933998046	##(S)-Indoline-2-carboxylic acid (CAS RN 79815-20-6)#	≥15000
1091283/2012	2933998047	2933998047	##Paclobutrazol (ISO) (CAS RN 76738-62-0)#	≥15000
4513002/2017	2933998048	2933998048	#5-Amino-6-methyl-2-benzimidazolone (CAS RN 67014-36-2)#	≥15000
165822/2012	2934100015	2934100015	#4-Nitrophenyl thiazol-5-ylmethyl carbonate (CAS RN 144163-97-3)#	<15000
165800/2012	2934100025	2934100025	##(S)-Ethyl-2-(3-((2-isopropylthiazol-4-yl)methyl)-3-methylureido)-4-morpholinobutanoate oxalate (CAS RN 1247119-36-3)#	<15000
305421/2012	2934100035	2934100035	##(2-Isopropylthiazol-4-yl)- N -methylethylamine dihydrochloride (CAS RN 1185167-55-8)#	≥15000
1565183/2017	2934208015	2934208015	##Benthiavalicarb-isopropyl (ISO) (CAS RN 177406-68-7)#	≥15000
1184/07	2934208025	2934208025	#1,2-Benzisothiazol-3(2H)-one (CAS RN 2634-33-5) in the form of a powder with a purity by weight of 95 % or more, or in an aqueous mixture containing by weight 20 % or more of 1,2-benzisothiazol-3(2H)-one#	BREXIT
114170/2010	2934208060	2934208060	##Benzothiazol-2-yl-(Z)-2-trityloxyimino-2-(2-aminothiazole-4-yl)-thioacetate (CAS RN 143183-03-3)#	<15000
305398/2012	2934309010	2934309010	#2-Methylthiophenothiazine (CAS RN 7643-08-5)#	≥15000
1091089/2012	2934999037	2934999037	#4-Propan-2-ylmorpholine (CAS RN 1004-14-4)#	≥15000
1489124/2017	2934999052	2934999052	##Epoconazole (ISO) (CAS RN 133855-98-8)#	≥15000
1565216/2017	2934999054	2934999054	#2-Benzyl-2-dimethylamino-4'-morpholinobutyrophenone (CAS RN 119313-12-1)#	<15000
1500627/2017	2934999056	2934999056	#1-[5-(2,6-Difluorophenyl)-4,5-dihydro-1,2-oxazol-3-yl]ethanone (CAS RN 1173693-36-1)#	≥15000
1309539/2017	2934999057	2934999057	##(6R,7R)-7-Amino-8-oxo-3-(1-propenyl)-5-thia-1 -azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid (CAS RN 120709-09-3)#####	<15000

4692977/2017	2934999059	2934999059	#Dolutegravir (INN) (CAS RN 1051375-16-6) or dolutegravir sodium (CAS RN 1051375-19-9)#	≥15000
1020/2007	2934999074	2934999074	#2-Isopropylthioxanthone (CAS RN 5495-84-1)#	≥15000
4692923/2017	2935909040	2935909040	#Venetoclax (INN) (CAS 1257044-40-8)#	≥15000
305429/2012	2935909073	2935909073	#(2S)-2-Benzyl- N,N -dimethylaziridine-1-sulfonamide (CAS RN 902146-43-4)#	<15000
1522664/2017	2938909030	2938909030	#Rebaudioside A (CAS RN 58543-16-1)#	≥15000
1522623/2017	2938909040	2938909040	#Purified steviol glycoside with a rebaudioside M (CAS RN 1220616-44-3) content of 80 % or more but not more than 90 % by weight for use in the manufacture of non-alcoholic beverages#	<15000
1001767/2015	3201909040, 3202900010	3201909040, 3202900010	#Reaction product of Acacia mearnsii extract, ammonium chloride and formaldehyde (CAS RN 85029-52-3)#	BREXIT
1515181/2017	3204110035	3204110035	#Colourant C.I Disperse Yellow 232 (CAS RN 35773-43-4) and preparations based thereon with a colourant C.I Disperse Yellow 232 of 50 % or more by weight#	<15000
247748/2011	3204110040	3204110040	#Colourant C.I. Disperse Red 60 (CAS RN 17418-58-5) and preparations based thereon with a colourant C.I. Disperse Red 60 content of 50 % or more by weight#	BREXIT
300340/2011	3204110050	3204110050	#Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a colourant C.I. Disperse Blue 72 content of 95 % or more by weight#	BREXIT
247805/2011	3204110060	3204110060	#Colourant C.I. Disperse Blue 359 (CAS RN 62570-50-7) and preparations based thereon with a colourant C.I. Disperse Blue 359 content of 50 % or more by	BREXIT
989532/2011	3204120010	3204120010	#Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2) and preparations based thereon with a colourant C.I. Acid Blue 9 content of 50 % or more by weight#	BREXIT
4546104/2017	3204130015	3204130015	#Colourant C.I. Basic Blue 41 (CAS RN 12270-13-2) and preparations based thereon with a colourant C.I. Basic Blue 41 content of 50 % or more by weight#	≥15000
4546154/2017	3204130025	3204130025	#Colourant C.I. Basic Red 46 (CAS RN 12221-69-1) and preparations based thereon with a colourant C.I. Basic Red 46 content of 20 % or more by weight#	<15000
4546201/2017	3204130035	3204130035	#Colourant C.I. Basic Yellow 28 (CAS RN 54060-92-3) and preparations based thereon with a colourant C.I. Basic Yellow 28 content of 50 % or more by weight#	≥15000
1090288/2012	3204130040	3204130040	#Colourant C.I. Basic Violet 1 (CAS RN 603-47-4 or CAS RN 8004-87-3) and preparations based thereon with a colourant C.I. Basic Violet 1 content of 90 % or more by weight#	≥15000
4546229/2017	3204130045	3204130045	#Mixture of colourant C.I. Basic Blue 3 (CAS RN 33203-82-6) and colourant C.I. Basic Blue 159 (CAS RN 105953-73-9) with a colourant Basic Blue content of 40 % or more by weight#	<15000

4548665/2017	3204160040	3204160040	#Aqueous solution of Colourant C.I. Reactive Red 141 (CAS RN 61931-52-0)## with a colourant C.I. Reactive Red 141 content of 13 % or more by weight, and containing a preservative	≥15000
1489188/2017	3204170026	3204170026	#Colourant C.I. Pigment Orange 13 (CAS RN 3520-72-7) and preparations based thereon with a colourant C.I. Pigment Orange 13 content of 80 % or more by weight#	≥15000
4505704/2017	3204170029	3204170029	#Colourant C.I. Pigment Red 268 (CAS RN 16403-84-2) and preparations based thereon with a Colourant C.I. Pigment Red 268 content of 80 % or more by	<15000
1096809/2012	3204170075	3204170075	#Colourant C.I. Pigment Orange 5 (CAS RN 3468-63-1) and preparations based thereon with a colourant C.I. Pigment Orange 5 content of 80 % or more by	BREXIT
320306/2012	3204170080	3204170080	#Colourant C.I. Pigment Red 207 (CAS RN 71819-77-7) and preparations based thereon with a colourant C.I. Pigment Red 207 content of 50 % or more by	<15000
326809/2012	3204170085	3204170085	#Colourant C.I. Pigment Blue 61 (CAS RN 1324-76-1) and preparations based thereon with a colourant C.I. Pigment Blue 61 content of 35 % or more by weight#	≥15000
326853/2012	3204170088	3204170088	#Colourant C.I. Pigment Violet 3 (CAS RN 1325-82-2 or CAS RN 101357-19-1) and preparations based thereon with a colourant C.I. Pigment Violet 3 content of 90 % or more by weight#	BREXIT
1489199/2017	3204190016	3204190016	#Colourant C.I. Solvent Yellow 133 (CAS RN 51202-86-9) and preparations based thereon with a colourant C.I. Solvent Yellow 133 content of 97 % or more by weight#	<15000
326949/2012	3204190084	3204190084	#Colourant C.I. Solvent Blue 67 (CAS RN 12226-78-7) and preparations based thereon with a colourant C.I. Solvent Blue 67 content of 98 % or more by weight#	<15000
1523974/2017	3204900020	3204900020	#Preparations of colourant C.I. Solvent Red 175 (CAS RN 68411-78-6) in petroleum distillates, hydrotreated light naphthenic (CAS RN 64742-53-6), containing by weight 40 % or more but not more than 60 % of a colourant C.I. Solvent Red 175#	<15000
1515121/2017	3206497030	3206497030	#Colourant C.I. Pigment Black 12 (CAS RN 68187-02-0) and preparations based thereon with a C.I. Pigment Black 12 content of 50 % or more by weight#	<15000
4505654/2017	3206497040	3206497040	#Colourant C.I. Pigment Blue 27 (CAS RN 25869-00-5) and preparations thereon with a colourant C.I. Pigment Blue 27 content of 85 % or more by weight#	BREXIT
1096793/2012	3207408540	3207408540	#Glass flakes (CAS RN 65997-17-3):### # of a thickness of 0,3 µm or more but not more than 10 µm, and # coated with titanium dioxide (CAS RN 13463-67-7) or iron oxide (CAS RN 18282-10-5) #	<15000

312663/2012	3208901925, 3904698089	3208901925, 3904698089	#Tetrafluoroethylene copolymer in butylacetate solution with a content of solvent of 50 % (± 2 %) by weight#	<15000
1085/2007	3208901975	3208901975	#Acenaphthalene copolymer in ethyl lactate solution#	<15000
1053595/2012	3215190020	3215190020	#Ink:### # consisting of a polyester polymer and a dispersion of silver (CAS RN 7440-22-4) and silver chloride (CAS RN 7783-90-6) in methyl propyl ketone (CAS RN 107-87-9), # with a total solid content by weight of 55 % or more, but not more than 57 %, and # with a specific density of 1,40 g/cm ³ or more, but not more than 1,60 g/cm ³ , # ###for use in the manufacture of electrodes#	≥15000
1049/2007	3402130020	3402420020	#Surfactant containing 1,4-dimethyl-1,4- bis (2-methylpropyl)-2-butyne-1,4-diyl ether, polymerised with oxirane, methyl terminated#	≥15000
1489313/2017	3506919060	3506919060	#Temporary wafer-bonding adhesive material in the form of a suspension of a solid polymer in D-limonene (CAS RN 5989-27-5) with a polymeric content by weight of 25 % or more but not more than 35 %#	<15000
1489278/2017	3506919070	3506919070	#Temporary wafer-bonding release in the form of a suspension of a solid polymer in cyclopentanone (CAS RN 120-92-3) with a polymeric content of not more than 10 % by weight#	<15000
1563699/2017	3603006010	3603500010	#Igniters for gas generators with an overall maximum length of 20,34mm or more but not more than 29,4 mm and a pin length of 6,68 mm (± 0,3 mm) or more but not more than 7,54 mm (± 0,3 mm)#	≥15000
4613870/2017	3707100060	3707100060	#Sensitising emulsion, containing by weight:### # not more than 5 % of photoacid generator, # 2 % or more but not more than 50 % of phenolic resins, and # not more than 7 % of epoxy-containing derivatives, # ###dissolved in heptan-2-one and/or ethyllactate#	<15000
4565219/2017	3802100020	3802100040	#Chemically activated carbon for the absorption and desorption of vapors, in a defined or irregular shape with an effective butane capacity of 5 g butane / 100 ml or more (according to ASTM D 5228)#	≥15000
324635/2012	3808919060	3808919060	#Spinetoram (ISO) (CAS RN 935545-74-7), preparation of two spinosyn components (3'-ethoxy-5,6-dihydro spinosyn J) and (3'-ethoxy- spinosyn L)#	≥15000
577757/2010	3808939030	3808939030	#Aqueous solution containing by weight:### # 1,8 % of sodium para-nitrophenolate, # 1,2 % of sodium ortho-nitrophenolate, # 0,6 % of sodium 5-nitroguaiacolate, # ###for use in the manufacture of a plant growth regulator #	<15000

4628990/2017	3808939060	3808939060	#Preparation in the form of tablets containing by weight: ## 0,55 % or more but not more than 2,50 % of 1-methylcyclopropene (1-MCP) (CAS RN 3100-04-7) with a minimum purity of 96 % or more, and less than 0,05 % of each of the two impurities, 1-chloro-2-methylpropene (CAS RN 513-37-1) and 3-chloro-2-methylpropene (CAS RN 563-47-3) #for coating#	<15000
335773/2012	3811210030	3811210030	#Additives for lubricating oils, containing mineral oils, consisting of calcium salts of reaction products of polyisobutylene substituted phenol with salicylic acid and formaldehyde, used as a concentrated additive for the manufacture of engine oils through a blending process#	≥15000
335288/2012	3811210050	3811210050	#Additives for lubricating oils,### # based on calcium C16-24 alkylbenzenesulphonates (CAS RN 70024-69-0), # containing mineral oils, # ###used as a concentrated additive for the manufacture of engine oils through a blending process#	≥15000
335338/2012	3811210060	3811210060	#Additives for lubricating oils, containing mineral oils,### # based on calcium polypropylenyl substituted benzenesulphonate (CAS RN 75975-85-8) with a content by weight of 25 % or more but not more than 35 %, # with a total base number (TBN) of 280 or more but not more than 320, # ###used as a concentrated additive for the manufacture of engine oils through a blending process#	≥15000
335788/2012	3811210070	3811210070	#Additives for lubricating oils,### # containing polyisobutylene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), # containing mineral oils, # with a chlorine content by weight of 0,05 % or more but not more than 0,25 %, # with a total base number (TBN) of more than 20, # ###used as a concentrated additive for the manufacture of engine oils through a blending process#	≥15000
1138422/2015	3811210075	3811210075	#Additives containing:### # Calcium (C10-C14) dialkylbenzenesulfonates, # more than 40 %, but not more than 60 % by weight of mineral oils, # ###with a total base number of not more than 10, for use in the manufacture of blends of additives for lubricating oils#	≥15000
1137815/2015	3811210077	3811210077	#Antifoam additives consisting of:### # a copolymer of 2-ethylhexyl acrylate and ethyl acrylate, and # more than 50 % but not more than 80 % by weight of mineral oils, # ###for use in the manufacture of additive blends for lubricating	≥15000

1137567/2015	3811210080	3811210080	#Additives containing :### # polyisobutylene aromatic polyamine succinimide, # more than 40 % but not more than 60 % by weight of mineral oils, # ###with a nitrogen content of more than 0,6 % but not more than 0,9 % by weight, for use in the manufacture of additive blends for lubricating oils#	≥15000
335473/2012	3811210085	3811210085	#Additives:### # containing more than 20 % but not more than 45 % by weight of mineral oils, # based on a mixture of branched dodecylphenol sulfide calcium salts, whether or not carbonated, # ###for use in the manufacture of blends of additives#	≥15000
335395/2012	3811290020	3811290020	#Additives for lubricating oils, consisting of reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with propylene oxide, phosphorus oxide, and amines with C12-14 alkyl chains, used as a concentrated additive for the manufacture of lubricating oils#	≥15000
335383/2012	3811290030	3811290030	#Additives for lubricating oils, consisting of reaction products of butyl-cyclohex-3-enecarboxylate, sulphur and triphenyl phosphite (CAS RN 93925-37-2), used as a concentrated additive for the manufacture of engine oils through a blending process#	≥15000
335281/2012	3811290040	3811290040	#Additives for lubricating oils, consisting of reaction products of 2-methyl-prop-1-ene with sulphur monochloride and sodium sulphide (CAS RN 68511-50-2), with a chlorine content by weight of 0,01 % or more but not more than 0,5 %, used as a concentrated additive for the manufacture of lubricating oils#	≥15000
335430/2012	3811290050	3811290050	#Additives for lubricating oils, consisting of a mixture of N,N -dialkyl -2-hydroxyacetamides with alkyl chain lengths between 12 and 18 carbon atoms (CAS RN 866259-61-2), used as a concentrated additive for the manufacture of engine oils through a blending process#	≥15000
1137762/2015	3811290065	3811290065	#Additives consisting of a sulphurised mixture of vegetable oil, long chain α-olefins and tall oil fatty acids, with a sulphur content of 8 % or more but not more than 12 % by weight, for use in the manufacture of blends of additives for lubricating oils#	<15000
314105/2012	3811900040	3811900040	#Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 10 % or more but not more than 29,9 % of 2-ethylhexanol#	≥15000
1013685/2011	3812399070	3812399070	#Light stabiliser containing:### # branched and linear alkyl esters of 3-(2H-benzotriazolyl)-5-(1,1-dimethylethyl)-4-hydroxybenzenepropanoic acid (CAS RN 127519-17-9), and # 1-methoxy-2-propyl acetate (CAS RN 108-65-6) #	BREXIT

1095046/2012	3812399080	3812399080	#UV-stabilizer, consisting of:### # a hindered amine: N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidiny)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) and # either an o-hydroxyphenyl triazine UV light absorber or # a chemically modified phenolic	≥15000
879/05	3815909016	3815909016	#Initiator based on dimethylaminopropyl urea#	≥15000
326561/2012	3815909018	3815909018	#Oxidation catalyst with an active ingredient of di[manganese (1+)], 1,2-bis(octahydro-4,7-dimethyl-1 H -1,4,7-triazonine-1-yl- k N 1 , k N 4 , k N 7)ethane-di- μ -oxo- μ -(ethanoato- k O, k O')-, di[chloride(1-)] (CAS RN 1217890-37-3), used to accelerate chemical oxidation or bleaching#	BREXIT
1443007/2017	3815909043	3815909043	#Catalyst in powder form consisting by weight of### # 92,50 % (± 2) % titanium dioxide (CAS RN 13463-67-7), # 5 % (± 1) % silicon dioxide (CAS RN 112926-00-8), and # 2,5 % (± 1,5) % sulphur trioxide (CAS RN 7446-11-9) #	≥15000
1680/6/1996	3815909085	3815909085	#Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins#	≥15000
1562945/2017	3824999226	3824999226	#Preparation containing by weight:### # 60 % or more but not more than 75 % of Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5) # 15 % or more but not more than 25 % of 4-(4-nitrophenylazo)-2,6-di-sec-butyl-phenol (CAS RN 111850-24-9), and # 10 % or more but not more than 15 % of 2-sec-butylphenol (CAS RN 89-72-5) #	<15000
968687/2011	3824999247	3824999247	#Preparation, containing:### # trioctylphosphine oxide (CAS RN 78-50-2), # dioctylhexylphosphine oxide (CAS RN 31160-66-4), # octyldihexylphosphine oxide (CAS RN 31160-64-2) and # trihexylphosphine oxide (CAS RN 3084-48-8) # ### ##### #	<15000
1051/2007	3824999249	3824999249	#Preparation based on 2,5,8,11-tetramethyl-6-dodecyn-5,8-diol ethoxylate (CAS RN 169117-72-0)#	≥15000
1075/2007	3824999250	3824999250	#Alkyl carbonate-based preparation, also containing a UV absorber, for use in the manufacture of spectacle lenses#	<15000
1096835/2012	3824999280	3824999280	#Diethylene glycol propylene glycol triethanolamine titanate complexes (CAS RN 68784-48-5) dissolved in diethylene glycol (CAS RN 111-46-6)#	<15000
4656777/2017	3824999338	3824999338	#Mixture of 4,4'-(perfluoroisopropylidene)diphenol (CAS RN 1478-61-1) and 4,4'-(perfluoroisopropylidene)diphenol benzyl triphenyl phosphonium salt (CAS RN 75768-65-9)#	<15000

1071/2007	3824999363	3824999363	#Mixture of phytosterols, not in the form of powder, containing by weight:### # 75 % or more of sterols, # not more than 25 % of stanols, # ###for use in the manufacture of stanols/sterols or stanol/sterol esters#	≥15000
1164/07	3824999388	3824999388	#Mixture of phytosterols containing by weight:### # 60 % or more, but not more than 80 % of sitosterols, # less than 15 % of campesterols, # less than 5 % of stigmasterols, and # less than 15 % of betasitostanols #	≥15000
4537658/2017	3824999630	3824999630	#Rare-earth concentrate containing by weight:### # 20 % or more but not more than 30 % of cerium oxide (CAS RN 1306-38-3), # 2 % or more but not more than 10 % of lanthanum oxide (CAS RN 1312-81-8), # 10 % or more but not more than 15 % of yttrium oxide (CAS RN 1314-36-9), and # not more than 65 % of zirconium oxide (CAS RN 1314-23-4) including natural occurring hafnium oxide #	<15000
323483/2012	3824999650	3824999650	#Nickel hydroxide, doped with 12 % or more but not more than 18 % by weight of zinc hydroxide and cobalt hydroxide, of a kind used to produce positive electrodes for accumulators#	≥15000
1095014/2012	3824999687	3824999687	#Platinum oxide (CAS RN 12035-82-4) fixed on a porous support of aluminium oxide (CAS RN 1344-28-1), containing by weight:### # 0,1 % or more but not more than 1 % of platinum, and # 0,5 % or more but not more than 5 % of ethylaluminium dichloride (CAS RN 563-43-9) #	≥15000
4537555/2017	3903909038, 3904698088	3903909038, 3904698088	#Polytetrafluoroethylene (CAS RN 9002-84-0) encapsulated with an acrylonitrile-styrene copolymer (CAS RN 9003-54-7), with a content by weight of each polymer of 50 % (± 1 %) #	≥15000
305325/2012	3904698085	3904698085	#Copolymer of ethylene with chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, in powder form, whether or not with fillers#	≥15000
1070017/2012	3905300010	3905300010	#Viscous preparation, essentially consisting of poly(vinyl alcohol) (CAS RN 9002-89-5), an organic solvent and water for use as protective coating of wafers during the manufacturing of semiconductors#	<15000
1048299/2012	3905910040	3905910040	#Water soluble copolymer of ethylene and vinyl alcohol (CAS RN 26221-27-2), containing by weight not more than 38 % of the monomer unit ethylene#	≥15000
4422335/2017	3906909023	3906909023	#Copolymer of methylmethacrylate, butylacrylate, glycidylmethacrylate and styrene (CAS RN 37953-21-2), with an epoxy equivalent weight of not more than 500, in form of ground flakes with a particle size of not more than 1 cm#	≥15000
1091125/2012	3906909027	3906909027	#Copolymer of stearyl methacrylate, isooctyl acrylate and acrylic acid, dissolved in isopropyl palmitate#	<15000

3893290/2015	3907100020	3907100020	#Polyoxymethylene with acetyl endcaps, containing polydimethylsiloxane and fibers of a copolymer of terephthalic acid and 1,4-phenyldiamine#	<15000
1013632/2011	3907201160	3907291160	#Preparation containing:### # α -[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2) and # α -[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly(oxy-1,2-ethanediyl) (CAS RN	BREXIT
1111901/2012	3907202020	3907292020	#Polytetramethylene ether glycol with a weight average molecular weight (Mw) of 2 700 or more but not more than 3 100 (CAS RN 25190-06-1)#	BREXIT
1515223/2017	3907202060	3907292060	#Polypropylene glycol monobutyl ether (CAS RN 9003-13-8) of an alkalinity of not more than 1 ppm of sodium#	BREXIT
323377/2012	3907300060	3907300060	#Polyglycerol polyglycidyl ether resin (CAS RN 118549-88-5)#	<15000
4573511/2017	3907300070	3907300070	#Preparation of epoxy resin (CAS RN 29690-82-2) and phenolic resin (CAS RN 9003-35-4) containing by weight:## 65 % or more but not more than 75 % of silicon dioxide (CAS RN 60676-86-0), and none or not more than 0,5 % of carbon black (CAS RN 1333-86-4)	≥15000
320049/2012	3907998025	3907998025	#Copolymer, containing 72 % by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol#	≥15000
4573548/2017	3909200010	3909200010	#Polymer mixture, containing by weight:### # 60 % or more but not more than 75 % of melamine resin (CAS RN 9003-08-1), # 15 % or more but not more than 25 % of silicon dioxide (CAS RN 14808-60-7 or 60676-86-0), # 5 % or more but not more than 15 % of cellulose (CAS RN 9004-34-6), and # 1 % or more but not more than 15 % of phenolic resin (CAS RN 25917-04-8) #	≥15000
1084/2007	3910000050	3910000050	#Silicone based pressure sensitive adhesive in solvent containing copoly(dimethylsiloxane/diphenylsiloxane) gum#	≥15000
1054/2007	3911901930	3911901930	#Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide#	≥15000
326385/2012	3911909953	3911909953	#Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene and 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503442-46-4)#	<15000
326364/2012	3911909957	3911909957	#Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503298-02-0)#	<15000

886/06	3919108040, 3919908043	3919108040, 3919908043	#Black poly(vinyl chloride) film:### # with a gloss of more than 30 degrees according to ASTM D2457, # whether or not covered on one side with a protective poly(ethyleneterephthalate) film, and on the other side with a pressure sensitive adhesive with channels and a release liner #	<15000
254103/2009	3919108043, 3919908026	3919108043, 3919908026	#Ethylene vinyl acetate film:### # of a thickness of 100 µm or more, # coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester or polypropylene liner #	<15000
1087/2007	3919108045, 3919908045	3919108045, 3919908045	#Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0,38 mm or more but not more than 1,53 mm#	≥15000
1316/4/2003	3919108055, 3919908053	3919108055, 3919908053	#Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of more than 25 N/cm (as determined by the ASTM D 3330 method)#	≥15000
4656736/2017	3919908021	3919908021	#Polytetrafluoroethylene film,### # with a thickness of 50 µm or more but not more than 155 µm, # with a width of 6,30 mm or more but not more than 585 mm, # an elongation at break of not more than 200 %, and # coated on one side with a pressure sensitive silicone adhesive with a thickness of not more than 40	<15000
1159/2008	3919908083	3919908083	#Reflector or diffuser sheets, in rolls,### # for protection against ultraviolet or infra-red heat radiation, to be affixed to windows or # for equal transmission and distribution of light, intended for LCD modules #	≥15000
3119/13/04, 804/06	3920108940	3920108940	#Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0,8 mm or more but not more than 1,2 mm#	BREXIT
4958135/2020	3920108945	3920108945	#Octene and ethylene copolymer plastic film of a thickness of 0,45 mm or more but not more than 0,75 mm, for use in the manufacture of glass to glass photovoltaic solar panels#	≥15000
294101/2011	3920202994	3920202994	#Mono-axial oriented, co-extruded film:### # consisting of 3 to 5 layers, # each layer mainly consisting of polypropylene and/or polyethylene, # each layer containing not more than 10 % by weight of other polymers, # whether or not containing titanium dioxide in the core layer, # of an overall thickness of not more than 75 µm #	≥15000

4537586/2017	3920621905, 3920629010	3920621905, 3920629010	#Poly(ethylene terephthalate) film in rolls:### # with a thickness of 0,335 mm or more but not more than 0,365 mm, and # coated with a gold layer with a thickness of 0,03 µm or more but not more than 0,06 µm #	≥15000
1177/07	3920621960	3920621960	#Poly(ethylene terephthalate) film:### # of a thickness of not more than 20 µm, # coated on at least one side with a gas barrier layer consisting of a polymeric matrix in which silica or aluminium oxide has been dispersed and of a thickness of not more than 2µm #	≥15000
1091163/2012	3921131020	3921131020	#Rolls of open-cell polyurethane foam:### # with a thickness of 2,29 mm (± 0,25 mm), # surface-treated with a foraminous adhesion promoter, and # laminated to a polyester film and a layer of textile material #	<15000
1575341/2017	3921190060	3921190060	#Multi-porous multilayer separator foil with:### # one microporous polyethylene layer between two microporous polypropylene layers and whether or not containing a coating of aluminium oxide on both sides, # a width of 65 mm or more but not more than 170 mm, # a total thickness of 0,01 mm or more but not more than 0,03 mm, # a porosity of 0,25 or more but not more than 0,65 #	≥15000
1515277/2017	3921190070	3921190070	#Microporous membranes of expanded Polytetrafluoroethylene (ePTFE) in rolls, having:### # a width of 1 600 mm or more but not more than 1 730 mm, and # a membrane thickness of 15 µm or more, but not more than 50 µm # ###for use in the manufacture of a bi-component ePTFE membrane#	<15000
1565442/2017	3926300050, 3926909748	3926300050, 3926909748	#Coated interior or exterior decorative parts consisting of:### # a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, and # a PVC foil, # not containing layers of copper, nickel or chromium, # ###for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705#	≥15000
4488695/2017	4016995730	4016995730	#Pin boot of a brake calliper made of vulcanized rubber with:### # an inner diameter of not less than 5 mm and an outer diameter of not more than 35 mm, # a height of 15 mm or more, but not more than 40 mm, and # a ribbed design # ###for use in the manufacture of goods of Chapter 87#	<15000
1102689/2012	4104411910	4104411910	#Buffalo leather, split, chrome tanned synthetic retanned ("crust"), dry#	<15000
4609952/2017	5311009010	5311009010	#Plain-woven fabric of paper yarns glued on a tissue paper layer:### # with a weight of 190 g/m ² or more but not more than 280 g/m ² , and # cut into rectangles with a side length of 40 cm or more but not more than 140 cm #	≥15000

3887395/2015	5403390010	5403390010	#Biodegradable (norm EN 14995) monofilament of not more than 33 dtex, containing at least 98 % by weight polylactide (PLA), for use in the manufacture of filtration fabrics for the food industry#	<15000
1024/2007	5407100010	5407100010	#Textile fabric, consisting of warp filament yarns of polyamide-6,6 and weft filament yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, p-phenylenediamine and 3,4'-oxybis (phenyleneamine)#	<15000
4613955/2017	5911909950	5911909950	#Loudspeaker vibration damper, made from round, corrugated, flexible and cut-to-size tissue of textile fibres of polyester, cotton or aramid or a combination hereof, of a kind used in car loudspeakers#	≥15000
1074119/2012	7009100050	7009100050	#Unfinished electro-chromic auto-dimming mirror for motor vehicle rear-view mirrors:### # whether or not equipped with plastic backing plate, # whether or not equipped with a heating element, # whether or not equipped with Blind Spot Module (BSM) display #	≥15000
323336/2012	7019120005, 7019120025	7019120005, 7019120025	#Rovings ranging from 1 980 to 2 033 tex, composed of continuous glass filaments of 9 µm (± 0,5 µm)#	≥15000
323461/2012	7019191015	7019130015	#S-glass yarn of 33 tex or a multiple of 33 tex (± 13 %) made from continuous spun-glass filaments with fibres of a diameter of 9 µm (- 1 µm / + 1,5 µm)#	≥15000
138412/2010	7019191050	7019130050	#Yarn of 11 tex or a multiple thereof (± 7,5 %), obtained from continuous spun-glass filaments, containing 93 % by weight or more of silicon dioxide, of a nominal diameter of 6 µm or 9 µm, other than those treated#	≥15000
1489261/2017	7020001020	7020001020	#Raw material for optical elements of fused silicon dioxide with:### # a thickness of 10 cm or more but not more than 40 cm and # a weight of 100 kg or more #	≥15000
1379018/2017	7315119010	7315119010	#Roller type steel timing chain with a fatigue limit of 2 kN at 7 000 rpm or more for use in the manufacture of engines of motor vehicles#	<15000
4629002/2017	7326909240	7326909240	#Steel nozzle shell with integral flange in one piece open-die forged from 4 castings, worked and machined, with:## a diameter of 5 752 mm or more but not more than 5 758 mm, a height of 3 452 mm or more but not more than 3 454 mm, a total weight 167 875 kg or more but not more than 168 125 kg #of a kind used for the fabrication of a nuclear reactor vessel#	<15000

4610317/2017	7409190010, 7410210070	7409190010, 7410210070	#Plates or sheets:### # with at least one layer of woven glass fibre, impregnated with a fire- retardant artificial or synthetic resin with a glass transition temperature (Tg) of more than 130 °C as measured according to IPC-TM-650, method 2.4.25, # coated on one or both sides with a copper film with a thickness of not more than 3,2 mm, # ###and containing at least one of the following:### # poly(tetrafluoroethylene) (CAS RN 9002-84-0) # poly(oxy-(2,6-dimethyl)-1,4-phenylene) (CAS RN 25134-01-4) # epoxy resin having a thermal expansion of not more than 10 ppm in length and width and not more than 25 ppm in height # ###for use in the manufacture of circuit boards#	<15000
4613981/2017	7413000020	7413000020	#Loudspeaker centring ring, consisting of one or more vibration dampers and minimum two non-insulated copper cables, therein woven or pressed#	≥15000
582476/2010	7604291010, 7606129921, 7606129925	7604291010, 7606129921, 7606129925	#Sheets and bars of aluminium-lithium alloys#	≥15000
1443058/2017	8101960020	8101960020	#Tungsten wire### # containing by weight 99,95 % or more of tungsten, and # with a maximum cross-sectional dimension of not more than 1,02 mm #	≥15000
276628/2012	8102100010	8102100010	#Molybdenum powder with:### # a purity by weight of 99 % or more and # a particle size of 1,0 µm or more, but not more than 5,0 µm #	≥15000
1516795/2017	8108200070	8108200070	#Titanium alloy slab, with### # a height of 20,3 cm or more, but not more than 23,3 cm, # a length of 246,1 cm or more, but not more than 289,6 cm, # a width of 40,6 cm or more, but not more than 46,7 cm, # a weight of 820 kg or more but not more than 965 kg, # ###containing alloy elements by weight of:### # 5,2 % or more but not more than 6,2 % of aluminium, # 2,5 % or more but not more than 4,8 % of vanadium #	<15000
1518694/2017	8108903015	8108903015	#Rods and wire of an alloy of titanium with:### # a uniform solid cross-section in the form of a cylinder, # with a diameter of 0,8 mm or more, but not more than 5 mm, # an aluminium content by weight of 0,3 % or more, but not more than 0,7 %, # a silicon content by weight of 0,3 % or more, but not more than 0,6 %, # a niobium content by weight of 0,1 or more, but not more than 0,3 %, and # an iron content by weight of not more than 0,2 % #	≥15000
1565292/2017	8108905045	8108905045	#Cold or hot rolled plates, sheets and strips of non-alloyed titanium with:### # a thickness of 0,4 mm or more, but not more than 100 mm, # a length of not more than 14 m, and # a width of not more than 4 m #	≥15000

1173/2007	8113009010	8113009010	#Carrier plate of aluminium silicon carbide (AlSiC-9) for electronic circuits#	≥15000
317291/2012	8207301010	8207301010	#Set of transfer and/or tandem press tools for cold-forming, pressing, drawing, cutting, punching, bending, calibrating, bordering and throating of metal sheets, for use in the manufacture of frame parts or body parts of motor vehicles#	≥15000
	8407332010, 8407338010, 8407908010, 8407909010	8407332010, 8407338010, 8407908010, 8407909010	#Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm ³ and a power of not less than 6 kW or more but not more than 20,0 kW, for the manufacture of:### # lawn mowers of subheadings 8433 11, 8433 19 and 8433 20, # tractors of subheadings 8701 91 90, 8701 92 90 whose main function is that of a lawn mower, # four stroke mowers with motor of a cylinder capacity of not less than 300 cm ³ of subheading 8433 20 10 or # snowploughs and snow blowers of subheading 8430 20 #	≥15000
329537/2012	8408904340, 8408904530, 8408904750	8408904340	#4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having:### # a capacity of not more than 3 850 cm ³ , and # a rated output of 15 kW or more but not more than 85 kW, # ###for use in the manufacture of vehicles of heading	<15000
1379092/2017	8409990060	8409990060	#Intake manifold for air supply to the engine cylinders, comprising at least:### # a throttle, # a boost pressure sensor # ###for use in the manufacture of compression ignition engines of motor vehicles#	<15000
1378876/2017	8409990080	8409990080	#High pressure oil jet nozzle for engine piston cooling and lubrication with:### # an opening pressure of 1 bar or more, but not more than 3 bar, # a closing pressure of more than 0,7 bar, # a one-way valve # ###for use in the manufacture of compression ignition engines of motor vehicles#	<15000
311397/2012	8411990020	8411990020	#Wheel-shaped gas turbine component with blades, of a kind used in turbochargers:### # of a precision-cast nickel based alloy complying with standard DIN G- NiCr13Al6MoNb or DIN G- NiCr13Al16MoNb or DIN G- NiCo10W10Cr9AlTi or DIN G- NiCr12Al6MoNb or AMS AISI:686, # with a heat-resistance of not more than 1 100 °C, # with a diameter of 28 mm or more, but not more than 180 mm, # with a height of 20 mm or more, but not more than 150	≥15000

4952758/2020	8412908020	8412908020	#Bedplate made of solution strengthened ductile iron castings (SSDI), for anchoring and aligning the drive train (gearbox, pedestal bearing, rotor shaft) of a wind turbine with:### # a length of 3,5 m or more but not more than 4,5 m, # a width of 2 m or more but not more than 4,2 m, # a height of 1 m or more, but not more than 1,3 m, # a weight of 11 tons or more but not more than 21,5 tons, # mounting bores for yawdrive, # mounting flange for gearbox support, # drivetrain mount, # different screw sockets #	≥15000
1564107/2017	8414802220	8414802220	#Air membrane compressor with:### # a flow of 4,5 l/min or more, but not more than 7 l/min, # power input of not more than 8,1 W, and # a gauge pressure capacity not exceeding 400 hPa (0,4 bar), # ###of a kind used in the production of motor vehicle seats#	≥15000
3869484/2015	8415900055	8415900065	#Aluminium arc-welded removable receiver dryer, with polyamide and ceramic elements with:### # a length of 143 mm or more but not more than 292 mm, # a diameter of 31 mm or more but not more than 99 mm, # with a weight of not less than 0,12 kg and not more than 0,9 kg, # a spangle length of not more than 0,2 mm and a thickness of not more than 0,06 mm, and # a solid particle diameter of not more than 0,06 mm, # ###for use in the manufacture of car air-conditioning systems#	<15000
1096800/2012	8431200030	8431200030	#Drive axle assembly containing differential, reduction gears, crown wheel, drive shafts, wheel hubs, brakes and mast mounting arms for use in the manufacture of vehicles in heading 8427#	<15000
4629133/2017	8481109920	8481109920	#Electromagnetic pressure reducing valve## with a plunger, with at least 275 mPa internal tightness, with a plastic connector with 2 silver or tin pins	<15000
4562503/2017	8481109940	8481109940	#Pressure reducing valves in a brass case with:### # a length of not more than 30 mm (± 1 mm), # a width of not more than 18 mm (± 1 mm), # ###of a kind used for incorporation in fuel delivery modules of motor vehicles#	≥15000
4629095/2017	8481805930	8481805930	#Two-way flow control valve with housing, with:### # at least 5, but not more than 16 outlet holes with at least 0,05 mm, but not more than 0,5 mm diameter, # at least 330 cm ³ /minute, but not more than 5 000 cm ³ /minute flow rate, # at least 19, but not more than 300 MPa operating pressure #	<15000

4629031/2017	8481805940	8481805940	#Flow-control valve:### # made of steel, # with an outlet hole with a diameter of 0,05 mm or more, but not more than 0,5 mm, # with an inlet hole with a diameter of 0,1 mm or more, but not more than 1,3 mm, # with chromium nitride coating, # with a surface roughness of Rp 0,4 #	≥15000
4629114/2017	8481805950	8481805950	#Electromagnetic valve for quantity control with:### # a plunger, # a solenoid with a of coil resistance of at least 1,85 Ohm, but not more than 8,2 Ohm #	≥15000
4629063/2017	8481805960	8481805960	#Electromagnetic valve for quantity control## with a solenoid with a coil resistance of at least 0,19 Ohm, but not more than 0,66 Ohm, and with an inductance of not more than 1 mH	≥15000
314220/2012	8481806960	8481806960	#Four-way reversing valve for refrigerants, consisting of:### # a solenoid pilot valve # a brass valve body including valve slider and copper connections # ###with a working pressure up to 4,5 MPa#	≥15000
311427/2012	8483303230, 8483303860	8483303230, 8483303860	#Bearing housing of a kind used in turbochargers:## of precision-cast grey cast iron complying with standard DIN EN 1561 or precision-cast ductile cast iron complying with DIN EN 1560, with oil chambers, without bearings, with a diameter of 50 mm or more, but not more than 250 mm, with a height of 40 mm or more, but not more than 150 mm, whether or not with water chambers and	≥15000
1443106/2017	8483409020	8483409020	#Hydrostatic transmission with:### # measurements (without shafts) of not more than 154 mm x 115 mm x 108 mm, # a weight of not more than 3,3 kg, # a maximum rotation speed of the input shaft of 2700 rpm or more, but not more than 3200 rpm, # a torque of the output shaft of not more than 10,4 Nm, # a rotation speed of the output shaft of not more than 930 rpm at 2800 rpm input speed, and # an operating temperature range of -5 °C or more, but not more than +40 °C # ###for use in the manufacture of hand-operated lawn mowers of	<15000
1443085/2017	8483409030	8483409030	#Hydrostatic transmission with### # a reduction of 20,63:1 or more, but not more than 22,68:1, # an input speed of 1800 rpm or more when loaded and of not more than 3 000 rpm when unloaded, # a continuous output torque of 142 Nm or more, but not more than 156 Nm, # an intermittent output torque of 264 Nm or more, but not more than 291 Nm, and # an axle shaft diameter of 19,02 mm or more, but not more than 19,06 mm, # whether or not equipped with a fan impeller or with a pulley with integrated fan impeller # ###for use in the production of self-propelled lawn mowers with a seat of subheading 8433 11 51, and tractors of subheading 8701 91 90, whose main function is that of a lawn	<15000

3869594/2015	8501101020	8501101020	#Synchronous motor for a dishwasher with a water flow control mechanism with### # a length without axle of 24 mm ($\pm 0,3$), # a diameter of 49,3 mm ($\pm 0,3$), # a rated voltage of 220 V AC or more but not more than 240 V AC, # a rated frequency of 50 Hz or more but not more than 60 Hz, # an input power of not more than 4 W, # a rotation speed of 4rpm or more but not more than 4,8rpm, # an output torque of not less than 10kgf/cm #	≥ 15000
1102749/2012	8501109960	8501109960	#DC motor:### # with a rotor speed of 3 500 rpm or more but not more than 5 000 rpm loaded and not more than 6 500 rpm when not loaded # with a power supply voltage of 100 V or more but not more than 240 V # ####for use in the manufacture of electric fryers#	≥ 15000
1443120/2017	8501200030	8501200030	#Universal AC/DC motor with### # a rated output of 1,2 kW, # a supply voltage of 230 V, and # engine brake, # assembled to a reduction gear with output shaft, which is contained in a plastic housing # ####for use as electric drive of lawnmower blades#	< 15000
313124/2012	8501310050	8501310050	#DC motors, brushless, with:### # an external diameter of 80 mm or more, but not more than 200 mm, # a supply voltage of 9 V or more, but not more than 16 V, # an output at 20 °C of 300 W or more, but not more than 750 W, # a torque at 20 °C of 2,00 Nm or more, but not more than 7,00 Nm, # a rated speed at 20 °C of 600 rpm or more, but not more than 3 100 rpm, # with or without a pulley, # with or without an electronic power steering sensor/controller #	≥ 15000
284255/2012	8501620030	8501620030	#Fuel cell system### # consisting of at least phosphoric acid fuel cells, # in a housing with integrated water management and gas treatment, # for permanent, stationary energy supply #	< 15000
1069911/2012	8503009940	8503009940	#Fuel cell membrane, in rolls or sheets, with a width of not more than 150 cm, for use in the manufacture of fuel cells in Heading 8501#	< 15000
284392/2012	8504318040	8504318040	#Electrical transformers:### # with a capacity of 1 kVA or less # without plugs or cables, # ####for internal use in the manufacture of set top boxes and TVs#	< 15000
312921/2012	8505110050	8505110050	#Bars specifically shaped, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with dimensions:### # a length of 15 mm or more but not more than 52 mm, # a width of 5 mm or more but not more than 42 mm, # ####of a kind to be used in the manufacture of electric servomotors for industrial automation#	≥ 15000

312685/2012	8505110063	8505110063	#Rings, tubes, bushings or collars made from an alloy of neodymium, iron and boron, with### an external diameter of not more than 45 mm, a height of not more than 45 mm, #of a kind used in the manufacture of permanent magnets after magnetisation#	≥15000
3869544/2015	8505110055, 8505199040	8505110073, 8505199035	#Articles in shape of flat bars, arched bars or quarter sleeves, made of ferrite, or cobalt, or samarium or other rare-earth metals, or their alloy, whether or not overmolded with polymers, intended to become permanent magnets after magnetisation with:### # a length of 5 mm or more, but not more than 60 mm, # a width of 5 mm or more, but not more than 40 mm, # a thickness of 3 mm or more, but not more than 15 mm #	<15000
1514450/2017	8505199050	8505199050	#Article of agglomerated ferrite in the shape of a rectangular prism to become a permanent magnet after magnetisation### # whether or not with bevelled edges # of a length of 27 mm or more but not more than 32 mm (± 0,15 mm), # of a width of 8,5 mm or more but not more than 9,5 mm (+0,05 mm / -0,09 mm), # of a thickness of 5,5 mm or more but not more than 5,8 mm (+0/-0,2 mm), and # of a weight of 6,1 g or more but not more than 8,3 g #	≥15000
4632204/2017	8506503010	8506503010	#Lithium manganese dioxide cell, with:## a diameter of 20 mm or more but not more than 25 mm a length of 3 mm or more but not more than 6 mm a voltage of 3 V or more but not more than 3,4 V a capacity of 200 mAh or more but not more than 600 mAh an automotive test temperature range from -40°C to +125°C #for use as a component within the manufacture of Tyre Pressure Measuring Systems (TPMS)#	<15000
1572/14/1995	8507600030	8507600030	#Cylindrical lithium-ion accumulator or module, with a length of 63 mm or more and a diameter of 17,2 mm or more, having a nominal capacity of 1 200 mAh or more, for use in the manufacture of rechargeable batteries#	≥15000
3883431/2015	8512309020	8512309020	#Warning buzzer for parking sensor system in a plastic casing operating on the piezo-mechanic principle, containing:### # a printed circuit board, # a connector, # whether or not a metal holder, # ###for use in the manufacture of goods of chapter 87#	<15000
4490710/2017	8512309030	8512309030	#Sound alarm device for protection against burglary into the vehicle:## with an operating temperature of – 45 °C or more, but not more than + 95 °C, with a voltage of 9 V or more but not more than 16 V, in a plastic housing, whether or not with a metal holder #for use in the manufacture of motor vehicles#	<15000

1102737/2012	8516900070	8516900070	# Inner pot:### # containing side and central openings, # of annealed aluminium, # with a ceramic coating, heat resistant to more than 200° C # ###for use in the manufacture of an electric fryer#	≥15000
1144223/2015	8529906528	8529906528	#Electronic assembly comprising at least:### # a printed circuit board with, # one or more FPGAs (Field Programmable Gate Array) and/or processors for multi-media applications and video signal processing, # operating memory, # with or without flash memory, # with or without one or more USB, HDMI, VGA-, RJ-45 and/or other multimedia interfaces, # with or without sockets and plugs for connecting a LCD-display, a LED lighting and a control panel #	≥15000
1102/2007	8529906575	8529906575	#Modules comprising at least semiconductor chips for:### # the generation of driving signals for pixel addressing, or # driving addressing pixels #	≥15000
1073905/2012	8529909270	8529909270	#Rectangular fastening and covering frame:### # of an aluminium alloy containing silicon and magnesium, # with a length of 500 mm or more but not more than 2 200 mm, # with a width of 300 mm or more but not more than 1 500 mm, # ###of a kind used for the production of TV sets#	≥15000
1075108/2012	8536699051	8536699051	#SCART type connectors, built into a plastic or metal housing, with 21 pins in 2 rows, for use in the manufacture of products falling within headings 8521 and 8528#	<15000
3863438/2015	8536699060	8536699060	#Electrical sockets and plugs with a length of not more than 12,7 mm or a diameter of not more than 10,8 mm, for use in the production of hearing aids and speech processors#	<15000
4490679/2017	8537109165	8537109165	#Electronic control unit for optimal engine performance:## with a programmable memory, with a voltage of 8 V or more but not more than 16 V, with at least one composite connector, in a metal housing, whether or not with metal holders #for use in the manufacture of motor vehicles#	<15000
1445382/2017	8537109170	8537109170	#Programmable motor memory controller for a voltage not exceeding 1 000 V, comprising at least:### # a printed circuit with active and passive components, # an aluminium housing, and # multiple connectors #	≥15000
4610399/2017	8540910020	8540910020	#Thermionic electron source (emitter point) of lanthanum hexaboride (CAS RN 12008-21-8) or cerium hexaboride (CAS RN 12008-02-5), in a metal housing with electric connectors having## a graphite carbon shield mounted in a mini-Vogel type system separate pyrolytic carbon blocks used as heating elements and a cathode temperature of less than 1800 K at a filament current of 1,26 A	≥15000

1445582/2017	8708402030	8708402030	#Automatic gearbox with a hydraulic torque converter with:### # at least eight gears, # an engine torque of 300 Nm or more, and # transverse or longitudinal installation # ###for use in the manufacture of motor vehicles of heading 8703#	<15000
4631667/2017	8708402050, 8708405040	8708402050, 8708405040	#Transmission assembly which houses 3 other shafts inside it and offers a rotating switch for shift position consisting:## cast aluminium body, differential gear, 2 electrical motors and gears, #with the dimensions of:## a width of 280 mm or more but not more than 470 mm, a height of 350 mm or more but not more than 595 mm, a length of 410 mm or more but not more than 690 mm, #for use in the manufacture of motor vehicles of Chapter 87#	<15000
4488773/2017	8708502050, 8708505520, 8708509110, 8708509940	8708502050, 8708505520, 8708509110, 8708509940	#Double flange bearing of 3rd generation, for motor vehicles,## with double-row ball bearing, whether or not with impulse (encoder) ring, whether or not with antilock brake system (ABS) sensor, whether or not with mounted screws, #for use in the manufacture of goods of chapter 87#	≥15000
4548037/2017	8708809930	8708809930	#Surface-hardened, steel piston rod for a hydraulic or hydropneumatic shock absorber of motor vehicles:### # with a chrome coating, # of a diameter of 11 mm or more, but not more than 28 mm, # of a length of 80 mm or more, but not more than 600 mm, # ###with a threaded end or a mandrel for resistance	≥15000
1323371/2017	8708919940, 8708999755	8708919940, 8708999755	#Assembly for supplying compressed air, whether or not with a resonator, comprising at least:### # one solid aluminium tube whether or not with mounting bracket, # one flexible rubber hose, and # one metal clip # ###for use in the manufacture of goods of Chapter 87#	<15000
1565442/2017	8708999785	8708999785	#Electroplated interior or exterior parts consisting of:### # a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, # layers of copper, nickel and chromium # ###for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705#	<15000
3863546/2015	8714109070	8714109070	#Motor bikes radiators in consignment of 100 pieces or more#	≥15000
4537684/2017	8714991020, 8714991089	8714991020, 8714991089	#Bicycle handlebars:### # with or without an integrated stem, # either made out of carbon fibres and synthetic resin or made of aluminium, # ###for use in the manufacture of bicycles (including electric bicycles)#	≥15000
1013674/2011	9001109030	9001109030	#Polymer optical fibre with:### # a poly(methyl methacrylate) core, # a cladding of fluorinated polymer, # a diameter of not more than 3,0 mm, and # a length of more than 150 m, # ###of a kind used in the manufacture of polymer fibre cables#	BREXIT

825118/2014	9001504140, 9001504940	9001504140, 9001504940	#Organic uncut corrective eyeglass lens, finished on both sides, to undergo a coating, colouring, edging, mounting or any other substantial process for use in the manufacture of corrective glasses#	≥15000
276652/2012	9002110020	9002110020	#Lenses:### # measuring not more than 95 mm × 55 mm × 50 mm, # with a resolution of 160 lines/mm or better, and # with a zoom ratio of 3 or more times	≥15000
1090923/2012	9002900040	9002900040	#Mounted lenses made from infrared transmitting chalcogenide glass, or a combination of infrared transmitting chalcogenide glass and another lens material#	<15000
1038/2007	9032890040	9032890040	#Digital valve controller for controlling liquids and gases#	≥15000
3961246/2015	9607201010	9607201010	#Sliders, narrow tape with mounted zipper teeth, pin/boxes and other parts of slide fasteners, of base metal for use in the manufacture of zippers#	<15000