

Přehled autonomních celních suspenzí s koncem platnosti 31. 12. 2019

Číslo	TARIC	Popis	Akce
1/1/1999	1511901920, 1511909120, 1513111020, 1513193020, 1513211020, 1513293020	Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of: industrial monocarboxylic fatty acids of subheading 3823 19 10, methyl esters of fatty acids of heading 2915 or 2916, fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, stearic acid of subheading 3823 11 00, goods of heading 3401, or fatty acids with high purity of heading 2915	Prodlouženo automaticky
231801/2009	1516209620	Jojoba oil, hydrogenated and interesterified, without any further chemical modification and not subjected to any texturisation process	Prodlouženo automaticky
231837/2009	2008994930, 2008999940	Seedless boysenberry puree not containing added spirit, whether or not containing added sugar	Nutná žádost
1194/2009	2009493091	Pineapple juice, other than in powder form: with a Brix value of more than 20 but not more than 67, a value of more than € 30 per 100 kg net weight, containing added sugar used in the manufacture of products of food or drink industry	Prodlouženo automaticky
1142/2009	2009813110	Cranberry juice concentrate: of a Brix value of 40 or more but not more than 66, in immediate packings of a content of 50 litres or more	Prodlouženo automaticky
837921/2014	2009897313, 2009897311	Passion fruit juice and passion fruit juice concentrate, whether or not frozen: with a Brix value of 13,7 or more but not more than 55, of a value of more than € 30 per 100 kg net weight, in immediate packings of a content of 50 litres or more, and with added sugar for the use in the manufacture of products of food or drink industry	Prodlouženo automaticky
837964/2014	2009899729, 2009899721	Passion fruit juice and passion fruit juice concentrate, whether or not frozen: with a Brix value of 10 or more but not more than 13,7, of a value of more than € 30 per 100 kg net weight, in immediate packings of a content of 50 litres or more, and without added sugar for the use in the manufacture of products of food or drink industry	Prodlouženo automaticky

816194/2014	2707500020, 2707998010	Mixture of xylenol-isomers and ethyl phenol-isomers, with a total xylenol content by weight of 62 % or more but less than 95 %	Prodlouženo automaticky
3015845/2014, 3015887/2014	2710199920	Catalytic de-waxed base oil, synthesised from gaseous hydrocarbons, followed by a heavy paraffin conversion process (HPC), containing: not more than 1 mg/kg of sulphur more than 99 % by weight of saturated hydrocarbons more than 75 % by weight of n- and iso-paraffinic hydrocarbons with a carbon chain length of 18 or more but not more than 50; and a kinematic viscosity at 40 °C of more than 6,5 mm ² /s, or a kinematic viscosity at 40 °C of more than 11 mm ² /s with a viscosity index of 120 or more	Prodlouženo automaticky
527206/2014	2811220060	Calcined amorphous silicon dioxide powder with a particle size of not more than 20 µm, and of a kind used in the production of polyethylene	Nutná žádost
1158/2009,	2818200010	Activated alumina with a specific surface area of at least 350 m ² /g	Prodlouženo automaticky
2989034/2014	2827600010	Sodium iodide (CAS RN 7681-82-5)	Prodlouženo automaticky
951716/2014	2841700020	Diammonium tridecaoxotetramolybdate(2-) (CAS RN 12207-64-6)	Nutná žádost
2996043/2014	2841700030	Hexaammonium heptamolybdate, anhydrous (CAS RN 12027-67-7) or as tetrahydrate (CAS RN 12054-85-2)	Prodlouženo automaticky
1111/2009	2842100020	Synthetic chabasite zeolite powder	Prodlouženo automaticky
1165/2009	2842901010	Sodium selenate (CAS RN 13410-01-0)	Prodlouženo automaticky
3028643/2014, 450827/2013	2903392410	Pentafluoroethane (CAS RN 354-33-6)	Prodlouženo automaticky

3118/04, 775926/2014	2903392610	1,1,1,2-Tetrafluoroethane feedstock for pharmaceutical grade production conforming to the following specification: not more than 600 ppm by weight of R134 (1,1,2,2-tetrafluoroethane), not more than 5 ppm by weight of R143a (1,1,1-trifluoroethane), not more than 2 ppm by weight of R125 (pentafluoroethane), not more than 100 ppm by weight of R124 (1-chloro-1,2,2,2-tetrafluoroethane), not more than 30 ppm by weight of R114 (1,2-dichlorotetrafluoroethane), not more than 50 ppm by weight of R114a (1,1-Dichlorotetrafluoroethane), not more than 250 ppm by weight of R133a (1-Chloro-2,2,2-Trifluoroethane), not more than 2 ppm by weight of R22 (Chlorodifluoromethane), not more than 2 ppm by weight of R115 (Chloropentafluoroethane), not more than 2 ppm by weight of R12 (Dichlorodifluoromethane), not more than 20 ppm by weight of R40 (Methyl chloride), not more than 20 ppm by weight of R245cb (1,1,1,2,2-pentafluoropropane), not more than 20 ppm by weight of R12B1 (Chlorodifluorobromomethane), not more than 20 ppm by weight of R32 (Difluoromethane), not more than 15 ppm by weight of R31 (Chlorofluoromethane), not more than 10 ppm by weight of R152a (1,1-Difluoroethane), not more than 20 ppm by weight of 1131 (1-Chloro-2-Fluoroethylene), not more than 20 ppm by weight of 1122 (1-Chloro-2,2-Difluoroethylene), not more than 3 ppm by weight of 1234yf (2,3,3,3-Tetrafluoropropene), not more than 3 ppm by weight of 1243zf (3,3,3-Trifluoropropene), not more than 3 ppm by weight of 1122a (1-chloro-1,2-difluoroethylene), not more than 4,5 ppm by weight of 1234yf+1122a+1243zf (2,3,3,3-tetrafluoropropene, +1-Chloro-1,2-Difluoroethylene+3,3,3-Trifluoropropene), not more than 3 ppm by weight of any individual unspecified/unknown chemical, not more than 10 ppm by weight of all unspecified/unknown chemicals combined, not more than 10 ppm by weight of Water, with an acidity level of not more than 0.1 ppm by weight, without Halides, not more than 0.01 % by volume of High Boilers, without any odour (no malodour) for further purification to an inhalation grade of HFC 134a produced under GMP (Good Manufacturing Practice) for use in the manufacture	Prodlouženo automaticky
3007323/2014	2903793010	Trans-1-chloro-3,3,3-trifluoropropene (CAS RN 102687-65-0)	Prodlouženo automaticky
542271/2014	2903998075	3-Chloro-alpha,alpha,alpha-trifluorotoluene (CAS RN 98-15-7)	Prodlouženo automaticky
243664/2009, 742/2/1993,	2904100030	Sodium p -styrenesulphonate (CAS RN 2695-37-6)	Prodlouženo automaticky

217327/2009,	2904100050	Sodium 2-methylprop-2-ene-1-sulphonate (CAS RN 1561-92-8)	Prodlouženo automaticky
443/3/1977,	2904200040	2-Nitropropane (CAS RN 79-46-9)	Prodlouženo automaticky
1135/1/1995,	2904910010	Trichloronitromethane (CAS RN 76-06-2) , for the manufacture of goods of subheading 3808 92	Prodlouženo automaticky
1754/1/2002,	2904990020	1-Chloro-2,4-dinitrobenzene (CAS RN 97-00-7)	Prodlouženo automaticky
1213/2009, 435/1/1992,	2904990030	Tosyl chloride (CAS RN 98-59-9)	Prodlouženo automaticky
826408/2014	2904990060	4,4'-Dinitrostilbene-2,2'-disulfonic acid (CAS RN 128-42-7)	Prodlouženo automaticky
706652/2014	2904990070	1-Chloro-4-nitrobenzene (CAS RN 100-00-5)	Prodlouženo automaticky
3078740/2014, 3078765/2014	2904990080	1-Chloro-2-nitrobenzene (CAS RN 88-73-3)	Prodlouženo automaticky
240988/2009,	2905190040	2,6-Dimethylheptan-2-ol (CAS RN 13254-34-7)	Prodlouženo automaticky
2989052/2014	2905220010	Linalool (CAS RN 78-70-6) containing by weight 90,7 % or more of (3R)-(-)-Linalool (CAS RN 126-91-0)	Prodlouženo automaticky
1143/2009,	2905599820	2,2,2-Trifluoroethanol (CAS RN 75-89-8)	Prodlouženo automaticky
555842/2014	2906190050	4- tert -Butylcyclohexanol (CAS RN 98-52-2)	Prodlouženo automaticky
816136/2014	2907120020	Mixture of meta-cresol (CAS RN 108-39-4) and para-cresol (CAS RN 106-44-5) with a purity by weight of 99 % or more	Prodlouženo automaticky
3078811/2014	2907120030	p-Cresol (CAS RN 106-44-5)	Prodlouženo automaticky
555815/2014	2907191010	2,6-Xylenol (CAS RN 576-26-1)	Prodlouženo automaticky
2976342/2014	2907290025	4-Hydroxybenzyl alcohol (CAS RN 623-05-2)	Prodlouženo automaticky

3078845/2014	2907290065	2,2'-Methylenebis(6-cyclohexyl-p-cresol) (CAS RN 4066-02-8)	Prodlouženo automaticky
662125/2014	2908190030	4-Chlorophenol (CAS RN 106-48-9)	Prodlouženo automaticky
231917/2009,	2909309010	2-(Phenylmethoxy)naphthalene (CAS RN 613-62-7)	Prodlouženo automaticky
232587/2009,	2909309020	1,2-Bis(3-methyl-phenoxy)ethane (CAS RN 54914-85-1)	Prodlouženo automaticky
3015362/2014	2909600030	3,6,9-Triethyl-3,6,9-trimethyl-1,4,7-triperoxonane (CAS RN 24748-23-0), dissolved in isoparaffinic hydrocarbons	Prodlouženo automaticky
662366/2014	2914390015	2,6-Dimethyl-1-indanone (CAS RN 66309-83-9)	Prodlouženo automaticky
526898/2014, 823806/2014	2914390025	1,3-Diphenylpropane-1,3-dione (CAS RN 120-46-7)	Prodlouženo automaticky
1732/1/2001,	2914698020	2-Pentylantraquinone (CAS RN 13936-21-5)	Nutná žádost
2995559/2014	2914698050	Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)	Nutná žádost
1893/1/2003,	2915390050	3-Acetylphenyl acetate (CAS RN 2454-35-5)	Nutná žádost
555778/2014	2915907045	Trimethyl orthoformate (CAS RN 149-73-5)	Prodlouženo automaticky
240598/2009,	2915907050	Allyl heptanoate (CAS RN 142-19-8)	Prodlouženo automaticky
555348/2014	2916199550	Methyl 2-fluoroacrylate (CAS RN 2343-89-7)	Prodlouženo automaticky
645273/2014	2916399013	3,5-Dinitrobenzoic acid (CAS RN 99-34-3)	Prodlouženo automaticky
3079051/2014	2916399018	2,4-Dichlorophenylacetic acid (CAS RN 19719-28-9)	Nutná žádost
3078908/2014	2916399023	(2,4,6-Trimethylphenyl)acetyl chloride (CAS RN 52629-46-6)	Prodlouženo automaticky

251388/2009,	2917110030	Cobalt oxalate (CAS RN 814-89-1)	Prodlouženo automaticky
216280/2009,	2917191010	Dimethyl malonate (CAS RN 108-59-8)	Prodlouženo automaticky
240114/2009,	2917198030	Ethylene brassylate (CAS RN 105-95-3)	Prodlouženo automaticky
3079200/2014	2917399550	1,4,5,8-Naphthalenetetracarboxylic acid-1,8-monoanhydride (CAS RN 52671-72-4)	Prodlouženo automaticky
3079117/2014	2917399560	Perylene-3,4:9,10-tetracarboxylic dianhydride(CAS RN 128-69-8)	Prodlouženo automaticky
384820/2013	2918160020	Calcium digluconate monohydrate (CAS RN 66905-23-5) for use in the manufacture of calcium gluconate lactate (CAS RN 11116-97-5)	Konec platnosti
846626/2014	2918193010	Cholic acid (CAS RN 81-25-4)	Prodlouženo automaticky
846777/2014	2918193020	3- α ,12- α -Dihydroxy-5- β -cholan-24-oic acid (deoxycholic acid) (CAS RN 83-44-3)	Prodlouženo automaticky
2976439/2014	2918290070	3,5-Diiodosalicylic acid (CAS RN 133-91-5)	Prodlouženo automaticky
726505/2014	2918300060	4-Oxovaleric acid (CAS RN 123-76-2)	Prodlouženo automaticky
2976409/2014	2918300070	2-[4-Chloro-3-(chlorosulphonyl)benzoyl]benzoic acid (CAS RN 68592-12-1)	Prodlouženo automaticky
235301/2009, 3192/2/2000,	2918999020	Methyl 3-methoxyacrylate (CAS RN 5788-17-0)	Prodlouženo automaticky
542226/2014, 816428/2014	2918999035	p-Anisic acid (CAS RN 100-09-4)	Prodlouženo automaticky
433954/2014	2918999045	4-Methylcatechol dimethyl acetate (CAS RN 52589-39-6)	Prodlouženo automaticky
3079261/2014	2918999055	Stearyl glycyrrhetinate(CAS RN 13832-70-7)	Prodlouženo automaticky
3103442/2014	2918999065	Acetic acid, difluoro[1,1,2,2-tetrafluoro-2-(pentafluoroethoxy)ethoxy]-, ammonium salt (CAS RN 908020-52-0)	Prodlouženo automaticky

249933/2009,	2918999070	Allyl-(3-methylbutoxy)acetate (CAS RN 67634-00-8)	Prodlouženo automaticky
2976473/2014	2918999075	3,4-Dimethoxybenzoic acid (CAS RN 93-07-2)	Nutná žádost
826695/2014	2919900070	Tris(2-butoxyethyl)phosphate (CAS RN 78-51-3)	Prodlouženo automaticky
753808/2014	2920190030	2,2'-Oxybis(5,5-dimethyl-1,3,2-dioxaphosphorinane)-2,2'-disulphide (CAS RN 4090-51-1)	Prodlouženo automaticky
249889/2009,	2921195010,	Diethylamino-triethoxysilane (CAS RN 35077-00-0)	Nutná žádost
706602/2014	2921199980	Taurine (CAS RN 107-35-7), with 0,5 % addition of anti-caking agent silicon dioxide (CAS RN 112926-00-8)	Prodlouženo automaticky
715/05	2921420015	4-Amino-3-nitrobenzenesulphonic acid (CAS RN 616-84-2)	Konec platnosti
3079409/2014	2921420040	Sodium sulphanilate (CAS RN 515-74-2), also in form of its mono- or dihydrates (CAS RN 12333-70-0 or 6106-22-5)	Prodlouženo automaticky
1747/4/2002,	2921420070	2-Aminobenzene-1,4-disulfonic acid (CAS RN 98-44-2)	Prodlouženo automaticky
857/05, 884/05	2921430040	4-Aminotoluene-3-sulphonic acid (CAS RN 88-44-8)	Konec platnosti
1716/2/1997	2921450020	2-Aminonaphthalene-1,5-disulphonic acid (CAS RN 117-62-4) or one of its sodium salts (CAS RN 19532-03-7) or (CAS RN 62203-79-6)	Konec platnosti
437997/2013	2921450050	7-Aminonaphthalene-1,3,6-trisulphonic acid (CAS RN 118-03-6)	Konec platnosti
1234/2008,	2921511950	Mono- and dichloroderivatives of p- phenylenediamine and p- diaminotoluene	Prodlouženo automaticky
438072/2013	2921511960	2,4-Diaminobenzenesulphonic acid (CAS RN 88-63-1)	Konec platnosti
1929/12/2003	2922190050	2-(2-Methoxyphenoxy)ethylamine (CAS RN 1836-62-0)	Prodlouženo automaticky
1197/2009,	2922190080	N -[2-[2-(Dimethylamino)ethoxy]ethyl]- N -methyl-1,3-propanediamine (CAS RN 189253-72-3)	Prodlouženo automaticky
438135/2013	2922210010	2-Amino-5-hydroxynaphthalene-1,7-disulphonic acid (CAS RN 6535-70-2)	Konec platnosti
1680/1/1998,	2922210030	6-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 90-51-7)	Prodlouženo automaticky
729/05,	2922210050	Sodium hydrogen 4-amino-5-hydroxynaphthalene-2,7-disulphonate (CAS RN 5460-09-3)	Prodlouženo automaticky

1146/2009,	2922290065	4-Trifluoromethoxyaniline (CAS RN 461-82-5)	Nutná žádost
816374/2014	2922498525	Dimethyl 2-aminobenzene-1,4-dicarboxylate (CAS RN 5372-81-6)	Prodlouženo automaticky
845/05,	2922498550	D-(-)-Dihydrophenylglycine (CAS RN 26774-88-9)	Prodlouženo automaticky
2976595/2014	2922498555	(E)-Ethyl 4-(dimethylamino)but-2-enoate maleate (CUS 0138070-7)	Nutná žádost
228520/2009,	2922500020	1-[2-Amino-1-(4-methoxyphenyl)-ethyl]-cyclohexanol hydrochloride (CAS RN 130198-05-9)	Prodlouženo automaticky
494188/2014	2923100010	Calcium phosphoryl choline chloride tetrahydrate (CAS RN 72556-74-2)	Prodlouženo automaticky
3015806/2014	2923900020	Tetramethylammonium hydrogen phthalate (CAS RN 79723-02-7)	Nutná žádost
826539/2014	2923900085	N,N,N-Trimethylanilinium chloride (CAS RN 138-24-9)	Prodlouženo automaticky
494236/2014	2924190015	N-Ethyl N-methylcarbamoyl chloride (CAS RN 42252-34-6)	Prodlouženo automaticky
3079453/2014	2924190035	Acetamide (CAS RN 60-35-5)	Prodlouženo automaticky
438197/2013	2924210020	(3-Aminophenyl)urea hydrochloride (CAS RN 59690-88-9)	Konec platnosti
438102/2013	2924297012	4-(Acetylamino)-2-aminobenzenesulphonic acid (CAS RN 88-64-2)	Konec platnosti
662655/2014	2924297017	2-(Trifluoromethyl)benzamide (CAS RN 360-64-5)	Prodlouženo automaticky
846440/2014	2924297019	2-[[2-(Benzyloxycarbonylamino)acetyl]amino]propionic acid (CAS RN 3079-63-8)	Prodlouženo automaticky
217010/2009,	2924297020	2-Chloro- N -(2-ethyl-6-methylphenyl)- N -(propan-2-yloxymethyl)acetamide (CAS RN 86763-47-5)	Prodlouženo automaticky
3058445/2014	2924297023	Benalaxyl-M (ISO) (CAS RN 98243-83-5)	Prodlouženo automaticky
2976644/2014	2924297033	N-(4-Amino-2-ethoxyphenyl)acetamide (CAS RN 848655-78-7)	Nutná žádost

2995533/2014	2924297073	Napropamide (ISO) (CAS RN 15299-99-7)	Prodlouženo automaticky
2452/4/04,	2924297092	3-Hydroxy-2-naphthanilide (CAS RN 92-77-3)	Prodlouženo automaticky
662083/2014	2926907012	Cyfluthrin (ISO) (CAS RN 68359-37-5) with a purity by weight of 95 % or more	Prodlouženo automaticky
499640/2013	2926907013	alpha-Bromo-o-tolunitrile (CAS RN 22115-41-9)	Konec platnosti
646990/2014	2926907016	4-Cyano-2-nitrobenzoic acid methyl ester (CAS RN 52449-76-0)	Prodlouženo automaticky
1676/1/2001,	2926907020	2-(m -Benzoylphenyl)propiononitrile (CAS RN 42872-30-0)	Prodlouženo automaticky
1168/2009,	2926907064	Esfenvalerate (CAS RN 66230-04-4) of a purity by weight of 83 % or more in a mixture of its own isomers	Prodlouženo automaticky
235420/2009, 251452/2009,	2926907070	Methacrylonitrile (CAS RN 126-98-7)	Prodlouženo automaticky
1116/2009, 874/1/2004,	2926907074	Chlorothalonil (ISO) (CAS RN 1897-45-6)	Prodlouženo automaticky
1702/8/2002, 232753/2009,	2926907075	Ethyl 2-cyano-2-ethyl-3-methylhexanoate (CAS RN 100453-11-0)	Prodlouženo automaticky
898186/2014	2927000035	C.C'-Azodi(formamide) (CAS RN 123-77-3) in the form of yellow powder with a decomposition temperature of 180°C or more but not more than 220°C used as a foaming agent in the manufacture of thermoplastic resins, elastomer and cross-linked polythene foam	Prodlouženo automaticky
2995479/2014	2928009013	Cymoxanil (ISO) (CAS RN 57966-95-7)	Prodlouženo automaticky
3079858/2014	2928009018	Acetone oxime (CAS RN 127-06-0) of a purity by weight of 99 % or more	Prodlouženo automaticky
846543/2014	2928009065	2-Amino-3-(4-hydroxyphenyl) propanal semicarbazone hydrochloride	Prodlouženo automaticky
233643/2009, 233697/2009,	2929100015	3,3'-Dimethylbiphenyl-4,4'-diyl diisocyanate (CAS RN 91-97-4)	Prodlouženo automaticky
3079324/2014	2930909816	3-(Dimethoxymethylsilyl)-1-propanethiol (CAS RN 31001-77-1)	Prodlouženo automaticky

438317/2013	2930909817	2-(3-Aminophenylsulphonyl)ethyl hydrogen sulphate (CAS RN 2494-88-4)	Nutná žádost
3156768/2014	2930909827	2-[(4-Amino-3-methoxyphenyl)sulphonyl]ethyl hydrogen sulphate (CAS RN 26672-22-0)	Nutná žádost
3156570/2014	2930909833	2-Amino-5-[[2-(sulfooxy)ethyl]sulfonyl]benzenesulfonic acid (CAS RN 42986-22-1)	Nutná žádost
286/4/1996, 438516/2013	2930909845	2-[(p-Aminophenyl)sulphonyl]ethyl hydrogen sulphate (CAS RN 2494-89-5)	Konec platnosti
1148/2009,	2930909864	3-Chloro-2-methylphenyl methyl sulphide (CAS RN 82961-52-2)	Prodlouženo automaticky
220100/2009,	2930909881	Disodium hexamethylene-1,6-bisthiosulfate dihydrate (CAS RN 5719-73-3)	Prodlouženo automaticky
499/3/1995	2931399028	N-(Phosphonomethyl)iminodiacetic acid (CAS RN 5994-61-6)	Prodlouženo automaticky
1212/2009, 1222/4/2003	2931399048	Tetrabutylphosphonium acetate in the form of an aqueous solution (CAS RN 30345-49-4)	Prodlouženo automaticky
1316/2008	2931900015	Methylcyclopentadienyl manganese tricarbonyl (CAS RN 12108-13-3) containing not more than 4,9 % by weight of cyclopentadienyl manganese tricarbonyl	Prodlouženo automaticky
1107/2009	2931900018	Methyl tris (2-pentanoneoxime) silane (CAS RN 37859-55-5)	Nutná žádost
1200/2009, 1714/4/1997	2931900033	Dimethyl[dimethylsilyldiindenyl]hafnium (CAS RN 220492-55-7)	Prodlouženo automaticky
1195/2009, 1726/2/2001	2931900035	N,N-Dimethylanilinium tetrakis(pentafluorophenyl)borate (CAS RN 118612-00-3)	Prodlouženo automaticky
234008/2009	2931900053	Trimethylborane (CAS RN 593-90-8)	Nutná žádost
1118/2009,	2932140010	1,6-Dichloro-1,6-dideoxy-β-D-fructofuranosyl-4-chloro-4 deoxy-α-D-galactopyranoside (CAS RN 56038-13-2)	Prodlouženo automaticky
600/3/1987,	2932190040	Furan (CAS RN 110-00-9) of a purity by weight of 99 % or more	Prodlouženo automaticky
1317/2008,	2932190041	2,2 Di(tetrahydrofuryl)propane (CAS RN 89686-69-1)	Prodlouženo automaticky
1913/3/2003,	2932190070	Furfurylamine (CAS RN 617-89-0)	Prodlouženo automaticky

555514/2014	2932990043	Ethofumesate (ISO) (CAS RN 26225-79-6) with a purity by weight of 97 % or more	Prodlouženo automaticky
310701/2013	2932990045	2-Butylbenzofuran (CAS RN 4265-27-4)	Prodlouženo automaticky
451511/2013	2932990055	6-Fluoro-3,4-dihydro-2H-1-benzopyran-2-carboxylic acid (CAS RN 99199-60-7)	Konec platnosti
662206/2014	2933199015	Pyrasulfotole (ISO) (CAS RN 365400-11-9) with a purity by weight of 96 % or more	Prodlouženo automaticky
662163/2014	2933199025	3-Difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid (CAS RN 176969-34-9)	Prodlouženo automaticky
849/05,	2933199050	Fenpyroximate (ISO) (CAS RN 134098-61-6)	Prodlouženo automaticky
1187/2008,	2933199060	Pyraflufen-ethyl (ISO) (CAS RN 129630-19-9)	Prodlouženo automaticky
782/5/1994,	2933299040	Triflumizole (ISO) (CAS RN 68694-11-1)	Nutná žádost
662243/2014	2933299055	Fenamidone (ISO) (CAS RN 161326-34-7) with a purity by weight of 97 % or more	Prodlouženo automaticky
826722/2014	2933395000	Fluroxypyr (ISO) methyl ester (CAS RN 69184-17-4)	Prodlouženo automaticky
2976705/2014	2933399911	2-(Chloromethyl)-4-(3-methoxypropoxy)-3-methylpyridine hydrochloride(CAS RN 153259-31-5)	Prodlouženo automaticky
3081637/2014	2933399921	Boscalid (ISO) (CAS RN 188425-85-6)	Prodlouženo automaticky
479085/2014	2933399922	Isonicotinic acid (CAS RN 55-22-1)	Nutná žádost
1131/2009,	2933399924	2-Chloromethyl-4-methoxy-3,5-dimethylpyridine hydrochloride (CAS RN 86604-75-3)	Prodlouženo automaticky
846911/2014	2933399928	Ethyl-3-[(3-amino-4-methylamino-benzoyl)-pyridin-2-yl-amino]-propionate (CAS RN 212322-56-0)	Prodlouženo automaticky
2976509/2014	2933399931	2-(Chloromethyl)-3-methyl-4-(2,2,2-trifluoroethoxy)pyridine hydrochloride(CAS RN 127337-60-4)	Prodlouženo automaticky
662678/2014	2933399934	3-Chloro-(5-trifluoromethyl)-2-pyridineacetonitrile (CAS RN 157764-10-8)	Nutná žádost

228849/2009,	2933399945	5-Difluoromethoxy-2-[[[(3,4-dimethoxy-2-pyridyl)methyl]thio]-1 H -benzimidazole (CAS RN 102625-64-9)	Nutná žádost
251872/2009,	2933399948	Flonicamid (ISO) (CAS RN 158062-67-0)	Prodlouženo automaticky
451330/2013	2933399953	3-Bromopyridine (CAS RN 626-55-1)	Konec platnosti
1170/2009,	2933399955	Pyriproxyfen (ISO) (CAS RN 95737-68-1) of a purity by weight of 97 % or more	Prodlouženo automaticky
816287/2014	2933491040	4,7-Dichloroquinoline (CAS RN 86-98-6)	Prodlouženo automaticky
2989112/2014	2933599510	6-Amino-1,3-dimethyluracil (CAS RN 6642-31-5)	Prodlouženo automaticky
288792/2013	2933599517	N,N'-(4,6-Dichloropyrimidine-2,5-diyl)diformamide (CAS RN 116477-30-6)	Konec platnosti
499563/2013	2933599523	6-Chloro-3-methyluracil (CAS RN 4318-56-3)	Konec platnosti
555433/2014	2933599533	4,6-Dichloro-5-fluoropyrimidine (CAS RN 213265-83-9)	Prodlouženo automaticky
826911/2014	2933599537	6-Iodo-3-propyl-2-thioxo-2,3-dihydroquinazolin-4(1H)-one (CAS RN 200938-58-5)	Prodlouženo automaticky
775970/2014	2933599543	2-(4-(2-Hydroxyethyl)piperazin-1-yl)ethanesulfonic acid (CAS RN 7365-45-9)	Nutná žádost
229018/2009,	2933599545	1-[3-(Hydroxymethyl)pyridin-2-yl]-4-methyl-2-phenylpiperazine (CAS RN 61337-89-1)	Prodlouženo automaticky
226320/2009,	2933599550	2-(2-Piperazin-1-ylethoxy)ethanol (CAS RN 13349-82-1)	Prodlouženo automaticky
234087/2009,	2933599565	1-Chloromethyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate) (CAS RN 140681-55-6)	Prodlouženo automaticky
229133/2009,	2933599575	(2R,3S/2S,3R)-3-(6-Chloro-5-fluoro pyrimidin-4-yl)-2-(2,4-difluorophenyl)-1-(1 H -1,2,4-triazol-1-yl)butan-2-ol hydrochloride, (CAS RN 188416-20-8)	Nutná žádost
2995411/2014	2933698075	Metamitron (ISO) (CAS RN 41394-05-2)	Prodlouženo automaticky
225053/2009,	2933790060	3,3-Pentamethylene-4-butyrolactam (CAS RN 64744-50-9)	Nutná žádost

3058258/2014	2933998011	Fenbuconazole (ISO) (CAS RN 114369-43-6)	Prodlouženo automaticky
3058289/2014	2933998012	Myclobutanil (ISO) (CAS RN 88671-89-0)	Prodlouženo automaticky
3058420/2014	2933998019	2-(2,4-Dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl)propan-1-ol (CAS RN 112281-82-0)	Prodlouženo automaticky
555531/2014	2933998023	Tebuconazole (ISO) (CAS RN 107534-96-3) with a purity by weight of 95 % or more	Prodlouženo automaticky
826489/2014	2933998027	5,6-Dimethylbenzimidazole (CAS RN 582-60-5)	Prodlouženo automaticky
726432/2014	2933998033	Penconazole (ISO) (CAS RN 66246-88-6)	Prodlouženo automaticky
224663/2009,	2933998037	8-Chloro-5,10-dihydro-11 H -dibenzo [b , e] [1,4]diazepin-11-one (CAS RN 50892-62-1)	Prodlouženo automaticky
1108/2009,	2933998055	Pyridaben (ISO) (CAS RN 96489-71-3)	Prodlouženo automaticky
1106/2008	2933998074	Imidazo[1,2-b] pyridazine-hydrochloride (CAS RN 18087-70-2)	Nutná žádost
662282/2014	2934100045	2-Cyanimino-1,3-thiazolidine (CAS RN 26364-65-8)	Prodlouženo automaticky
252120/2009,	2934100060	Fosthiazate (ISO) (CAS RN 98886-44-3)	Prodlouženo automaticky
1110/2008	2934208050	S-(1,3-Benzothiazol-2-yl)-(Z)-2-(2-aminothiazol-4-yl)-2-(acetyloxyimino)thioacetate, (CAS RN 104797-47-9)	Konec platnosti
3015739/2014	2934999010	Fluralaner (INN) (CAS RN 864731-61-3)	Prodlouženo automaticky
2995375/2014	2934999016	Difenoconazole (ISO) (CAS RN 119446-68-3)	Prodlouženo automaticky
2976563/2014	2934999019	2-[4-(Dibenzo[b,f][1,4]thiazepin-11-yl)piperazin-1-yl] ethanol (CAS RN 329216-67-3)	Nutná žádost
245841/2009,	2934999020	Thiophene (CAS RN 110-02-1)	Prodlouženo automaticky
555451/2014	2934999024	Flufenacet (ISO) (CAS RN 142459-58-3) with a purity by weight of 95 % or more	Prodlouženo automaticky

753764/2014	2934999026	4-Methylmorpholine 4-oxide in an aqueous solution (CAS RN 7529-22-8)	Prodlouženo automaticky
846283/2014	2934999027	2-(4-Hydroxyphenyl)-1-benzothiophene-6-ol (CAS RN 63676-22-2)	Prodlouženo automaticky
228039/2009,	2934999030	Dibenzo[b,f][1,4]thiazepin-11(10H)-one (CAS RN 3159-07-7)	Prodlouženo automaticky
3939820/2015	2934999042	1-(Morpholin-4-yl)prop-2-en-1-one (CAS RN 5117-12-4)	Prodlouženo automaticky
1167/2009,	2934999083	Flumioxazin (ISO) (CAS RN 103361-09-7) of a purity by weight of 96 % or more	Prodlouženo automaticky
1169/2009,	2934999084	Etoxazole (ISO) (CAS RN 153233-91-1) of a purity by weight of 94,8 % or more	Prodlouženo automaticky
3011304/2014	2935909010	Florasulam (ISO) (CAS RN 145701-23-1)	Prodlouženo automaticky
846985/2014	2935909043	Oryzalin (ISO) (CAS RN 19044-88-3)	Prodlouženo automaticky
555473/2014	2935909047	Halosulfuron-methyl (ISO) (CAS RN 100784-20-1) with a purity by weight of 98 % or more	Prodlouženo automaticky
1154/2009,	2935909053	2,4-Dichloro-5-sulphamoylbenzoic acid (CAS RN 2736-23-4)	Prodlouženo automaticky
1109/2009,	2935909063	Nicosulphuron (ISO), (CAS RN 111991-09-4) of a purity by weight of 91 % or more	Prodlouženo automaticky
228419/2009,	2935909077	[[4-[2-[[[3-Ethyl-2,5-dihydro-4-methyl-2-oxo-1 H -pyrrol-1-yl]carbonyl]amino]ethyl]phenyl]sulfonyl]-carbamic acid ethyl ester, (CAS RN 318515-70-7)	Nutná žádost
1277/3/2002	2935909085	N-[4-(Isopropylaminoacetyl)phenyl]methanesulphonamide hydrochloride	Prodlouženo automaticky
647055/2014	3204110025	N-(2-Chloroethyl)-4-[(2,6-dichloro-4-nitrophenyl)azo]-N-ethyl-m-toluidine (CAS RN 63741-10-6)	Prodlouženo automaticky
3102941/2014	3204120060	Colourant C.I. Acid Red 52 (CAS RN 3520-42-1) and preparations based thereon with a colourant C.I. Acid Red 52 content of 97 % or more by weight	Prodlouženo automaticky
2995311/2014	3204130050	Colourant C.I Basic Violet 11 (CAS RN 2390-63-8) and preparations based thereon with a colourant C.I Basic Violet 11 content of 90 % or more by weight	Prodlouženo automaticky

2995344/2014	3204130060	Colourant C.I. Basic Red 1:1 (CAS RN 3068-39-1) and preparations based thereon with a colourant C.I. Basic Red 1:1 content of 90 % or more by weight	Prodlouženo automaticky
3058487/2014	3204140010	Colourant C.I. Direct Black 80 (CAS RN 8003-69-8) and preparations based thereon with a colourant C.I. Direct Black 80 content of 90 % or more by weight	Prodlouženo automaticky
3058516/2014	3204140020	Colourant C.I. Direct Blue 80 (CAS RN 12222-00-3) and preparations based thereon with a colourant C.I. Direct Blue 80 content of 90 % or more by weight	Prodlouženo automaticky
3058541/2014	3204140030	C.I. Colourant Direct Red 23 (CAS RN 3441-14-3) and preparations based thereon with a colourant C.I. Direct Red 23 content of 90 % or more by weight	Prodlouženo automaticky
779822/2014	3204160030	Preparations based on Colourant Reactive Black 5 (CAS RN 17095-24-8) with a content thereof of 60 % or more but not more than 75 % by weight, and including one or more of the following: Colourant Reactive Yellow 201 (CAS RN 27624-67-5), 1-Naphthalenesulphonicacid,4-amino-3-[[4-[[2-(sulphooxy)ethyl]sulphonyl]phenyl]azo]-, disodium salt (CAS RN 250688-43-8), or 3,5-diamino-4-[[4-[[2-(sulphooxy)ethyl]sulphonyl]fenyl]azo]-2-[[2-sulfo-4-[[2-(sulphooxy)ethyl]sulfonyl]phenyl]azobenzoic acid sodium salt (CAS RN 906532-68-1)	Prodlouženo automaticky
775705/2014	3204170017	Colourant C.I. Pigment Red 12 (CAS RN 6410-32-8) and preparations based thereon with a colourant C.I. Pigment Red 12 content of 35 % or more by weight	Nutná žádost
647137/2014	3204170021	Colourant C.I. Pigment Blue 15:4 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:4 content of 35 % or more by weight	Prodlouženo automaticky
555732/2014	3204170023	Colourant C.I. Pigment Brown 41 (CAS RN 211502-16-8 or CAS RN 68516-75-6)	Prodlouženo automaticky
1149/2009,	3204170040	Colourant C.I. Pigment Yellow 120 (CAS RN 29920-31-8) and preparations based thereon with a colourant C.I. Pigment Yellow 120 content of 50 % or more by weight	Prodlouženo automaticky
555752/2014	3204190012	Colourant C.I. Solvent Violet 49 (CAS RN 205057-15-4)	Nutná žádost

826344/2014	3204190014	Red colourant preparation, in a form of wet paste, containing by weight: 35 % or more but not more than 40 % of 1-[[4-(phenylazo)phenyl]azo]naphthalen-2-ol methyl derivatives (CAS RN 70879-65-1) not more than 3 % of 1-(phenylazo)naphthalen-2-ol (CAS RN 842-07-9) not more than 3 % of 1-[[2-methylphenyl]azo]naphthalen-2-ol (CAS RN 2646-17-5) 55 % or more but not more than 65 % of water	Prodlouženo automaticky
1186/2009,	3204190021	Photochromic dye, 4-(3-(4-butoxyphenyl)-6-methoxy-3-(4-methoxyphenyl)-13,13-dimethyl-11-(trifluoromethyl)-3,13-dihydrobenzo[h]indeno[2,1- f]chromen-7-yl)morpholine (CAS RN 1021540-64-6)	Nutná žádost
3202/1/2000	3204190070	Colourant C.I. Solvent Red 49:2 (CAS RN 1103-39-5) and preparations based thereon with a colourant C.I. Solvent Red 49:2 content of 90 % or more by weight	Konec platnosti
2995266/2014	3204900010	Colourant C.I Solvent Yellow 172 (also known as C.I. Solvent Yellow 135) (CAS RN 68427-35-0) and preparations based thereon with a colourant C.I Solvent Yellow 172 (also known as C.I. Solvent Yellow 135) content of 90 % or more by weight	Prodlouženo automaticky
555585/2014	3206497020	Colourant C.I. Pigment Blue 27 (CAS RN 14038-43-8)	Prodlouženo automaticky
542134/2014	3207300020	Printing paste containing 30 % by weight or more, but not more than 50 % of silver and 8 % by weight or more, but not more than 17 % of palladium	Prodlouženo automaticky
450754/2013	3208901965	Silicones containing 50 % by weight or more of xylene and not more than 25 % by weight of silica, of a kind used for the manufacture of long term surgical implants	Prodlouženo automaticky
706741/2014	3402901010	Surface-active mixture of methyltri-C8-C10-alkylammonium chlorides	Prodlouženo automaticky
1210/2009,	3402901070	Surface-active preparation, containing ethoxylated 2,4,7,9-tetramethyl-5-decyne-4,7-diol (CAS RN 9014-85-1)	Prodlouženo automaticky
1089/2007,	3506911040, 3506919040 (od července 2019 bude v platnosti již jen 3506911040)	Acrylic pressure sensitive adhesive with a thickness of 0,076 mm or more but not more than 0,127 mm, put up in rolls of a width of 45,7 cm or more but not more than 132 cm supplied on a release liner with an initial peel adhesion release value of not less than 15 N/25 mm (measured according to ASTM D3330)	Prodlouženo automaticky
726327/2014	3507909010	Preparation of <i>Achromobacter lyticus</i> protease (CAS RN 123175-82-6) for use in the manufacture of human and analogue insulin products	Prodlouženo automaticky

1171/2009,	3707100045	Photosensitive emulsion consisting of cyclized polyisoprene containing: 55 % or more but not more than 75 % by weight of xylene and 12 % or more but not more than 18 % by weight of ethylbenzene	Prodlouženo automaticky
1172/2009,	3707100050	Photosensitive emulsion containing by weight: 20 % or more but not more than 45 % of copolymers of acrylates and/or methacrylates and hydroxystyrene derivatives, 25 % or more but not more than 50 % of organic solvent containing at least ethyl lactate and/or propylene glycolmethylether acetate, 5 % or more but not more than 30 % of acrylates, not more than 12 % of a photoinitiator	Prodlouženo automaticky
1173/2009, 1704/10/2002,	3808919030	Preparation containing endospores or spores and protein crystals derived from either: Bacillus thuringiensis Berliner subsp. aizawai and kurstaki or, Bacillus thuringiensis subsp. kurstaki or, Bacillus thuringiensis subsp. israelensis or, Bacillus thuringiensis subsp. aizawai or, Bacillus thuringiensis subsp. tenebrionis	Prodlouženo automaticky
239432/2009,	3808929050	Preparations based on copper pyrethrin (CAS RN 14915-37-8)	Prodlouženo automaticky
252215/2009,	3808932310	Herbicide containing flazasulfuron (ISO) as an active ingredient	Prodlouženo automaticky
252690/2009,	3808939010	Preparation, in the form of granules, containing by weight: 38,8 % or more but not more than 41,2 % of Gibberellin A3, or 9,5 % or more but not more than 10,5 % of Gibberellin A4 and A7	Prodlouženo automaticky
3103206/2014	3808942030	Bromochloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 32718-18-6) containing: 1,3-Dichloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 118-52-5), 1,3-Dibromo-5,5-dimethylimidazolidine-2,4-dione (CAS RN 77-48-5), 1-Bromo,3-chloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 16079-88-2), and 1-Chloro,3-bromo-5,5-dimethylimidazolidine-2,4-dione (CAS RN 126-06-7)	Prodlouženo automaticky
1208/2009,	3809920020	Defoamer, consisting of a mixture of oxydipropanol and 2,5,8,11-tetramethyldodec-6-yn-5,8-diol	Nutná žádost
1321/2008,	3811190010	Solution of more than 61 % but not more than 63 % by weight of methylcyclopentadienyl manganese tricarbonyl in an aromatic hydrocarbon solvent, containing by weight not more than: 4,9 % of 1,2,4-trimethyl-benzene, 4,9 % of naphthalene, and 0,5 % of 1,3,5-trimethyl-benzene	Prodlouženo automaticky

452839/2013	3811210013	Additives containing : borated magnesium (C16-C24) alkylbenzene sulphonates and mineral oils, having a total base number (TBN) of more than 250, but not more than 350, for use in the manufacture of lubricating oils	Konec platnosti
827236/2014	3811210019	Additives containing: a polyisobutylene succinimide based mixture, and more than 30 % but not more than 50 % by weight of mineral oils, having a total base number of more than 40, for use in the manufacture of lubricating oils	Nutná žádost
451692/2013	3811210025	Additives containing: a (C8-18) alkyl polymethacrylate copolymer with N-[3-(dimethylamino)propyl]methacrylamide, of an average molecular weight (Mw) of more than 10,000 but not more than 20,000, and more than 15 %, but not more than 30 % by weight of mineral oils, for use in the manufacture of lubricating oils	Konec platnosti
454048/2013	3811210027	Additives containing: 20 % or more by weight of an ethylene-propylene copolymer chemically modified by succinic anhydride groups reacted with 4-(4-nitrophenylazo)aniline and 3-nitroaniline, and mineral oils, for use in the manufacture of lubricating oils	Konec platnosti
452045/2013	3811210033	Additives containing: calcium salts of heptylphenol reaction products with formaldehyde (CAS RN 84605-23-2), and mineral oils, having a total base number (TBN) of more than 40 but not more than 100, for use in the manufacture of lubricating oils or overbased detergents for use in lubricating oils	Konec platnosti
452759/2013	3811210037	Additives containing: a styrene-maleic anhydride copolymer esterified with C4-C20 alcohols, modified by aminopropylmorpholine, and more than 50 % but not more than 75 % by weight of mineral oils, for use in the manufacture of lubricating oils	Konec platnosti
827339/2014	3811210048	Additives containing overbased magnesium (C20-C24) alkylbenzenesulphonates (CAS RN 231297-75-9) and by weight more than 25 % but not more than 50 % of mineral oils, having a total base number of more than 350, but not more than 450, for use in the manufacture of lubricating oils	Konec platnosti

827389/2014	3811210053	Additives containing: overbased calcium petroleum sulphonates (CAS 68783-96-0) with a sulphonate content by weight of 15 % or more, but not more than 30 % and by weight more than 40 % but not more than 60 % of mineral oils, having a total base number of 280 or more but not more than 420, for use in the manufacture of lubricating oils	Nutná žádost
827320/2014	3811210055	Additives containing: low base number calcium polypropylbenzenesulphonate (CAS RN 75975-85-8) and by weight more than 40 % but not more than 60 % of mineral oils, having a total base number of more than 10 but not more than 25, for use in the manufacture of lubricating oils	Nutná žádost
827253/2014	3811210063	Additives containing: an overbased mixture of calcium petroleum sulphonates (CAS RN 61789-86-4) and synthetic calcium alkylbenzenesulphonates (CAS RN 68584-23-6 and CAS RN 70024-69-0) with a total sulphonate content by weight of 15 % or more, but not more than 25 % and by weight more than 40 % but not more than 60 % of mineral oils, having a total base number of 280 or more but not more than 320, for use in the manufacture of lubricating oils	Nutná žádost
827211/2014	3811210065	Additives containing: a polyisobutylene succinimide based mixture (CAS RN 160610-76-4), and more than 35 % but not more than 50 % by weight of mineral oils, having a sulphur content of more than 0,7 % but not more than 1,3 % by weight, having a total base number of more than 8, for use in the manufacture of lubricating oils	Nutná žádost
3028676/2014	3811210083	Additives containing: polyisobutene succinimide derived from reaction of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), containing more than 31,9 % but not more than 43,3 % by weight of mineral oils, not more than 0,05 % by weight chlorine, and having a total base number (TBN) greater than 20, for use in the manufacture of additives blends for lubricating oils	Prodlouženo automaticky
827402/2014	3811290015	Additives containing: products from the reaction of branched heptyl phenol with formaldehyde, carbon disulphide and hydrazine (CAS RN 93925-00-9) and more than 15 % but not more than 28 % by weight of light aromatic petroleum naphtha solvent, for use in the manufacture of lubricating oils	Prodlouženo automaticky

827274/2014	3811290025	Additives containing at least salts of primary amines and mono- and di-alkylphosphoric acids, for use in the manufacture of lubricating oils	Prodlouženo automaticky
827293/2014	3811290035	Additives consisting of an imidazoline based mixture (CAS RN 68784-17-8), for use in the manufacture of lubricating oils	Prodlouženo automaticky
827355/2014	3811290045	Additives consisting of a mixture of (C7-C9) dialkyl adipates, in which diisooctyl adipate (CAS RN 1330-86-5) is more than 85 % by weight of the mixture, for use in the manufacture of lubricating oils	Nutná žádost
452903/2013	3811290070	Additives consisting of dialkylphosphites (in which the alkyl groups contain more than 80 % by weight of oleyl, palmityl and stearyl groups), for use in the manufacture of lubricating oils	Prodlouženo automaticky
452962/2013	3811290080	Additives containing : more than 70 % by weight of 2,5-bis(tert -nonyldithio)-[1,3,4]-thiadiazole (CAS RN 89347-09-1), and more than 15 % by weight of 5-(tert -nonyldithio)- 1,3,4-thiadiazole-2(3H)-thione (CAS RN 97503-12-3), for use in the manufacture of lubricating oils	Prodlouženo automaticky
454951/2013	3811290085	Additives consisting of a mixture of 3-((C9-11)-isoalkyloxy)tetrahydrothiophene 1,1-dioxide, C10-rich (CAS RN 398141-87-2), for use in the manufacture of lubricating oils	Prodlouženo automaticky
3103258/2014	3812391010	4,4'-Isopropylidenediphenol C12-15 alcohol phosphite containing by weight 1 % or more but not more than 3 % of bisphenol A (CAS RN 96152-48-6)	Nutná žádost
1313/3/1994,	3812399030	Compound stabilisers containing by weight 15 % or more but not more than 40 % of sodium perchlorate and not more than 70 % of 2-(2-methoxyethoxy)ethanol	Prodlouženo automaticky
424/6/1994,	3815909070	Catalyst, consisting of a mixture of (2-hydroxypropyl)trimethylammonium formate and dipropylene glycols	Nutná žádost
230452/2009,	3824999232	Mixture of divinylbenzene-isomers and ethylvinylbenzene-isomers, containing by weight 56 % or more but not more than 85 % of divinylbenzene (CAS RN 1321-74-0)	Prodlouženo automaticky
1228/2008,	3824999256	Poly(tetramethylene glycol) bis[(2-benzoyl-phenoxy)acetate] with an average polymer chain length of less than 5 monomer units	Prodlouženo automaticky
1222/2008,	3824999257	Poly(ethylene glycol) bis(p- dimethyl)aminobenzoate with an average polymer chain length of less than 5 monomer units	Prodlouženo automaticky
1512/1/1998, 230833/2009,	3824999265	Mixture of primary tert -alkylamines	Prodlouženo automaticky

1200/2008	3824999270	Mixture of 80 % (\pm 10 %) of 1-[2-(2-aminobutoxy)ethoxy]but-2-ylamine and 20 % (\pm 10 %) of 1-([2-(2-aminobutoxy)ethoxy)methyl] propoxy)but-2-ylamine	Prodlouženo automaticky
3081618/2014	3824999282	T-butylchloride dimethylsilane (CAS RN 18162-48-6) solution in toluene	Prodlouženo automaticky
366234/2013	3824999330	Powder Mixture containing by weight: 85 % or more of zinc diacrylate (CAS RN 14643-87-9), not more than 5 % of 2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (CAS RN 88-27-7), and not more than 10 % of zinc stearate (CAS RN 557-05-1)	Prodlouženo automaticky
249003/2009,	3824999335	Paraffin with a level of chlorination of 70 % or more	Prodlouženo automaticky
1220/6/2003, 234334/2009,	3824999370	Oligomeric reaction product, consisting of bis(4-hydroxyphenyl) sulfone and 1,1'-oxybis(2-chloroethane)	Prodlouženo automaticky
1927/6/2003,	3824999375	Mixture of phytosterols, in the form of flakes and balls, containing by weight 80 % or more of sterols and not more than 4 % of stanols	Prodlouženo automaticky
1115/2009, 1277/6/1983	3824999380, 3824999667	Film containing oxides of barium or calcium combined with either oxides of titanium or zirconium, in an acrylic binding material	Nutná žádost
1259/2008,	3824999637	Structured silica alumina phosphate	Prodlouženo automaticky
1704/13/2002,	3824999673	Reaction product, containing by weight: 1 % or more but not more than 40 % of molybdenum oxide, 10 % or more but not more than 50 % of nickel oxide, 30 % or more but not more than 70 % of tungsten oxide	Prodlouženo automaticky
1206/2009,	3824999677	Preparation, consisting of 2,4,7,9-tetramethyldec-5-yne-4,7-diol and silicon dioxide	Nutná žádost
3045217/2013	3901101020, 3901400010	High flow linear low density polyethylene-1-butene / LLDPE (CAS RN 25087-34-7) in form of powder, with a melt flow rate (MFR 190 °C/2,16 kg) of 16g/10min or more, but not more than 24 g/10 min and a density (ASTM D 1505) of 0,922 g/cm ³ or more, but not more than 0,926 g/cm ³ and a vicat softening temperature of min. 94 °C	Prodlouženo automaticky

1119/2009,	3902100040	Polypropylene, containing no plasticiser: of a tensile strength: of 32-60 MPa (as determined by the ASTM D638 method); of a flexural strength of 50-90 MPa (as determined by the ASTM D790 method); of a Melt Flow Rate (MFR) at 230 °C/ 2,16 kg of 5-15 g/10 min (as determined by the ASTM D1238 method); with 40 % or more but not more than 80 % by weight of polypropylene, with 10 % or more but not more than 30 % by weight of glass fibre, with 10 % or more but not more than 30 % by weight of mica	Prodlouženo automaticky
256588/2009,	3902909060	Non-hydrogenated 100 % aliphatic resin (polymer), with the following characteristics: liquid at room temperature obtained by cationic polymerisation of C-5 alkenes monomers with a number average molecular weight (Mn) of 370 (± 50) with a weight average molecular weight (Mw) of 500 (± 100)	Prodlouženo automaticky
3058310/2014	3903909045	Preparation, in form of powder, containing by weight: 86 % or more but not more than 90 % of styrene-acrylic-copolymer and 9 % or more but not more than 11 % of fatty acid ethoxylate (CAS RN 9004-81-3)	Prodlouženo automaticky
3058403/2014	3903909055	Preparation, in form of an aqueous suspension, containing by weight: 25 % or more but not more than 26 % of styrene-acrylic-copolymer and 5 % or more but not more than 6 % of glycol	Nutná žádost
1152/2009,	3904509092	Vinylidene-chloride methacrylate co-polymer for use in the manufacture of monofilaments	Nutná žádost
4.9.3114	3904698097	Copolymer of chlorotrifluoroethylene and vinylidene difluoride	Prodlouženo automaticky
1202/2009,	3906909041	Poly(alkyl acrylate) with an ester alkyl chain of C10 to C30	Prodlouženo automaticky
827059/2014	3906909073	Preparation containing by weight: 33 % or more but not more than 37 % of butyl methacrylate - methacrylic acid copolymer, 24 % or more but not more than 28 % of propylene glycol, and 37 % or more but not more than 41 % of water	Prodlouženo automaticky
824715/2014	3907202050, 3907209975	Poly(p -phenylene oxide) in the form of powder with a glasstransitiontemperature of 210 °C, with a weight average molecular weight (Mw) of 35 000 or more but not more than 80 000, with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram	Prodlouženo automaticky

826600/2014	3907209970	α -[3-(3-Maleimido-1-oxopropyl)amino]propyl- ω -methoxy, polyoxyethylene (CAS RN 883993-35-9)	Nutná žádost
824755/2014	3907400070	Polycarbonate of phosgene and bisphenol A: containing by weight 12 % or more but not more than 26 % of a copolymer of isophthaloyl chloride, terephthaloyl chloride and resorcinol, with p-cumylphenol endcaps, and with a weight average molecular weight (Mw) of 29 900 or more but not more than 31 900	Prodlouženo automaticky
837879/2014	3907400080	Polycarbonate of carbonic dichloride, 4,4'-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4'-(1-methylethylidene)bis[phenol] with 4-(1-methyl-1-phenylethyl)phenol endcaps	Prodlouženo automaticky
234441/2009, 448/6/1989,	3907919010	Diallyl phthalate prepolymer, in powder form	Prodlouženo automaticky
824847/2014	3907998040	Polycarbonate of phosgene, bisphenol A, resorcinol, isophthaloyl chloride, terephthaloyl chloride and polysiloxane, with p-cumylphenol endcaps, and a weight average molecular weight (Mw) of 24 100 or more but not more than 25 900	Nutná žádost
242406/2009,	3907998070	Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10 % by weight of cyclohexane dimethanol	Prodlouženo automaticky
3103795/2014	3908900070	Copolymer containing: 1,3-benzenedimethanamine (CAS RN 1477-55-0) and adipic acid (CAS RN 124-04-9) whether or not containing isophthalic acid (CAS RN 121-91-5)	Nutná žádost
1133/2009,	3909509010	UV curable water soluble liquid photopolymer consisting of a mixture by weight of 60 % or more of two-functional acrylated polyurethane oligomers and 30 % (\pm 8 %) of mono-functional and tri-functional (metha) acrylates, and 10 % (\pm 3 %) of hydroxyl functionalized mono-functional (metha) acrylates	Prodlouženo automaticky
827010/2014	3909509020	Preparation containing by weight: 14 % or more but not more than 18 % of ethoxylated polyurethane modified with hydrophobic groups, 3 % or more but not more than 5 % of enzymatically modified starch, and 77 % or more but not more than 83 % of water	Prodlouženo automaticky
826932/2014	3909509030	Preparation containing by weight: 16 % or more but not more than 20 % of ethoxylated polyurethane modified with hydrophobic groups, 19 % or more but not more than 23 % of diethylene glycol butyl ether, and 60 % or more but not more than 64 % of water	Prodlouženo automaticky

827026/2014	3909509040	Preparation containing by weight: 34 % or more but not more than 36 % of ethoxylated polyurethane modified with hydrophobic groups, 37 % or more but not more than 39 % of propylene glycol, and 26 % or more but not more than 28 % of water	Prodlouženo automaticky
248208/2009, 248670/2009,	3910000060	Polydimethylsiloxane, whether or not polyethylene glycol and trifluoropropyl substituted, with methacrylate end groups	Prodlouženo automaticky
779792/2014	3910000080	Monomethacryloxypropylterminated poly(dimethylsiloxane)	Prodlouženo automaticky
826983/2014	3911901950	Polycarboxylate sodium salt of 2,5-furandione and 2,4,4-trimethylpentene in powder form	Prodlouženo automaticky
3103772/2014	3911901960	Formaldehyde, polymer with 1,3-dimethylbenzene and tert-butyl-phenol (CAS RN 60806-48-6)	Nutná žádost
3103685/2014	3911901970	Preparation, containing: Cyanic acid, C,C'-((1-methylethylidene)di-4,1-phenylene) ester, homopolymer (CAS RN 25722-66-1), 1,3-Bis(4-cyanophenyl)propane (CAS RN 1156-51-0), in a solution of butanone (CAS RN 78-93-3) with a content of less than 50 % by weight	Prodlouženo automaticky
245654/2009,	3916200091	Profiles of poly(vinyl chloride) of a kind used in the manufacture of sheet pilings and facings, containing the following additives: titanium dioxide poly(methyl methacrylate) calcium carbonate binding agents	Nutná žádost
1159/2009,	3917400091	Plastic connectors containing O-rings, a retainer clip and a release system for insertion into car fuel hoses	Prodlouženo automaticky
253220/2009, 253819/2009,	3919108027, 3919908020	Polyester film: coated on one side with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner, and on the other side not coated or coated with an acrylic pressure sensitive adhesive or with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner	Prodlouženo automaticky
253870/2009, 254166/2009,	3919108085, 3919908028	Poly(vinyl chloride), poly(ethyleneterephthalate), polyethylene or any other polyolefin film: coated on one side with an acrylic UV-sensitive adhesive and a liner of a total thickness of 65 µm or more without release liner	Prodlouženo automaticky

1089/2007,	3919908022	Polyester, polyethylene or polypropylene film coated on one or both sides with an acrylic and/or rubber pressure sensitive adhesive, whether or not supplied with a release liner, put up in rolls of a width of 45,7 cm or more but not more than 160 cm	Prodlouženo automaticky
254023/2009,	3919908024	Reflecting laminated sheet: consisting of an epoxy acrylate layer embossed on one side in a regular shaped pattern, covered on both sides with one or more layers of plastic material and covered on one side with an adhesive layer and a release sheet	Prodlouženo automaticky
1031/2007, Prologation	3919908027	Poly(ethylene terephthalate) film, with an adhesive strength of not more than 0,147 N/25 mm and an electrostatic discharge of not more than 500 V	Konec platnosti
1282/2008,	3919908054	Poly(vinyl chloride) film, on one side covered with a polymer layer an adhesive layer a release liner, on one side embossed, containing oblate spheres; whether or not on the other side covered with an adhesive layer and a metallised polymer layer	Prodlouženo automaticky
3103296/2014	3920102830	Printed embossed film of polymers of ethylene having a gravity of 0,94g/cm ³ or more of a thickness of 0,019mm ± 0,003mm with permanent graphics consisting of two different alternating designs whose individual length is 525 mm or more	Nutná žádost
1176/2009, 461/7/1999,	3920202970	Mono-axial oriented film, consisting of three layers, each layer consisting of a mixture of polypropylene and a copolymer of ethylene and vinyl acetate, with a core layer whether or not containing titanium dioxide, having: a thickness of 55 µm or more but not more than 97 µm, a tensile modulus in the machine direction of 0,30 GPa or more but not more than 1,45 GPa, and a tensile modulus in the transverse direction of 0,20 GPa or more but not more than 0,70 GPa	Prodlouženo automaticky
2996120/2014	3920690050	Monolayer, biaxially oriented film: composed of more than 85 % by weight of poly(lactic acid) and not more than 10,50 % by weight of modified poly(lactic acid) based polymer, poly-glycol ester and talc, having a thickness of 20 µm or more but not more than 120 µm biodegradable and compostable (as determined by the method EN 13432)	Prodlouženo automaticky

2996137/2014	3920690060	Monolayer, transverse oriented, shrink film: composed of more than 80 % by weight of poly(lactic acid) and not more than 15,75 % by weight of additives of modified poly(lactic acid), having a thickness of 45 µm or more but not more than 50 µm, biodegradable and compostable (as determined by the method EN 13432)	Nutná žádost
3103834/2014	3920791010	Sheets of painted vulcanised fibre-board with a thickness of not more than 1,5 mm	Prodlouženo automaticky
254790/2009,	3920910051	Poly(vinyl butyral) film containing by weight 25 % or more but not more than 28 % of tri-isobutyl phosphate as a plasticiser	Nutná žádost
255001/2009,	3920910052	Poly(vinyl butyral) film: containing by weight 26 % or more but not more than 30 % of triethyleneglycol bis(2-ethyl hexanoate) as a plasticiser, with a thickness of 0,73 mm or more but not more than 1,50 mm	Prodlouženo automaticky
2492/1/1997, 3114/13/04	3920910093	Film of poly(ethylene terephthalate), whether or not metallised on one or both sides, or laminated film of poly(ethylene terephthalate) films, metallised on the external sides only, and having the following characteristics: a visible light transmission of 50 % or more, coated on one or both sides with a layer of poly(vinyl butyral) but not coated with an adhesive or any other material except poly(vinyl butyral), a total thickness of not more than 0,2 mm without taking the presence of poly(vinyl butyral) into account and a thickness of poly(vinyl butyral) of more than 0,2 mm	Prodlouženo automaticky
343071/2013	3920992845	Transparent polyurethane film metallised on one side: with a gloss of more than 90 degrees according to ASTM D2457 covered on the metallised side with a heat bonding adhesive layer consisting of polyethylene/polypropylene copolymer covered on the other side with a protective poly(ethylene terephthalate) film with a total thickness of more than 204 µm but not more than 244 µm	Konec platnosti
3155531/2014	3920992865	Matt, thermoplastic polyurethane foil in rolls with: a width of 1640 mm (± 10 mm), a gloss of 3,3 degrees or more but not more than 3,8 (as determined by the method ASTM D2457), a surface roughness of 1,9 Ra or more but not more than 2,8 Ra (as determined by the method ISO 4287), a thickness of more than 365 µm but not more than 760 µm, a hardness of 90 (± 4) (as determined by the method: Shore A (ASTM D2240)), an elongation to break of 470 % (as determined by the method: EN ISO 527)	Prodlouženo automaticky

3155501/2014	3920992875	Thermoplastic polyurethane foil in rolls with: a width of more than 900 mm but not more than 1016 mm, a matt finish, a thickness of 0,43 mm (± 0.03 mm), an elongation to break of 420 % or more but not more than 520 %, a tensile strength of 55 N/mm ² (± 3) (as determined by the method EN ISO 527) a hardness of 90 (± 4) (as determined by the method: Shore A [ASTM D2240]), wrinkle inside (waves) of 6,35 mm, a flatness of 0,025 mm	Nutná žádost
891/6/2004	3921131010	Sheet of polyurethane foam, of a thickness of 3 mm (± 15 %) and of a specific gravity of 0,09435 or more but not more than 0,10092	Prodlouženo automaticky
218745/2009, 249738/2009,	7019400029, 3921905525, 7019400021	Prepreg sheets or rolls containing polyimide resin	Prodlouženo automaticky
3016670/2014	3921906030	Heat-, infra- and UV insulating poly(vinyl butyral) film: laminated with a metal layer with a thickness of 0,05 mm($\pm 0,01$ mm), containing by weight 29,75 % or more but not more than 40,25 % of triethyleneglycol di (2-ethyl hexanoate) as plasticiser, with a light transmission of 70 % or more (as determined by the ISO 9050 standard); with an UV transmission of 1 % or less (as determined by the ISO 9050 standard); with a total thickness of 0,43 mm ($\pm 0,043$ mm)	Nutná žádost
753915/2014	3926909733	Housings, housing parts, drums, setting wheels, frames, covers and other parts of acrylonitrile-butadiene-styrene or polycarbonate, of a kind used for the manufacture of remote controls	Prodlouženo automaticky
753865/2014	5503900030	Trilobal poly(thio-1,4-phenylene) fibres	Nutná žádost
1190/2009, 1683/4/1998,	5607509010	Unsterilised twine of poly(glycolic acid) or of poly(glycolic acid) and its copolymers with lactic acid, plaited or braided, with an inner core, for the manufacture of surgical sutures	Prodlouženo automaticky
1156/2009,	5911909940	Multi-layered non-woven polyester polishing pads, impregnated with polyurethane	Prodlouženo automaticky
2989137/2014	6804210020	Discs of synthetic diamonds which are agglomerated with a metal alloy, ceramic alloy or plastic alloy, having a self-sharpening effect by constant release of the diamonds, suitable for abrasive cutting of wafers, whether or not containing a hole in the centre, whether or not on a support with a weight of not more than 377 g per piece and with an external diameter of not more than 206 mm	Prodlouženo automaticky

1914/9/2003	6914900030	Ceramic microspheres, transparent, obtained from silicon dioxide and zirconium dioxide, of a diameter of more than 125 µm	Prodlouženo automaticky
706801/2014	7006009025	Glass wafer made of borosilicate float glass with a total thickness variation of 1 µm or less, and laser-engraved	Prodlouženo automaticky
847904/2014	7009100030	Layered glass with mechanical dimming ability by different angles of incident light comprising: whether or not a layer of chrome, a break-resistance adhesive tape or hot-melt adhesive, and a release film on the front side and protective paper at the back side, of a kind used for interior rear-view mirrors of vehicles	Prodlouženo automaticky
1349/2008, 316/5/1985,	7019191030	Yarn of E-glass of 22 tex ($\pm 1,6$ tex), obtained from continuous spun-glass filaments of a nominal diameter of 7 µm, in which filaments of a diameter of 6,35 µm or more but not more than 7,61 µm predominate	Prodlouženo automaticky
1220/8/2003,	7019191055	Glass cord impregnated with rubber or plastic, obtained from K- or U-glass filaments, made up of: 9 % or more but not more than 16 % of magnesium oxide, 19 % or more but not more than 25 % of aluminium oxide, 0 % or more but not more than 2 % of boron oxide, without calcium oxide, coated with a latex comprising at least a resorcinol- formaldehyde resin and chlorosulphonated polyethylene	Prodlouženo automaticky
1291/3/2002	7019900040, 7019191080	Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde resin and chlorosulphonated polyethylene	Konec platnosti
245759/2009,	7325991020	Anchor head of hot dipped galvanized ductile cast iron of the kind used in the production of earth anchors	Nutná žádost
826828/2014	7604291040	Bars and rods of aluminium alloys containing by weight : 0,25 % or more but not more than 7 % of zinc, and 1 % or more but not more than 3 % of magnesium, and 1 % or more but not more than 5 % of copper, and not more than 1 % of manganese consistent with the material specifications AMS QQ-A-225, of a kind used in aerospace industry (inter alia conforming NADCAP and AS9100) and obtained by rolling mill process	Prodlouženo automaticky

826873/2014	7605290010	Wire of aluminium alloys containing by weight: 0,10 % or more but not more than 5 % of copper, and 0,2 % or more but not more than 6 % of magnesium, and 0,10 % or more but not more than 7 % of zinc, and not more than 1 % of manganese consistent with the material specifications AMS QQ-A-430, of a kind used in aerospace industry (inter alia conforming NADCAP and AS9100) and obtained by rolling mill process	Nutná žádost
3155592/2014	7616991030, 8708999750, 8708991060	Aluminium engine bracket, with dimensions of: height of more than 10 mm but not more than 200 mm width of more than 10 mm but not more than 200 mm length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: internal porosity not more than 1 mm; outer porosity not more than 2 mm; Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	Prodlouženo automaticky
3103123/2014	7616999025	Metallised film: consisting of eight or more layers of aluminium (CAS RN 7429-90-5) of a purity of 99,8 % or more, with an optical density of each aluminium layer of not more than 3.0, with each aluminium layer separated by a resin layer, on a carrier film of PET, and on rolls of up to 50 000 metres in length	Prodlouženo automaticky
706785/2014	8103909010	Tantalum sputtering target with: a copper-chromium alloy backing plate, a diameter of 312 mm, and a thickness of 6,3 mm	Prodlouženo automaticky
1133/2007,	8108903010	Titanium alloy rods complying with standard EN 2002-1, EN 4267 or DIN 65040	Prodlouženo automaticky
3103397/2014	8108905080	Plates, sheets, strips and foil of non-alloyed titanium of a width of more than 750 mm of a thickness of not more than 3 mm	Prodlouženo automaticky
3028731/2014	8108905085	Strip or foil of non-alloyed titanium: containing more than 0,07 % by weight of oxygen (O ₂), of a thickness of 0,4 mm or more but not more than 2,5 mm conforming to the Vickers hardness HV1 standard of not more than 170 of a kind used in the manufacture of welded tubes for nuclear power plant condensers	Prodlouženo automaticky
826804/2014	8207191010	Inserts for drilling tools with working parts of agglomerated diamonds	Nutná žádost
914489/2014	8401400010	Stainless steel absorber control rods, filled with neutron absorbing chemical elements	Prodlouženo automaticky

1218/2009,	8708211010, 8708219010, 8405900010	Metal casing for automobile safety belt pre-tension gas generators	Nutná žádost
816860/2014	8413910030	Fuel pump cover: consisting of aluminium alloys, with a diameter of 38 mm or 50 mm, with two concentric, annular grooves formed on its surface, anodized, of a kind used in motor vehicles with petrol engines	Prodlouženo automaticky
216300/2009,	8414308150	Hermetic or semi-hermetic variable-speed electric scroll compressors, with a nominal power rating of 0,5 kW or more but not more than 10 kW, with a displacement volume of not more than 35 cm ³ , of the type used in refrigeration equipment	Prodlouženo automaticky
561/5/1998,	8414900020	Aluminium pistons, for incorporation into compressors of air conditioning machines of motor vehicles	Prodlouženo automaticky
215435/2009,	8418991050	Evaporator composed of aluminium fins and a copper coil of the kind used in refrigeration equipment	Nutná žádost
215006/2009,	8418991060	Condenser composed of two concentric copper tubes of the kind used in refrigeration equipment	Nutná žádost
527540/2014	8421210020	Water pre-treatment system comprising one or more of the following elements, whether or not incorporating modules for sterilization and sanitization of these elements: ultrafiltration system carbon filtration system water softener system for use in a biopharmaceutical laboratory	Prodlouženo automaticky
1140/2009,	8467990010, 8536500000	Mechanical switches for connecting electrical circuits, with: a voltage of 14,4 V or more but not more than 42 V, an amperage of 10 A or more but not more than 42 A, for use in the manufacture of machines falling within heading 8467	Nutná žádost
3007531/2013	8514108010, 8475290010	Glass Filament Melter with heater basket/bushing assembly: electrically heated, with opening with a multiplicity of tips (holes) of platinum/rhodium alloy used to melt glass batches and condition molten glass for drawing into continuous fibres	Konec platnosti
3076498/2014	8479899770	Machine to accurately align and attach lenses into a camera assembly in five axis alignment capability and fix them in position with a two part cure epoxy	Prodlouženo automaticky
1160/2009,	8481309191	Steel check (non-return) valves with: an opening pressure of not more than 800 kPa, an external diameter not more than 37 mm	Prodlouženo automaticky

848131/2014	8482109010, 8482500010, 8482101010	Ball and cylindrical bearings: with an outside diameter of 28 mm or more but not more than 140 mm, with an operational thermal stress of more than 150°C at a working pressure of not more than 14 MPa, for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants	Prodlouženo automaticky
3117/1/2004,	8501109982	DC motor, brushless, with an external diameter of not more than 29 mm, a rated speed of 1 500 (±15 %) rpm or 6 800 (±15 %) rpm, a supply voltage of 2 V or 8 V	Nutná žádost
229971/2009,	8501310037	Permanently excited DC motor with a multiple-phase winding, an external diameter of 30 mm or more but not more than 80 mm, a rated speed of not more than 15 000 rpm, an output of 45 W or more but not more than 300 W and a supply voltage of 9 V or more but not more than 50 V whether or not with a drive disc whether or not with a crankcase whether or not with a fan whether or not with a cap assembly whether or not with a sun gear whether or not with a speed and rotational direction encoder whether or not with or without a speed or rotational direction sensor of resolver type or Hall effect type	Nutná žádost
3104160/2014	8501330015, 8501320060	Traction motor, with: a torque output of 200 Nm or more but not more than 300 Nm a power output of 50 kW or more but not more than 100 kW a rated speed of not more than 12 500 rpm for use in the manufacture of electric vehicles	Prodlouženo automaticky
1221/2009	8503009934	Rotor for brushless motor of electrical power steering with a roundness tolerance of 50 μm	Prodlouženo automaticky
1220/2009,	8503009935	Transmitter resolver for brushless motors of electrical power steering	Nutná žádost
847833/2014	8503009960	Engine cover for electronic belt drive steering system of galvanized steel with a thickness of not more than 2,5 mm ($\pm 0,25$ mm)	Nutná žádost
816924/2014	8505110075	A quarter sleeve intended to become permanent magnet after magnetization, consisting of at least neodymium, iron and boron, with a width of 9,1 mm or more but not more than 10,5 mm, with a length of 20 mm or more but not more than 30,1 mm, of a kind used on rotors for the manufacture of fuel pumps	Prodlouženo automaticky
3155577/2014	8505902930	Coil for an electromagnetic valve, with: a plunger a diameter of 12,9 mm (+/- 0,1), a height without plunger of 20,5 mm (+/- 0,1), an electric cable with connector, and in a cylindrical metal housing	Nutná žádost

779517/2014	8511300030	Igniter integrated coil assembly with: an igniter, a coil on plug assembly with an integrated mounting bracket, a housing, a length of 90 mm or more but not more than 200 mm (± 5 mm), an operating temperature of -40 °C or more but not more than 130 °C, a voltage of 10,5 V or more, but not more than 16 V	Prodlouženo automaticky
3033860/2014	8512200020	Information screen displaying at least time, date and status of safety features in a vehicle with an operating voltage of 12 V or more, but not more than 14,4 V, of a kind used in the manufacturing of goods of Chapter 87	Prodlouženo automaticky
3033338/2014	8512200040	Fog lamp with a galvanised inner surface, containing: a plastic holder with three or more brackets, one or more 12 V bulbs, a connector, a plastic cover, whether or not with a connection cable for use in the manufacture of goods of Chapter 87	Prodlouženo automaticky
3033380/2014	8512309010	Horn assembly operating on piezomechanical principle for generating a specific sound signal, with a voltage of 12 V, comprising: coil, magnet, metal membrane, connector, holder of a kind used in the manufacture of goods of Chapter 87	Prodlouženo automaticky
3103499/2014	8516608010, 8514208010, 8516500010	Cavity assembly comprising at least: a transformer with an input of not more than 240 V and an output of not more than 3 000 W an AC or DC fan motor with an output of not more than 42 watts a housing made of stainless steel with or without a magnetron of a microwave output power of not more than 900 W for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080	Prodlouženo automaticky
215493/2009,	8516900060	Ventilation sub-assembly of an electric deep-fat fryer: fitted with a motor having a power rating of 8 W at 4 600 rpm, governed by an electronic circuit, operating at ambient temperatures above 110 °C, fitted with a thermoregulator	Prodlouženo automaticky
3103561/2014	8516900080	Door assembly incorporating a capacitive sealing element and wavelength choke for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080	Prodlouženo automaticky
250114/2009,	8521900020	Digital video recorder: without a hard disk drive, with or without a DVD-RW drive, with either motion detection or capability of motion detection through IP connectivity via LAN connector with or without a USB serial port, for use in the manufacture of closed-circuit television (CCTV) surveillance systems	Prodlouženo automaticky

256133/2009,	8522904960, 8529906525, 8527990010	Printed circuit board assembly comprising: a radio tuner (capable of receiving and decoding radio signals and transmitting those signals within the assembly) without signal processing capabilities, a microprocessor capable of receiving remote control messages and controlling the tuner chipset, for use in the manufacture of home entertainment systems	Nutná žádost
255838/2009,	8522904965, 8529906540, 8527990020	Printed circuit board subassembly, comprising: a radio tuner, capable of receiving and decoding radio signals and transmitting those signals within the assembly, with a signal decoder, a radio frequency (RF) remote control receiver, an infrared remote control signal transmitter, a SCART signal generator a TV state sensor for use in the manufacture of home entertainment systems	Nutná žádost
246793/2009,	8525801960	Image scanning cameras, using: a „Dynamic“- or „Static overlay lines“ system, an output NTSC video signal , a voltage of 6,5 V or more, an illuminance of 0,5 lux or more	Prodlouženo automaticky
235034/2009,	8525801970	Long wavelength infrared camera (LWIR camera) (according to ISO/TS 16949), with: a sensitivity in the wavelength area of 7,5 µm or more, but not more than 17 µm, a resolution of up to 640 × 512 pixels, a weight of not more than 400 g, measurements of not more than 70 mm × 86 mm × 82 mm, whether or not in a housing with automotive- qualified plug and a deviation of the output signal over the entire work temperature range of not more than 20 %	Prodlouženo automaticky
1378843/2017	8526912030	Control unit of the emergency call system containing GSM and GPS module, for use in the manufacture of goods of Chapter 87	Nutná žádost
1179/2009,	8529906585, 8527919920	Assembly consisting of at least: an audio frequency amplifier unit, comprising at least an audio frequency amplifier and a sound generator, a transformer and a radio broadcast receiver for use in the manufacture of consumer electronic products	Nutná žádost
775668/2014	8528590020	Liquid crystal display colour video monitor assembly mounted on a frame, excluding those combined with other apparatus, comprising touch screen facilities, a printed circuit board with drive circuitry and power supply, used for permanent incorporation or permanent mounting into entertainment systems for vehicles	Prodlouženo automaticky

1222/2009,	8529906545	Satellite radio receiver module transforming satellite high frequency signals to digital audio coded signal, for use in the manufacture of products falling within heading 8527	Nutná žádost
3155559/2014	8529906580	Tuner transforming high-frequency signals into digital signal, for use in the manufacture of products falling under heading 8527	Nutná žádost
1214/2009,	8529909247	Area image sensors ("progressive scan" Interline CCD-Sensor or CMOS-Sensor) for digital video cameras in the form of analogue or digital, monolithic integrated circuit with pixels of not more than 12 µm × 12 µm in monochromic version with microlenses applied to each individual pixel (microlens array) or in polychromic version with a colour filter, whether or not with a lenslet (micro lens) array with one lenslet mounted on each individual pixel	Prodlouženo automaticky
1161/2009,	8536699083, 8529909249	AC socket with a noise filter, composed of: AC socket (for power cord connection) of 230 V, integrated noise filter composed of capacitors and inductors, cable connector for connecting an AC socket with the PDP (Plasma display panel) power supply unit, whether or not equipped with a metal support, which joins the AC socket to the PDP TV set	Prodlouženo automaticky
816713/2014	8529909255	OLED modules, consisting of one or more TFT glass or plastic cells, containing organic material, with or without combined touch screen facilities and one or more printed circuit boards with control electronics for pixel addressing, for use in the manufacture of TV sets and monitors or for use in the manufacture of vehicles of Chapter 87	Prodlouženo automaticky
848091/2014	8529909265	OLED display consisting of: the organic layer with organic LEDs, two conductive layers on electron transfer and electron holes, layers of transistors (TFT) with resolution of 1920 x 1080 anode and cathode for power supply of organic diodes, RGB filter, glass or plastic protective layer, without the electronics for pixel addressing, for use in the manufacture of goods of headings 8528	Nutná žádost
1128/2009,	8536699082	Modular socket or plug for local area networks, whether or not combined with other sockets, integrating at least: a pulse transformer, including a wide-band ferrite core, a common mode coil, a resistor, a capacitor, for use in the manufacture of products falling within headings 8521 or 8528	Prodlouženo automaticky

3033509/2014	8537109840	Electronic control unit for monitoring car vehicle tyre pressure comprising plastic box with printed circuit board inside and with or without metal holder, of: a length of 50 mm or more, but not more than 120 mm, a width of 20 mm or more but not more than 40 mm, a height of 30 mm or more, but not more than 120 mm of a kind used in the manufacture of goods of Chapter 87	Nutná žádost
3033461/2014	8537109850	Electronic control unit BCM (Body Control Module) comprising plastic box with printed circuit board and metal holder, with voltage of 9V or more, but not more than 16V, able to control, evaluate and manage functions of assisting services in an automobile, at least wiper timing, window heating, interior lighting, seat belt reminder of a kind used in the manufacture of goods of Chapter 87	Prodlouženo automaticky
3103600/2014	8537109860	Electronic assembly consisting of: a microprocessor, light-emitting diode (LED) or liquid crystal display (LCD) indicators, electronic components mounted on a printed circuit, for use in the manufacture of built-in products of headings 8514 20 80, 8516 50 00 and 8516 60 80	Prodlouženo automaticky
848259/2014	8538909930, 8547200000	Polycarbonate or acrylonitrile butadiene styrene covers and cases for steering pad switches whether or not coated on the outside with a scratch resistant paint	Prodlouženo automaticky
848226/2014	8538909940	Polycarbonate control interface buttons for steering pad switches coated on the outside with scratch resistant paint, in immediate packages of 500 pieces or more	Prodlouženo automaticky
847787/2014	8544300040, 8544429040	Wire harness of the steering system with an operating voltage of 12 V, equipped with connectors on both sides, having at least 3 plastic anchor clamps for mounting on a motor vehicle steering box	Prodlouženo automaticky
779749/2014	8544300070	Multi-measurement wire harness: of a voltage of 5 V or more but not more than 90 V, capable of transmitting information for use in the manufacture of vehicles of heading 8711	Prodlouženo automaticky
3011443/2014	8544499110	Insulated copper electrical wires: with individual conductor wires of a diameter exceeding 0,51 mm., for a voltage of not more than 1 000 V, for use in the manufacture of automotive cable harnesses	Nutná žádost
3104087/2014	8708301020, 8708309160	Motor powered brake actuation unit with a rating of 13.5 V ($\pm 0.5V$) and a ball screw mechanism to control brake fluid pressure in the master cylinder for use in the manufacture of electric motor vehicles	Prodlouženo automaticky

3033537/2014	8708309130, 8708301040	Body of disc type brake in BIR ("Ball in Ramp") or EPB ("Electronic Parking Brake") or with hydraulic function only, containing functional and mounting openings and guide grooves, of a kind used in the manufacture of goods of Chapter 87	Prodlouženo automaticky
3033311/2014	8708309120, 8708301060	Non-asbestos organic brake pads with friction material mounted to the band steel back plate for use in the manufacture of goods of Chapter 87	Prodlouženo automaticky
3033567/2014	8708913510, 8708912020	Aluminium cooler using compressed air with a ribbed design of a kind used in the manufacture of goods of Chapter 87	Prodlouženo automaticky
3033605/2014	8708943520, 8708942010	Rack steering gear in aluminium housing with homokinetic hinges of a kind used in the manufacture of goods of Chapter 87	Prodlouženo automaticky
1121/2009,	9001900065	Optical film with a minimum of 5 multi-layer structures, including a back side reflector, a front side coating and a contrast filter with a pitch of not more than 0,65 µm, for use in the manufacture of front projection screens	Nutná žádost
3076474/2014	9002110085	Lens assembly with: a horizontal field of view range of 50 deg or more, but not more than 200 deg, a focal length of 1,16 mm or more, but not more than 5,45 mm, a relative aperture of F/1,8 or more but not more than F/2,6, a diameter of 5 mm or more but not more than 18,5 mm, and for use in the manufacture of CMOS automotive cameras	Prodlouženo automaticky
726268/2014	9013809030	Electronic semiconductor micro-mirror in a housing suitable for the automatic printing of conductor boards, mainly consisting of: one or more microelectromechanical mirrors (MEMS) manufactured with semiconductor technology, with a drive arranged in three-dimensional structures on the semiconductor material, whether or not in a combination with one or more monolithic application-specific integrated circuits (ASIC), of a kind used for incorporation into products of Chapters 84-90 and 95	Nutná žádost

706851/2014	9025804050	Electronic semiconductor sensor for measuring at least two of the following quantities: Atmospheric pressure, temperature, (also for temperature compensation), humidity, or volatile organic compounds, in a housing suitable for the automatic printing of conductor boards or Bare Die technology, containing : one or more monolithic application-specific integrated circuits (ASIC), one or more microelectromechanical sensor elements (MEMS) manufactured with semiconductor technology, with mechanical components arranged in three-dimensional structures on the semiconductor material, of a kind used for incorporation into products of Chapters 84-90 and 95	Prodlouženo automaticky
3033770/2014	9029100030	Speed sensor using the Hall effect for measuring wheels rotation in a motor vehicle equipped with plastic housing and attached to connecting cable with a joining connector and mounting holders of a kind used in the manufacture of goods of Chapter 87	Nutná žádost
3033673/2014	9029203110, 9029900020	Clustered instrument panel with the microprocessor control board, stepping motors and LED indicators showing at least: speed, engine revolutions, engine temperature, the fuel level communicating via CAN-BUS and K-LINE protocols, of a kind used in the manufacture of goods of Chapter 87	Prodlouženo automaticky